

## 7 Bibliografia

- [1] Borges, K. A. V., Laender, A. H. F., Medeiros, C. B., Silva, A. S., Davis Jr, C. "The Web as a Data Source for Spatial Databases" GeoInfo 2003, Campos do Jordão, Brasil, novembro de 2003.
- [2] Gardels, K. "The Open GIS Approach to Distributed Geodata and Geoprocessing" Third International Conference/Workshop on Integrating GIS and Environmental Modeling, pp. 21-25 Santa Fé, janeiro 1996.
- [3] Benkler, I. . "Coase's Penguin, or, Linux and The Nature of the Firm." Yale Law Journal 112 (Winter 2002-03).
- [4] Barton, J., D. Alexander, et al. Integrating Intellectual Property Rights and Development Policy. UK Department for International Development, London, UK, 2002
- [5] Câmara, G., Onsrud, H. "Open Source GIS Software: Myths and Realities". "International Symposium on Open Access and The Public Domain in Digital Data for Science", UNESCO, Paris, abril de 2003
- [6] Hibbard, W., B. Paul, et al. "Interactive Visualization of Earth and Space Science Computations." Computer 27(7): 65-72. 1994
- [7] Brooks, F. "No Silver Bullet: Essence and Accidents of Software Engineering." IEEE Computer. 1982
- [8] Rase, D. (ed), "Reference Data and Metadata Orientation Paper" EUROSTAT, abril de 2002.
- [9] Projeto INSPIRE. <<http://inspire.jrc.it/home.html>>
- [10] de La Beaujardiere, J. (ed.), Web Map Service Implementation Specification 1.1.1, Documento OGC #01-068r3, janeiro de 2002, <<http://www.opengis.org/techno/specs/>>.
- [11] de La Beaujardiere, J. (ed.), Web Map Service Implementation Specification 1.1.0, Documento OGC #01-047r2, junho de 2001, <<http://www.opengis.org/techno/specs/>>.

- [12] Ladstaetter, P., “OpenGIS Simple Features Specification for CORBA” Open GIS Consortium, Inc. Março de 98. <<http://www.opengeospatial.org/docs/99-054.pdf>>
- [13] Wong, S. H., Sarkar, D., Swartz, S. L., “A CORBA-based Middleware Architecture for Building Open and Interoperable GISs”. Dissertação de Mestrado. Universidade de Miami. 2000
- [14] Jacobsen, A. H., Voisard, A. “CORBA – Based Open Geographic Information Systems” European Conference on Parallel and Distributed Systems. 1998. <[citeseer.ist.psu.edu/jacobsen98corbabased.html](http://citeseer.ist.psu.edu/jacobsen98corbabased.html)>
- [15] Chen, S. C., Wang, X., Rishe, N., Weiss, M. A., “A High-Performance Web-Based System Design for Spatial Data Accesses”. “8<sup>th</sup> ACM Symp. on Advances in Geographic Information Sys”. (2000), 33-38.
- [16] Plewe, B., *GIS ONLINE: Information, retrieval, mapping, and the Internet*, OnWorld Press, 1997.
- [17] Cox, S., Cuthbert, A., Lake, R., and Martell, R. (eds.), Geography Markup Language (GML) Implementation Specification 2.0, Documento OGC #01-029, fevereiro de 2001, <<http://www.opengis.org/techno/specs/>>.
- [18] <http://www.terralib.org>
- [19] Buehler, K. (ed), OpenGIS Reference Model 0.1.2, Documento OGC #03-040, março de 2003, <<http://www.opengis.org/docs/03-040.pdf>>.
- [20] Lieberman, J. (ed.), Critical Infrastructure Collaborative Environment Architecture: Computational Viewpoint 0.5.0, Documento OGC #03-063r1, junho de 2003, <<http://www.opengis.org/docs/03-063r1.pdf>>.
- [21] Vretanos, P. A. (ed.), Web Feature Service Implementation Specification 1.0.0, Documento OGC #02-058, setembro de 2002, <<http://www.opengis.org/docs/02-058.pdf>>.
- [22] Rose, L. C. (ed.), Critical Infrastructure Collaborative Environment (CICE) Architecture – Engineering Viewpoint, 0.7.1, Documento OGC #03-055r1, maio de 2003, <<http://www.opengis.org/docs/03-055r1.pdf>>
- [23] Yutzler, J. (ed.), Integrated Client for Multiple OGC-compliant Services 0.1.18, Documento OGC #03-021, janeiro de 2003
- [24] Projeto Deegree. <<http://deegree.sourceforge.net>>
- [25] European Petroleum Survey Group (EPSG). <<http://www.epsg.org>>

- [26] Carvalho, Marcelo Tilio, M., Metello, M., Vera, M., “Tdk Descrição Funcional”. Relatório Técnico, TecGraf/PUC-Rio, Abril de 2004.
- [27] Interface de Usuário Portável. Biblioteca de Software.  
[<http://www.tecgraf.puc-rio.br/iup>](http://www.tecgraf.puc-rio.br/iup)
- [28] Gamma, E. Helm, R., Johnson, R., Vlissides, J., Booch, G. *Padrões de Projeto - Soluções Reutilizáveis de Software Orientado a Objetos*, Bookman, Porto Alegre, 2000
- [29] Derraik, A. L. B., “Um estudo comparativo de representações de multi-resolução para linhas poligonais”. Dissertação de Mestrado, Departamento de Informática, PUC-Rio. Rio de Janeiro, 25 de abril de 1997.

## Anexos

### DTD de Validação WMS 1.1.1

```
<!ELEMENT WMT_MS_Capabilities (Service, Capability)>
<!ATTLIST WMT_MS_Capabilities
version CDATA #FIXED "1.1.1"
updateSequence CDATA #IMPLIED>
<!-- Elements used in multiple places. -->
<!-- The Name is typically for machine-to-machine communication. -->
<!ELEMENT Name (#PCDATA)>
<!-- The Title is for informative display to a human. -->
<!ELEMENT Title (#PCDATA)>
<!-- The abstract is a longer narrative description of an object. -->
<!ELEMENT Abstract (#PCDATA)>
<!-- An OnlineResource is typically an HTTP URL. The URL is placed in
the xlink:href attribute. The xmlns:xlink attribute is a required XML namespace
declaration. -->
<!ELEMENT OnlineResource EMPTY>
<!ATTLIST OnlineResource
xmlns:xlink CDATA #FIXED "http://www.w3.org/1999/xlink"
xlink:type CDATA #FIXED "simple"
xlink:href CDATA #REQUIRED >
<!-- A container for listing an available format's MIME type. -->
<!ELEMENT Format (#PCDATA)>
<!-- General service metadata. -->
<!ELEMENT Service (Name, Title, Abstract?, KeywordList?,
OnlineResource, ContactInformation?, Fees?, AccessConstraints?)>
<!-- List of keywords or keyword phrases to help catalog searching. -->
<!ELEMENT KeywordList (Keyword*)>
<!-- A single keyword or phrase. -->
```

```
<!ELEMENT Keyword (#PCDATA) >
<!-- Information about a contact person for the service. -->
<!ELEMENT ContactInformation (ContactPersonPrimary?,
ContactPosition?, ContactAddress?, ContactVoiceTelephone?,
ContactFacsimileTelephone?,
ContactElectronicEmailAddress?) >
<!--The primary contact person.-->
<!ELEMENT ContactPersonPrimary (ContactPerson, ContactOrganization)
>
<!--The person to contact.-->
<!ELEMENT ContactPerson (#PCDATA) >
<!--The organization supplying the service.-->
<!ELEMENT ContactOrganization (#PCDATA) >
<!--The position title for the contact person.-->
<!ELEMENT ContactPosition (#PCDATA) >
<!--The address for the contact supplying the service.-->
<!ELEMENT ContactAddress (AddressType, Address, City,
StateOrProvince, PostCode, Country) >
<!--The type of address.-->
<!ELEMENT AddressType (#PCDATA) >
<!--The street address.-->
<!ELEMENT Address (#PCDATA) >
<!--The address city.-->
<!ELEMENT City (#PCDATA) >
<!--The state or province.-->
<!ELEMENT StateOrProvince (#PCDATA) >
<!--The zip or postal code.-->
<!ELEMENT PostCode (#PCDATA) >
<!--The address country.-->
<!ELEMENT Country (#PCDATA) >
<!--Contact telephone number.-->
<!ELEMENT ContactVoiceTelephone (#PCDATA) >
<!--The contact fax number.-->
<!ELEMENT ContactFacsimileTelephone (#PCDATA) >
```

```
<!--The e-mail address for the contact.-->
<!ELEMENT ContactElectronicMailAddress (#PCDATA) >
<!-- Elements indicating what fees or access constraints are imposed. -->
<!ELEMENT Fees (#PCDATA)>
<!ELEMENT AccessConstraints (#PCDATA)>
<!-- A Capability lists available request types, how exceptions
may be reported, and whether any vendor-specific capabilities are defined. It
also includes an optional list of map layers available from this server. -->
<!ELEMENT Capability
(Request, Exception, VendorSpecificCapabilities?, 
UserDefinedSymbolization?, Layer? ) >
<!-- Available WMS Operations are listed in a Request element. -->
<!ELEMENT Request (GetCapabilities, GetMap, GetFeatureInfo?,
DescribeLayer?, GetLegendGraphic?, GetStyles?, PutStyles?) >
<!-- For each operation offered by the server, list the available output
formats and the online resource. -->
<!ELEMENT GetCapabilities (Format+, DCPType+)>
<!ELEMENT GetMap (Format+, DCPType+)>
<!ELEMENT GetFeatureInfo (Format+, DCPType+)>
<!-- The following optional operations only apply to SLD-enabled WMS -->
<!ELEMENT DescribeLayer (Format+, DCPType+)>
<!ELEMENT GetLegendGraphic (Format+, DCPType+)>
<!ELEMENT GetStyles (Format+, DCPType+)>
<!ELEMENT PutStyles (Format+, DCPType+)>
<!-- Available Distributed Computing Platforms (DCPs) are
listed here. At present, only HTTP is defined. -->
<!ELEMENT DCPType (HTTP) >
<!-- Available HTTP request methods. One or both may be supported. -->
<!ELEMENT HTTP (Get | Post)+ >
<!-- URL prefix for each HTTP request method. -->
<!ELEMENT Get (OnlineResource) >
<!ELEMENT Post (OnlineResource) >
<!-- An Exception element indicates which error-reporting formats are
supported. -->
```

```
<!ELEMENT Exception (Format+)>
<!-- Optional user-defined symbolization (used only by SLD-enabled
WMSSes). -->
<!ELEMENT UserDefinedSymbolization EMPTY >
<!ATTLIST UserDefinedSymbolization
  SupportSLD (0 | 1) "0"
  UserLayer (0 | 1) "0"
  UserStyle (0 | 1) "0"
  RemoteWFS (0 | 1) "0" >
<!-- Nested list of zero or more map Layers offered by this server. -->
<!ELEMENT Layer ( Name?, Title, Abstract?, KeywordList?, SRS*,
  LatLonBoundingBox?, BoundingBox*, Dimension*, Extent*,
  Attribution?, AuthorityURL*, Identifier*, MetadataURL*, DataURL*,
  FeatureListURL*, Style*, ScaleHint?, Layer* ) >
<!-- Optional attributes-->
<!ATTLIST Layer queryable (0 | 1) "0"
  cascaded CDATA #IMPLIED
  opaque (0 | 1) "0"
  noSubsets (0 | 1) "0"
  fixedWidth CDATA #IMPLIED
  fixedHeight CDATA #IMPLIED >
<!-- Identifier for a single Spatial Reference Systems (SRS). -->
<!ELEMENT SRS (#PCDATA) >
<!-- The LatLonBoundingBox attributes indicate the edges of the enclosing
rectangle in latitude/longitude decimal degrees (as in SRS EPSG:4326
[WGS1984lat/lon]). -->
<!ELEMENT LatLonBoundingBox EMPTY>
<!ATTLIST LatLonBoundingBox
  minx CDATA #REQUIRED
  miny CDATA #REQUIRED
  maxx CDATA #REQUIRED
  maxy CDATA #REQUIRED>
<!-- The BoundingBox attributes indicate the edges of the bounding box
in units of the specified spatial reference system. -->
```

```
<!ELEMENT BoundingBox EMPTY>
<!ATTLIST BoundingBox
  SRS CDATA #REQUIRED
  minx CDATA #REQUIRED
  miny CDATA #REQUIRED
  maxx CDATA #REQUIRED
  maxy CDATA #REQUIRED
  resx CDATA #IMPLIED
  resy CDATA #IMPLIED>
<!-- The Dimension element declares the _existence_ of a dimension. -->
<!ELEMENT Dimension EMPTY >
<!ATTLIST Dimension
  name CDATA #REQUIRED
  units CDATA #REQUIRED
  unitSymbol CDATA #IMPLIED>
<!-- The Extent element indicates what _values_ along a dimension are
valid. -->
<!ELEMENT Extent (#PCDATA) >
<!ATTLIST Extent
  name CDATA #REQUIRED
  default CDATA #IMPLIED>
<!-- Attribution indicates the provider of a Layer or collection of Layers.
The provider's URL, descriptive title string, and/or logo image URL may be
supplied. Client applications may choose to display one or more of these
items. A format element indicates the MIME type of the logo image located
at LogoURL. The logo image's width and height assist client applications in
laying out space to display the logo. -->
<!ELEMENT Attribution ( Title?, OnlineResource?, LogoURL? )>
<!ELEMENT LogoURL (Format, OnlineResource) >
<!ATTLIST LogoURL
  width NMTOKEN #REQUIRED
  height NMTOKEN #REQUIRED>
```

<!-- A Map Server may use zero or more MetadataURL elements to offer detailed, standardized metadata about the data underneath a particular *layer*. The type

attribute indicates the standard to which the metadata complies. Two types are defined at present: 'TC211' = ISO TC211 19115; 'FGDC' = FGDC CSDGM. The format element indicates how the metadata is structured. -->

```
<!ELEMENT MetadataURL (Format, OnlineResource) >
```

```
<!ATTLIST MetadataURL
```

```
  type ( TC211 | FGDC ) #REQUIRED >
```

<!-- A Map Server may use zero or more Identifier elements to list ID numbers or labels defined by a particular Authority. For example, the Global Change Master Directory (gcmd.gsfc.nasa.gov) defines a DIF\_ID label for every dataset. The authority name and explanatory URL are defined in a separate AuthorityURL element, which may be defined once and inherited by subsidiary *layers*. Identifiers themselves are not inherited. -->

```
<!ELEMENT AuthorityURL (OnlineResource) >
```

```
<!ATTLIST AuthorityURL
```

```
  name NMOKEN #REQUIRED >
```

```
<!ELEMENT Identifier (#PCDATA) >
```

```
<!ATTLIST Identifier
```

```
  authority CDATA #REQUIRED >
```

<!-- A Map Server may use DataURL to offer more information about the data underneath a particular *layer*. While the semantics are not well-defined, as long as the results of an HTTP GET request against the DataURL are properly MIME-typed, Viewer Clients and Cascading Map Servers can make use of this. -->

```
<!ELEMENT DataURL (Format, OnlineResource) >
```

```
<!-- A Map Server may use FeatureListURL to point to a list of the features represented in a Layer. -->
```

```
<!ELEMENT FeatureListURL (Format, OnlineResource) >
```

```
<!-- A Style element lists the name by which a style is requested and a human-readable title for pick lists, optionally (and ideally) provides a human-readable description, and optionally gives a style URL. -->
```

```
<!ELEMENT Style ( Name, Title, Abstract?,
```

```
LegendURL*, StyleSheetURL?, StyleURL? ) >
<!-- A Map Server may use zero or more LegendURL elements to provide
an image(s) of a legend relevant to each Style of a Layer. The Format element
indicates the MIME type of the legend. Width and height attributes are
provided to assist client applications in laying out space to display the
legend. -->
<!ELEMENT LegendURL (Format, OnlineResource) >
<!ATTLIST LegendURL
  width NMTOKEN #REQUIRED
  height NMTOKEN #REQUIRED>
<!-- StyleSheetURL provides symbology information for each Style of a
Layer. -->
<!ELEMENT StyleSheetURL (Format, OnlineResource) >
<!-- A Map Server may use StyleURL to offer more information about the
data or symbology underlying a particular Style. While the semantics are not
well-defined, as long as the results of an HTTP GET request against the
StyleURL are properly MIME-typed, Viewer Clients and Cascading Map
Servers can make use of this. A possible use could be to allow a Map Server to
provide legend information. -->
<!ELEMENT StyleURL (Format, OnlineResource) >
<!-- Minimum and maximum scale hints for which it is appropriate to
display this layer. -->
<!ELEMENT ScaleHint EMPTY>
<!ATTLIST ScaleHint
  min CDATA #REQUIRED
  max CDATA #REQUIRED>
```

**DTD de Exceções WMS 1.1.1**

```
<!ELEMENT ServiceExceptionReport (ServiceException*)>
<!ATTLIST ServiceExceptionReport version CDATA #FIXED "1.1.1">
<!ELEMENT ServiceException (#PCDATA)>
<!ATTLIST ServiceException code CDATA #IMPLIED>
```

## Exemplo de Resposta do WMS

```
<?xml version='1.0' encoding="ISO-8859-1" standalone="no" ?>
<!-- The DTD (Document Type Definition) given here must correspond to
the version number declared in the WMT_MS_Capabilities element below. -->
<!DOCTYPE WMT_MS_Capabilities SYSTEM "http://di.tecgraf.puc-
rio.br:8090/marcWMS/wms_dtd_1_1_1.dtd"
[
<!-- Vendor-specific elements are defined here if needed. -->
<!-- If not needed, you can omit these [] and everything inside. -->
<!ELEMENT VendorSpecificCapabilities EMPTY>
]><!-- end of DOCTYPE declaration -->

<WMT_MS_Capabilities updateSequence="1.1.0" version="1.1.1">
<Service>
<Name>OGC:WMS</Name>
<Title>OGC WMS versão 1.1.1 - Marconi de Arruda Pereira</Title>
<Abstract>Implementacao do OGC WMS instrumento da dissertacao de
Marconi de Arruda Pereira - Puc/RJ - 2004</Abstract>
<KeywordList>
<Keyword>WMS</Keyword>
<Keyword>OGC</Keyword>
<Keyword>TerraLib</Keyword>
<Keyword>PUC-Rio</Keyword>
<Keyword>TecGraf</Keyword>
</KeywordList>
<OnlineResource xlink:href="http://di.tecgraf.puc-
rio.br:8090/marcWMS/wms" xlink:type="simple"
xmlns:xlink="http://www.w3.org/1999/xlink"/>
<Fees>none</Fees>
<AccessConstraints>none</AccessConstraints>
</Service>
<Capability>
```

```
<Request>
<GetCapabilities>
<Format>application/vnd.ogc.wms_xml</Format>
<DCPType>
<HTTP>
<Get>
<OnlineResource xlink:href="http://di.tecgraf.puc-rio.br:8090/marcWMS/wms" xlink:type="simple"
xmlns:xlink="http://www.w3.org/1999/xlink"/>
</Get>
<Post>
<OnlineResource xlink:href="http://di.tecgraf.puc-rio.br:8090/marcWMS/wms" xlink:type="simple"
xmlns:xlink="http://www.w3.org/1999/xlink"/>
</Post>
</HTTP>
</DCPType>
</GetCapabilities>
<GetMap>
<Format>image/jpeg</Format>
<DCPType>
<HTTP>
<Get>
<OnlineResource xlink:href="http://di.tecgraf.puc-rio.br:8090/marcWMS/wms" xlink:type="simple"
xmlns:xlink="http://www.w3.org/1999/xlink"/>
</Get>
<Post>
<OnlineResource xlink:href="http://di.tecgraf.puc-rio.br:8090/marcWMS/wms" xlink:type="simple"
xmlns:xlink="http://www.w3.org/1999/xlink"/>
</Post>
</HTTP>
</DCPType>
```

```
</GetMap>
<GetFeatureInfo>
  <Format>text/plain</Format>
  <DCPType>
    <HTTP>
      <Get>
        <OnlineResource          xlink:href="http://di.tecgraf.puc-
rio.br:8090/marcWMS/wms"           xlink:type="simple"
          xmlns:xlink="http://www.w3.org/1999/xlink"/>
        </Get>
      <Post>
        <OnlineResource          xlink:href="http://di.tecgraf.puc-
rio.br:8090/marcWMS/wms"           xlink:type="simple"
          xmlns:xlink="http://www.w3.org/1999/xlink"/>
      </Post>
    </HTTP>
  </DCPType>
  </GetFeatureInfo>
</Request>
<Exception>
  <Format>application/vnd.ogc.se_blank</Format>
</Exception>
<Layer cascaded="0" noSubsets="0" opaque="0" queryable="0">
  <Title>Guarulhos</Title>
  <Layer cascaded="0" opaque="1" queryable="1">
    <Title>Instalações do Aeroporto</Title>
    <Name>20</Name>
    <BoundingBox SRS="EPSG:6405" maxx="-46.436722"
maxy="-23.402046" minx="-46.495781" miny="-23.463450"/>
  </Layer>
  <Layer cascaded="0" opaque="1" queryable="1">
    <Title>Área Patrimonial</Title>
    <Name>19</Name>
```

```
<BoundingBox SRS="EPSG:6405" maxx="-46.436929"
maxy="-23.411789" minx="-46.495352" miny="-23.458284"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Curva de Ruído 1- Ano 2000</Title>
<Name>18</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.440713"
maxy="-23.420638" minx="-46.492477" miny="-23.442839"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Curva de Ruído 2- Ano 2000</Title>
<Name>17</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.410831"
maxy="-23.413058" minx="-46.546650" miny="-23.455045"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Plano de Proteção</Title>
<Name>16</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.422517"
maxy="-23.404730" minx="-46.517442" miny="-23.450084"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Hidrografia</Title>
<Name>15</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.359720"
maxy="-23.384363" minx="-46.578917" miny="-23.511138"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Pontos de Monitoramento</Title>
<Name>14</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.422160"
maxy="-23.424556" minx="-46.507232" miny="-23.466432"/>
</Layer>
```

```
<Layer cascaded="0" opaque="1" queryable="1">
    <Title>Equipamentos</Title>
    <Name>13</Name>
    <BoundingBox SRS="EPSG:6405" maxx="-46.405833"
maxy="-23.400268" minx="-46.558896" miny="-23.489467"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
    <Title>Corpos de Água</Title>
    <Name>12</Name>
    <BoundingBox SRS="EPSG:6405" maxx="-46.371265"
maxy="-23.394008" minx="-46.578593" miny="-23.510926"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
    <Title>Eixos de Logradouros</Title>
    <Name>11</Name>
    <BoundingBox SRS="EPSG:6405" maxx="-46.359608"
maxy="-23.345274" minx="-46.570503" miny="-23.511268"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
    <Title>Quadras</Title>
    <Name>10</Name>
    <BoundingBox SRS="EPSG:6405" maxx="-46.354446"
maxy="-23.330585" minx="-46.570671" miny="-23.511323"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
    <Title>Bairros</Title>
    <Name>9</Name>
    <BoundingBox SRS="EPSG:6405" maxx="-46.334749"
maxy="-23.271274" minx="-46.578729" miny="-23.511436"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
    <Title>Densidade Demográfica</Title>
    <Name>8</Name>
```

```
<BoundingBox SRS="EPSG:6405" maxx="-46.381081"
maxy="-23.362190" minx="-46.560912" miny="-23.507906"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Setores Censitários</Title>
<Name>7</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.381081"
maxy="-23.362190" minx="-46.560912" miny="-23.507906"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Favelas</Title>
<Name>6</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.361957"
maxy="-23.347199" minx="-46.572035" miny="-23.448562"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Uso do Solo</Title>
<Name>5</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.334388"
maxy="-23.271759" minx="-46.578253" miny="-23.511040"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>Curvas de Nível</Title>
<Name>4</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.371462"
maxy="-23.349414" minx="-46.577971" miny="-23.501629"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
<Title>PEZR-1em vigor</Title>
<Name>3</Name>
<BoundingBox SRS="EPSG:6405" maxx="-46.416280"
maxy="-23.414920" minx="-46.515754" miny="-23.447587"/>
</Layer>
```

```
<Layer cascaded="0" opaque="1" queryable="1">
  <Title>PEZR-2em vigor</Title>
  <Name>2</Name>
  <BoundingBox SRS="EPSG:6405" maxx="-46.352168"
maxy="-23.396259" minx="-46.552255" miny="-23.458326"/>
</Layer>
<Layer cascaded="0" opaque="1" queryable="1">
  <Title>Limite Municipal</Title>
  <Name>1</Name>
  <BoundingBox SRS="EPSG:6405" maxx="-46.334437"
maxy="-23.271196" minx="-46.578415" miny="-23.511286"/>
</Layer>
</Layer>
</Capability>
</WMT_MS_Capabilities>
```