

## Referências Bibliográficas

- [1] Iijima, S. Helical microtubules of graphitic carbon. *Nature* **56**, 354 (1991). 1.1, 4.15
- [2] Iijima, S. & Ichihashi, T. Single-shell carbon nanotubes of 1-nm diameter. *Nature* **363**, 603 (1992). 1.1
- [3] Krishnan, A., Dujardin, E., Ebessen, T., Yianilos, P. & Treacy, M. Young modulus of single-walled nanotubes. *Physical Review B* **58**, 14013 (1998). 1.1
- [4] Salvetat, J. *et al.* Elastic and shear moduli of single-walled carbon nanotube ropes. *Physical Review Letters* **82**, 944 (1999). 1.1
- [5] Li, C. & Chou, T. Elastic moduli of multi-walled carbon nanotubes and the effect of van der waals forces. *Composites Science and Technology* **63**, 1517 (2003). 1.1
- [6] Dresselhaus, M., Dresselhaus, G. & Avouris, P. *Carbon Nanotubes : Synthesis, Structure, Properties, and Applications* (Springer-Verlag, Germany, 2001). 1.1, 2, 3
- [7] Duesberg, G. *et al.* Ways towards the scaleable integration of carbon nanotubes into silicon based technology. *Diamond and related Materials* **13**, 354 (2006). 1.1
- [8] Saito, R., Dresselhaus, M. & Dresselhaus, G. *Physical Properties of Carbon Nanotubes* (Imperial College Press, London, 2003). 1.1, 2, 2.2, 2.3.1, 2.3.1, 2.3.2, 2.3.2
- [9] Terrones, M. *et al.* Doping and connecting nanotubes. *Molecular Crystals and Liquid Crystals* **387**, 51–62 (2002). 1.2
- [10] Terrones, M. *et al.* New direction in nanotube science. *Materialstoday* **30** (2004). 1.2, 2.4.1
- [11] Kang, H. & Jeong, S. Nitrogen doping and chirality of carbon nanotubes. *Phys.Rev.B* **70**, 233411 (2004). 1.2, 2.4.2

- [12] Rappoport, Z. & Apeloig, Y. *The Chemistry of Organic Silicon Compounds* (Wiley, London, 2001). 2.1
- [13] Hamada, N., Sawada, S. & Oshiyama, A. New one-dimensional conductors: Graphitic microtubules. *Physical Review Letters* **68**, 1579 (1992). 2.2
- [14] Pichler, T. Electron energy-loss studies of pristine and doped nanotubes. *New Diamond and Frontier Technology* **6**, 375 (2001). 2.4
- [15] Borowiak-Palen, E. *et al.* Synthesis and electronic properties of b-doped single wall carbon nanotubes. *Carbon* **42**, 1123 (2004). 2.4
- [16] Li, L.-J. *et al.* The effects on nitrogen and boron doping on the optical emission and diameters of single-walled carbon nanotubes. *Carbon* **44**, 2752 (2006). 2.4, 6.1
- [17] Liu, X., Pichler, T., Knupfer, M., Fink, J. & Kataura, H. Electronic properties of fecl<sub>3</sub>-intercalated single-wall carbon nanotubes. *Physical Review B (Condensed Matter and Materials Physics)* **70**, 205405 (2004). 2.4.1
- [18] Liu, X., Pichler, T., Knupfer, M. & Fink, J. Electronic and optical properties of alkali-metal-intercalated single-wall carbon nanotubes. *Phys. Rev. B* **67**, 125403 (2003). 2.4.1
- [19] Fuentes, G. G. *et al.* Formation and electronic properties of bc<sub>3</sub> single-wall nanotubes upon boron substitution of carbon nanotubes. *Physical Review B* **69**, 531–537 (2004). 2.4.1, 2.10
- [20] Takeya, K., Yazawa, K., Okuyama, N. & Akutsu, H. Evidence for the existence of extremely light carriers in pyrolytic carbons. *Phys. Rev. Lett.* **15**, 111–113 (1965). 2.4.2
- [21] Zanchetta, J. & Marchand, A. Electronic properties of nitrogen doped carbons. *Carbon* **3**, 332 (1965). 2.4.2
- [22] Belz, T. *et al.* Structural and chemical characterization of n-doped nanocarbons. *Carbon* **36**, 731–741 (1998). 2.4.2
- [23] Franceschini, D., Achete, C. & Jr., F. F. Internal stress reduction by nitrogen incorporation in hard amorphous carbon thin films. *Applied Physics Letters* **60**, 3229–3231 (1992). 2.4.2

- [24] Hellgren, N. *et al.* Nitrogen bonding structure in carbon nitride thin films studied by soft x-ray spectroscopy. *Appl. Phys. Lett.* **79**, 4348 (2001). 2.4.2
- [25] Gammon, W., Kraft, O., Reilly, A. & B.C.Holloway. Experimental comparison of n(1s) x-ray photoelectron spectroscopy binding energies of hard and elastic amorphous carbon nitride films with reference organic compounds. *Carbon* **41**, 1917 (2003). 2.4.2, 6.7, 6.7
- [26] Terrones, M. *et al.* N-doping and coalescence of carbon nanotubes: synthesis and electronic properties. *Applied Physics A* **74**, 355 (2002). 2.4.2, 2.4.2
- [27] Choi, H. *et al.* Experimental and theoretical studies on the structure of n-doped carbon nanotubes : possibility of intercalated n2. *Appl.Phys.Lett.* **391**, 308 (2004). 2.4.2, 2.4.2
- [28] Keskar, G. *et al.* Growth, nitrogen doping and characterization of isolated single-wall carbon nanotubes using liquid precursors. *Chem.Phys.Lett* **412**, 269 (2005). 2.4.2, 6.6.1
- [29] R.Sen *et al.* Nitrogen-containing carbon nanotubes. *J.Mater.Chem.* **7**, 2335 (1997). 2.4.2
- [30] Czerw, R. *et al.* Identification of electron donor states in n-doped carbon nanotubes. *Nano Letters* **1**, 457–460 (2001). 2.11, 2.4.2
- [31] Yang, Z., Xia, Y. & Mokaya, R. Aligned n-doped carbon nanotube bundles prepared via cvd using zeolite substrates. *Chemistry of Materials* **17**, 4502 (2005). 2.4.2, 5.1
- [32] Kamalakaran, R. *et al.* Synthesis of thick and crystalline nanotube arrays by spray pyrolysis. *Applied Physics Letters* **77**, 3385 (2000). 2.4.2
- [33] Lee, Y. *et al.* Growth of vertically aligned nitrogen-doped carbon nanotubes: Control of the nitrogen content over the temperature range 900 – 1100°C. *Journal of Physical Chemistry B* **107**, 12958 (2003). 2.4.2, 3.2.2, 5.1
- [34] Glerup, M. *et al.* Synthesis of n-doped swnt using the arc-discharge procedure. *Chem.Phys.Lett.* **387**, 193 (2004). 2.4.2, 3.2.2, 5.1, 6.1
- [35] Villalpando-Paez, F. *et al.* Synthesis and characterization of long strands of nitrogen doped single-walled carbon nanotubes. *Chem.Phys.Lett* **424**, 345 (2006). 2.4.2, 3.1, 3.2.2, 5.1, 6.1, 6.5.1, 7.2.1

- [36] Kim, S. *et al.* N-doped double-walled carbon nanotubes synthesized by chemical vapor deposition. *Chem.Phys.Lett.* **413**, 300 (2005). 2.4.2, 5.1, 6.1, 6.8
- [37] Jr., R. D., Hammer, P., Carvalho, A. & Alvarez, F. Incorporation of nitrogen in carbon nanotubes. *Journal of Non-Crystalline Solids* **299-302**, 874 (2002). 2.4.2, 3.2.2, 5.1, 6.7
- [38] Lupo, F. *et al.* Pyrolytic synthesis of long strands of large diameter single-walled carbon nanotubes at atmospheric pressure in the absence of sulphur and hydrogen. *Chemical Physics Letters* **410**, 384 (2005). 3.1, 7.2.1
- [39] Ruckenstein, E. & Yun, H. Catalytic preparation of narrow pore size distribution mesoporous carbon. *Carbon* **36**, 269 (1998). 3.2
- [40] Li, W. *et al.* Large-scale synthesis of aligned carbon nanotubes. *Science* **274**, 1701 (1996). 3.2
- [41] Benito, A., Maniette, Y., noz, E. M. & Martinez, M. Carbon nanotubes production by catalytic pyrolysis of benzene. *Carbon* **36**, 681 (1998). 3.2
- [42] Kiselev, N. *et al.* Carbon nanotubes from polyethylene precursors: Structure and structural changes caused by thermal and chemical treatment revealed by hrem. *Carbon* **36**, 1149 (1998). 3.2
- [43] Grimm, D. *et al.* Optimizing the chemical vapor deposition synthesis of single wall carbon nanotubes using n-heptane as carbon source. *Chemical Physics Letters* **428**, 416 (2006). 3.2, 6.4.1, 6.6.1, 6.6.2
- [44] Mohlala, M., Liu, X. & N.J.Coville. Synthesis of multi-walled carbon nanotubes catalyzed by substituted ferrocenes. *Journal of Organometallic Chemistry* **691**, 4768 (2006). 3.2
- [45] Murakami, Y., Miyauchi, Y., Chiashi, S. & Maruyama, S. Characterization of single-walled carbon nanotubes catalytically synthesized from alcohol. *Chem. Phys.Lett.* **374**, 53 (2003). 3.2, 5.4
- [46] Maruyama, S., Kojima, R., Miyauchi, Y., Chiashi, S. & Kohno, M. Low-temperature synthesis of high-purity single-walled carbon nanotubes from alcohol. *Chem. Phys. Lett.* **360**, 229 (2003). 3.2, 6.4.1, 6.6.2
- [47] Yang, Q. *et al.* Dual raman features of double coaxial carbon nanotubes with n-doped and b-doped multiwalls. *Nano Letters* **5**, 2465 (2005). 3.2.2

- [48] Moaisala, A., Nasibulin, A. & Kauppinen, E. The role of metal nanoparticles in the catalytic production of single wall carbon nanotubes - a review. *Journal of Physics Condensed Matter* **15**, S3011 (2003). 3.2.3
- [49] Herrera, J. E., Balzano, L., Borgna, A., Alvarez, W. & Resasco, D. Relationship between the structure/composition of co-mo catalysts and their ability to produce single-walled carbon nanotubes by co disproportionation. *Journal of Catalysis* **204**, 129 (2001). 3.2.3
- [50] Resasco, D., Herrera, J. & Balzano, L. Decomposition of carbon-containing compounds on solid catalysts for single-walled nanotube production. *J. Nanosci. Nanotech.* **4**, 1 (2004). 3.2.3
- [51] Ago, H., Nakamura, K. & Tsuji, S. I. M. Growth of double-wall carbon nanotubes with diameter-controlled iron oxide nanoparticles supported on mg. *Chem.Phys.Lett.* **391**, 308 (2004). 3.2.3
- [52] Flahaut, E., Bacsá, R., Peigney, A. & Laurent, C. Gram-scale ccvd synthesis of double-walled carbon nanotubes. *Chem.Comm.* **12**, 1442 (2004). 3.2.3
- [53] Delzeit, L. *et al.* Multilayered metal catalysts for controlling the density of single-walled carbon nanotube growth. *Chem. Phys. Lett.* **348**, 368 (2001). 3.2.3
- [54] Grüneis, A. *et al.* submitted (2006). 3.5
- [55] Jost, O., Gorbunov, A., Liu, X., Pompe, W. & Fink, J. Single-walled carbon nanotube diameter. *Journal of Nanoscience and Nanotechnology* **4**, 433 (2004). 3.3
- [56] Rümmele, M. *et al.* Novel catalysts, room temperature, and the importance of the oxygen for the synthesis of singlewall carbon nanotubes. *Nanoletters* **5**, 1209 (2005). 3.3
- [57] Prince, K. C. *et al.* Core-level photoemission from graphite. *Phys. Rev. B* **62**, 6866–6868 (2000). 4.1.3
- [58] Kramberger, C. *et al.* Unraveling van hove singularities in the x-ray absorption response of single wall carbon nanotubes. *Phys. Rev. B.* **submitted** (2007). 4.5, 5.8
- [59] Knupfer, M. *et al.* Satellites in the photoemission spectra of  $a_3c_{60}$  (a=k and rb). *Phys. Rev. B* **47**, 13944–13947 (1993). 4.1.3

- [60] Shirley, D. A. High-resolution x-ray photoemission spectrum of the valence bands of gold. *Phys. Rev. B* **5**, 4709–4714 (1972). 4.1.3
- [61] Doniach, S. & Sunjic, M. Many-electron singularity in x-ray photoemission and x-ray line spectra from metals. *Journal of Physics C* **3**, 285–291 (1970). 4.1.3
- [62] Milnera, M., Kürti, J., Hulman, M. & Kuzmany, H. Periodic resonance excitation and intertube interaction from quasicontinuous distributed helicities in single-wall carbon nanotubes. *Phys. Rev. Lett.* **84**, 1324–1327 (2000). 4.2.2
- [63] Fantini, C., Jorio, A., Souza, M., Dresselhaus, M. & Pimenta, M. Optical transition energies for carbon nanotubes from resonant raman spectroscopy: Environment and temperature effects. *Physical Review Letters* **93**, 147406 (2004). 4.2.2, 5.4.2, 6.6.2
- [64] Kataura, H. *et al.* Optical properties of single-wall carbon nanotubes. *Synthetic Metals* **103**, 2555 (1999). 4.2.2
- [65] Zhang, X. *et al.* Carbon nano-tubes; their formation process and observation by electron microscopy. *Journal of Crystal Growth* **130**, 368 (1993). 4.3.2
- [66] Terauchi, M. Electronic structure analyses of bn network materials using high energy-resolution spectroscopy methods based on transmission electron microscopy. *Microscopy Research and Technique* **69**, 531–537 (1993). 4.3.3
- [67] Maruyama, S., E, E., Murakami, Y. & Edamura, T. Growth process of vertically aligned single-walled carbon nanotubes. *Chemical Physics Letters* **403**, 320 (2005). 5.1
- [68] Hu, M., Murakami, Y., Ogura, M., Maruyama, S. & Okubo, T. Morphology and chemical state of co–mo catalysts for growth of single–walled carbon nanotubes vertically aligned on quartz substrates. *Journal of Catalysis* **225**, 230 (2004). 5.1
- [69] Ayala, P. *et al.* Influence of the catalyst hydrogen pre-treatment on the growth of vertically aligned nitrogen-doped carbon nanotubes. *Chemistry of Materials* **submitted**, – (2007). 5.8
- [70] Ayala, P. *et al.* Tailoring n-doped single and double wall carbon nanotubes from a non-diluted carbon/nitrogen feedstock. *Journal of Physical Chemistry C* **101**, 2879 (2007). 6.1

- [71] Grüneis, A. *et al.* Eutectic limit for the growth of carbon nanotubes from a thin iron film by chemical vapor deposition of cyclohexane. *Chemical Physics Letters* **425**, 301 (2006). 6.4, 6.4.1
- [72] Grüneis, A. *et al.* High quality double wall carbon nanotubes with a defined diameter distribution by chemical vapor deposition from alcohol. *Carbon* **44**, 3177 (2006). 6.5.1, 6.6.1
- [73] Sanchez-Lopez, J., Donnet, C., Lefebvre, F., Fernandez-Ramos, C. & Fernandez, A. Bonding structure in amorphous carbon nitride: A spectroscopic and nuclear magnetic resonance study. *Appl.Phys* **90**, 675 (2001). 6.7
- [74] Curtin, W. & B.W.Sheldon. Cnt-reinforced ceramics and metals. *Materials Today* **7**, 44 (2004). 7.1, 7.2.3
- [75] Chen, J. Y., Kutana, A., Collier, C. P. & Giapis, K. P. Electrowetting in carbon nanotubes. *Science* **310**, 1480–1483 (2005). 7.1
- [76] Young, T. *Philos. Trans. R. Soc. London* **95**, 65 (1805). 7.1.1
- [77] Laplace, P. *Traité de Méchanique Celeste* **4**, Supplements au livre X (1805). 7.1.1
- [78] Chen, T., Chiu, M. & Weng, C. Derivation of the generalized young-laplace equation of curved interfaces in nanoscaled solids. *Journal of Applied Physics* **100**, 074308 (2006). 7.1.1
- [79] Bogomolov, V. Capillary effects in ultrathin channels. *Sov. Phys. Tech. Phys.* **37**, 79 (1992). 7.1.1
- [80] Dujardin, E., Ebbesen, T., Hiura, H. & Tanigaki, K. Capillarity and wetting of carbon nanotubes. *Science* **265**, 1850 (1994). 7.1.1
- [81] Zhang, Y., Franklin, N., Chen, R. & Dai, H. Metal coating on suspended carbon nanotubes and its implication to metal-tube interaction. *Chemical Physics Letters* **35**, 331 (2000). 7.1.1
- [82] Satishkumar, B., Vogl, E., Govindaraj, A. & Rao, C. The decoration of carbon nanotubes by metal nanoparticles. *Journal of Physics D: Applied Physics* **29**, 3173 (1996). 7.1.1
- [83] Jiang, K. *et al.* Selective attachment of gold nanoparticles to nitrogen-doped carbon nanotubes. *Nano Letters* **3**, 275 (2003). 7.1.1

- [84] Chen, X., Xia, J., Peng, J., Li, W. & Xie, S. Carbon-nanotube metal-matrix composites prepared by electroless plating. *Composites Science and Technology* **60**, 301 (2000). 7.1.1
- [85] Zhang, Y. & Dai, H. Formation of metal nanowires on suspended single-walled carbon nanotubes. *Applied Physics Letters* **77**, 3015 (2000). 7.1.1, 7.2.3
- [86] Menon, M., Andriotis, A. & Froudakis, G. Curvature dependence of the metal catalyst atom interaction with carbon nanotubes walls. *Chemical Physics Letters* **320**, 425 (2000). 7.1.1
- [87] Brocchi, E., Motta, M., Solórzano, I., Jena, P. & Moura, F. Alternative chemical-based synthesis routes and characterization of nano-scale particles. *Materials Science and Engineering B* **112**, 200 (2004). 7.2
- [88] Reyes-Reyes, M. *et al.* Effective encapsulation of gaseous nitrogen inside carbon nanotubes with bamboo-like structure using aerosol thermolysis. *Chemical Physics Letters* **396**, 167 (2004). 7.2.1, 7.2.1
- [89] Ajayan, P. *et al.* Opening carbon nanotubes with oxygen and implications for filling. *Nature* **362**, 522 (1993). 7.2.1