

Bibliography

- [1] F. Baader. *The Description Logic Handbook: theory, implementation, and applications*. Cambridge University Press, 2003. II.1, II.1, II.2, II.3, II.4, II.5, IV.1, VI.4, VII.3, IX.2
- [2] Sean Bechhofer and Peter F. Patel-Schneider. Dig 2.0: The dig description logic interface overview, May 2006. VIII.3(b)
- [3] Gianluigi Bellin, Martin Hyland, Edmund Robinson, and Christian Urban. Categorical proof theory of classical propositional calculus. *Theor. Comput. Sci.*, 364(2):146–165, 2006. V
- [4] Daniela Berardi, Diego Calvanese, and Giuseppe De Giacomo. Reasoning on UML class diagrams. *Artificial Intelligence*, 168(1-2):70–118, 2005. VI, VII.3, VII.3
- [5] Ulrich Berger, Wilfried Buchholz, and Helmut Schwichtenberg. Refined program extraction from classical proofs. *Ann. Pure Appl. Logic*, 114(1-3):3–25, 2002. V
- [6] A. Borgida, E. Franconi, I. Horrocks, D. McGuinness, and P.F. Patel-Schneider. Explaining \mathcal{ALC} subsumption. In *Proceedings of the International Workshop on Description Logics*, pages 33–36, 1999. I.3
- [7] Alexander Borgida, Enrico Franconi, Ian Horrocks, Deborah L. McGuinness, and Peter F. Patel-Schneider. Explaining ALC subsumption. In Patrick Lambrix, Alexander Borgida, Maurizio Lenzerini, Ralf Möller, and Peter F. Patel-Schneider, editors, *Proceedings of the 1999 International Workshop on Description Logics 1999*, volume 22, Linköping, Sweden, July 1999. I.2, III.1
- [8] Loris Bozzato, Mauro Ferrari, Camilo Fiorentini, and Guido Fiorino. A constructive semantics for ALC. In *Workshop on Description Logics*, pages 219–226, 2007. IX.2
- [9] R. Brachman, D. L. McGuinness, P. F. Patel-Schneider, L. Alperin Resnick, and A. Borgida. Living with classic: When and how to use a kl-one-

- like language. In J. Sowa, editor, *Principles of Semantic Networks: Explorations in the Representation of Knowledge*, pages 401–456. Morgan Kaufmann, San Mateo, 1991. I.2
- [10] R. J. Brachman, R. E. Fikes, and H. J. Levesque. Krypton: A functional approach to knowledge representation. *IEEE Computer*, 16:67– 73, 1983. I.2
 - [11] R. J. Brachman and J. Schmolze. An overview of the kl-one knowledge representation system. *Cognitive Science*, 9(2), 1985. I.2
 - [12] Sam Buss. The “buss proofs” latex/tex style file for creating proof trees. Available at <http://math.ucsd.edu/~sbuss/ResearchWeb/bussproofs/index.html>, 2006. VIII.3(b)
 - [13] Samuel R. Buss. An introduction to proof theory. In Samuel R. Buss, editor, *Handbook of Proof Theory, Studies in Logic and the Foundations of Mathematics*, page 811. Elsevier, Amsterdam, 1998. III.4
 - [14] Diego Calvanese, Giuseppe De Giacomo, Domenico Lembo, Maurizio Lenzerini, and Riccardo Rosati. Conceptual modeling for data integration. In Alex Borgida, Vinay Chaudhri, Paolo Giorgini, and Eric Yu, editors, *John Mylopoulos Festschrift*, volume 5600 of *Lecture Notes in Computer Science*. Springer, 2009. To appear. VI
 - [15] Diego Calvanese, Giuseppe De Giacomo, Maurizio Lenzerini, Daniele Nardi, and Riccardo Rosati. Information integration: Conceptual modeling and reasoning support. In *Proc. of the 6th International Conference on Cooperative Information Systems (CoopIS'98)*, pages 280–291, 1998. VI
 - [16] Diego Calvanese, Giuseppe De Giacomo, Maurizio Lenzerini, Riccardo Rosati, and Guido Vetere. DL-Lite: Practical reasoning for rich DLs. In *Proc. of the 2004 Description Logic Workshop, DL 2004*, volume 104 of *CEUR Electronic Workshop Proceedings*, <http://ceur-ws.org>, 2004. VI
 - [17] Diego Calvanese, Maurizio Lenzerini, and Daniele Nardi. Description logics for conceptual data modeling. In Jan Chomicki and G. Saake, editors, *Logics for Databases and Information Systems*, pages 229–263. Kluwer Academic Publisher, 1998. VI
 - [18] Manuel Clavel, Francisco Durán, Steven Eker, Patrick Lincoln, Narciso Martí-Oliet, José Meseguer, and Carolyn Talcott. Maude manual (version

- 2.4). Technical report, SRI International, 2009. VIII, VIII.1, VIII.3(b), VIII.3(c)
- [19] Denise Aboim Sande de Oliveira, Cláisse Sieckenius de Souza, and Edward Hermann Haeusler. Structured argument generation in a logic based kb-system. In Lawrence S. Moss, Jonathan Ginzburg, and Maarten de Rijke, editors, *Logic Language and Computation*, number 96 in CSLI Lecture Notes, pages 237–265. CSLI, Stanford, California, 1 edition, 1999. I.3
 - [20] Valéria de Paiva. Constructive description logics: what, why and how. In *Context Representation and Reasoning*, Riva del Garda, 2006. IX.2
 - [21] X. Deng, V. Haarslev, and N. Shiri. Using patterns to explain inferences in \mathcal{ALCHI} . *Computational Intelligence*, 23(3):386–406, 2007. I.2
 - [22] Fernando N. do Amaral, C. Bazílio, G. M. Hamazaki da Silva, Alexandre Rademaker, and Edward Hermann Haeusler. An ontology-based approach to the formalization of information security policies. *EDOCW*, 0:1, 2006. I.3
 - [23] F.M. Donini, M. Lenzerini, D. Nardi, and W. Nutt. The complexity of concept languages. *Information and Computation*, 134(1):1–58, 1997. I.2
 - [24] Francesco M. Donini, Maurizio Lenzerini, Daniele Nardi, and Werner Nutt. The complexity of concept languages. *Information and Computation*, 134(1):1–58, 1991. I.2
 - [25] S. Eker, N. Martí-Oliet, J. Meseguer, and A. Verdejo. Deduction, strategies, and rewriting. *Electronic Notes in Theoretical Computer Science*, 174(11):3–25, 2007. VIII.3(c)
 - [26] M. Finger. DAG sequent proofs with a substitution rule. In S. Artemov, H. Barringer, A.S. d’Avila Garcez, L.C. Lamb, and J. Woods, editors, *We will show Them – Essays in honour of Dov Gabbay 60th birthday*, volume 1 of *Kings College Publications*, pages 671–686. Kings College, London, 2005. IX.1
 - [27] M. Finger and Dov Gabbay. Equal Rights for the Cut: Computable Non-analytic Cuts in Cut-based Proofs. *Logic Journal of the IGPL*, 15(5–6):553–575, 2007. I.2
 - [28] M. Fitting. *Proof methods for modal and intuitionistic logics*. Reidel, 1983. I.3

- [29] D. M. Gabbay. *Labelled deductive systems*, volume 1. Oxford University Press, 1996. I.3, IX.1
- [30] Jean-Yves Girard, Paul Graham Taylor, and Yves Lafont. *Proofs and types*. Cambridge University Press New York, 1993. V
- [31] L. Gordeev, E.H. Haeusler, and V. Costa. Proof compressions with circuit-structured substitutions. to appear in Zapiski Nauchnyh Seminarov POMI, 2008. I.2, IX.1
- [32] W3C OWL Working Group. Owl 2 web ontology language document overview. See <http://www.w3.org/TR/owl2-overview/>, 2009. I.1
- [33] V. Haarslev and R. Möller. Racer system description. In R. Goré, A. Leitsch, and T. Nipkow, editors, *International Joint Conference on Automated Reasoning, IJCAR'2001, June 18-23, Siena, Italy*, pages 701–705. Springer-Verlag, 2001. I.2
- [34] Edward Hermann Haeusler and Alexandre Rademaker. Is it important to explain a theorem? a case study on uml and \mathcal{ALCQI} . In *ER '09: Proceedings of the ER 2009 Workshops (CoMoL, ETheCoM, FP-UML, MOST-ONISW, QoIS, RIGiM, SeCoGIS) on Advances in Conceptual Modeling - Challenging Perspectives*, pages 34–44, Berlin, Heidelberg, 2009. Springer-Verlag. I.4
- [35] Edward Hermann Haeusler and C. J. Renteria. A natural deduction system for CTL. *Bulletin of The Section of Logic*, 31(4):231, 2002. I.3
- [36] A. Haken. The Intractability of Resolution. *Theoretical of Computer Science*, 39:297–308, 1985. I.2
- [37] T. Hoppe, C. Kindermann, J. J. Quantz, A. Schmiedel, and M. Fischer. Back v5 tutorial & manual. Technical Report KIT Report 100, Technische Universität Berlin, 1993. I.2
- [38] Ullrich Hustadt and Renate A. Schmidt. Issues of decidability for description logics in the framework of resolution. In *In Automated Deduction in Classical and Non-Classical Logics*, pages 191–205. Springer, 2000. I.2
- [39] H.J. Levesque and R.J. Brachman. Expressiveness and tractability in knowledge representation and reasoning. *Computational intelligence*, 3(2):78–93, 1987. II.5

- [40] T. Liebig and M. Halfmann. Explaining subsumption in \mathcal{ALEHF}_{R^+} tboxes. In Ian Horrocks, Ulrike Sattler, and Frank Wolter, editors, *Proc. of the 2005 International Workshop on Description Logics - DL2005*, pages 144–151, Edinburgh, Scotland, July 2005. I.2
- [41] R. MacGregor. Using a description classifier to enhance deductive inference. In *Proceedings Seventh IEEE Conference on AI Applications*, pages 141–147, Miami, Florida, February 1991. I.2
- [42] T. S. E. Maibaum. The epistemology of validation and verification testing. In *Testing of Communicating Systems, 17th IFIP TC6/WG 6.1 International Conference, TestCom 2005*, pages 1–8, Montreal, Canada, 2005. VII.1
- [43] Deborah L. McGuinness. *Explaining Reasoning in Description Logics*. PhD thesis, Rutgers University, 1996. I.2, I.3
- [44] Deborah L. McGuinness and Alexander Borgida. Explaining subsumption in description logics. In *International Joint Conference on Artificial Intelligence*, volume 14, pages 816–821, 1995. I.2
- [45] D.L. McGuinness. *Explaining Reasoning in Description Logics*. PhD thesis, Rutgers University, 1996. I.3
- [46] Michael Mendler and Stephan Scheele. Towards constructive DL for abstraction and refinement. In Franz Baader, Carsten Lutz, and Boris Motik, editors, *Proceedings of the 21st International Workshop on Description Logics*, volume 353 of *CEUR Workshop Proceedings*, pages 13–16, Dresden, Germany, May 2008. CEUR-WS.org. IX.2
- [47] José Meseguer. Conditional rewriting logic as a unified model of concurrency. *Theoretical Computer Science*, 96(1):73–155, 1992. VIII.1
- [48] M. Minsky. A framework for representing knowledge. In P. H. Winston, editor, *The Psychology of Computer Vision*, pages 211–277. McGraw-Hill, New York, 1975. I.1
- [49] D. Prawitz. *Natural deduction: a proof-theoretical study*. PhD thesis, Almqvist & Wiksell, 1965. V.4, VII.1, VII.1
- [50] D. Prawitz. *Natural deduction: a proof-theoretical study*. PhD thesis, Almqvist & Wiksell, 1965. V.4

- [51] J. Joachim Quantz, Guido Dunker, Frank Bergmann, and Ivonne Kellner. The flex system. Technical Report Kit Report 124, Technische Universitat Berlin, 1995. I.2
- [52] M. R. Quillian. Semantic memory. In M. Minsky, editor, *Semantic Information Processing*, pages 216–270, Cambridge (Mass), 1968. MIT Press. I.1
- [53] Alexandre Rademaker, Fernando N. do Amaral, and Edward Hermann Haeusler. A Sequent Calculus for \mathcal{ALC} . Monografias em Ciéncia da Computaçāo 25/07, Departamento de Informática, PUC-Rio, 2007. I.4
- [54] Alexandre Rademaker and Edward Hermann Haeusler. Toward short and structural \mathcal{ALC} -reasoning explanations: A sequent calculus approach. In *Proceedings of Brazilian Symposium on Artificial Intelligence. Advances in Artificial Intelligence – SBIA 2008*, pages 167–176. Springer-Verlag, 2008. http://dx.doi.org/10.1007/978-3-540-88190-2_22. I.4
- [55] Alexandre Rademaker, Edward Hermann Haeusler, and Luiz Carlos Pereira. On the proof theory of \mathcal{ALC} . In *The Many Sides of Logic. Proceedings of 15th Brazilian Logic Conference*. College Publications, London, 2008. A resumed version is available at http://www.cle.unicamp.br/e-prints/vol_8,n_6,2008.html. I.4
- [56] Christian Jacques Renteria and Edward Hermann Haeusler. A natural deduction system for keisler logic. *Electronic Notes in Theoretical Computer Science*, 123:229–240, 2005. I.3
- [57] C. J. Renteria, E.H. Haeusler, and P.A.S. Veloso. NUL: Natural deduction for ultrafilter logic. *Bulletin of The Section of Logic*, 32(4):191–200, 2003. I.3
- [58] C.J. Renteria. *Uma abordagem geral para quantificadores em dedução natural*. PhD thesis, PUC-Rio, DI, 2000. I.3
- [59] Klaus Schild. A correspondence theory for terminological logics: preliminary report. In *IJCAI'91: Proceedings of the 12th international joint conference on Artificial intelligence*, pages 466–471, San Francisco, CA, USA, 1991. Morgan Kaufmann Publishers Inc. Also published at TR 91, Technische Universitat Berlin. II.6
- [60] M. Schmidt-Schaufü and G. Smolka. Attributive concept descriptions with complements. *Artificial Intelligence*, 48(1):1–26, 1991. I.2, I.3, II.5

- [61] J. Schmolze and D. Israel. Kl-one: Semantics and classification. Technical Report 5421, BBN, 1983. I.2
- [62] J.P. Seldin. Normalization and excluded middle. I. *Studia Logica*, 48(2):193–217, 1989. V.4
- [63] Evren Sirin, Bijan Parsia, Bernardo Cuenca Grau, Aditya Kalyanpur, and Yarden Katz. Pellet: A practical owl-dl reasoner. *Journal of Web Semantics*, 5(2):51–53, 2007. I.2
- [64] R. Smullyan. *First-Order Logic*. Springer-Verlag, 1968. VII.1, VII.1
- [65] John F. Sowa, editor. *Principles of Semantic Networks: Explorations in the Representation of Knowledge*. Morgan Kaufmann, Los Altos, 1991. I.1
- [66] G. Takeuti. *Proof Theory. Number 81 in Studies in Logic and the Foundations of Mathematics*. North-Holland, 1975. III.4, VII.1, VII.1
- [67] D. Tsarkov and I. Horrocks. Fact++ description logic reasoner: System description. *Lecture Notes in Computer Science*, 4130 LNAI:292–297, 2006. I.2