

References

- Ahmed, S. and Sahinidis, N. V.** (1998), Robust process planning under uncertainty, *Industrial and Engineering Chemistry Research*, 37, 5, 1883-1892.
- Alhajri, I., Elkamel, A., Albahri, T., and Douglas, P.L.** (2008), A nonlinear programming model for refinery planning and optimisation with rigorous process models and product quality specifications, *Int. Journal of Oil, Gas and Coal Technology*, 1, 3, 283-307.
- Al-Qahtani, K. and Elkamel, A.** (2008), Multisite facility network integration design and coordination: An application to the refining industry, *Computers and Chemical Engineering*, 32, 2189–202.
- Al-Qahtani, K. and Elkamel, A.** *Planning and Integration of Refinery and Petrochemical Operations*, Wiley-VCH, Weinheim, ISBN-10: 3-527-32694-4, 2010a.
- Al-Qahtani, K. and Elkamel, A.** (2010b), Robust planning of multisite refinery networks: Optimization under uncertainty, *Computers & Chemical Engineering*, 34, 6, 985-995.
- Al-Othman, W.B.E, Lababidi, H.M.S, Alatiqi, I.M., and Al-Shayji, K.** (2008), Supply chain optimization of petroleum organization under uncertainty in market demands and prices, *European Journal of Operational Research*, 189, 3, 822–840.
- Amos, J.D., Truesdale, P.B., and Tucci, R.** (1993), Planning for Refinery Computer Applications for the Nineties, *Hydroc. Tech. Int.*, 137-138/ 140-142.
- Bassett, M. H., Dave, P., Doyle, F.J., Kudva, G. K., Pekny, J.F., Reklaitis, G.V., Subrahmanyam, S., Miller D. L., and Zentner, M. G.** (1996a), Perspectives on model based integration of process operations, *Computers & Chemical Engineering*, 20, 6-7, 821-844.
- Bassett, M. H., Pekny, J. F., and Reklaitis, G. V.** (1996b), Decomposition techniques for the solution of large-scale scheduling problems, *AIChE Journal*, 42, 3373.

- Beale, E.** (1955), On Minizing A Convex Function Subject to Linear Inequalities, *Journal of the Royal Statistical Society, Series B (Methodological)*, 17, 2, 173-184.
- Bechtel** , PIMS (Process Industry Modeling System) User's manual. Version 6.0. Houston, TX: *Bechtel Corp.*, Houston, 1993.
- Bellman, R. E.**, *Dynamic programming*, Princeton, PA: Princeton, University Press, 1957.
- Bellman, R. and Zadeh, L. A.** (1970), Decision-making in a fuzzy environment, *Management Science*, 17, 141–161.
- Ben-Ayed, O.** (1993), Bilevel linear programming, *Computer Operations Research*, 20, 5, 485-501.
- Ben-Tal, A. and Nemirovski, A.** (1998), Robust convex optimization, *Math. Operations Research*, 23, 769–805.
- Ben-Tal, A., Nemirovski, A.** (1999), Robust solutions of uncertain linear programs, *OR Letters*, 25, 1–13.
- Ben-Tal, A. and Nemirovski, A.** (2000), Robust solutions of linear programming problems contaminated with uncertain data, *Mathematical Programming*, 88, 411–424.
- Bertrand, J.W.M. and Fransoo, J.C.** (2002), Operations management research methodologies using quantitative modeling, *International Journal of Operations & Production Management*, 22, 2, 241-264.
- Bertsimas, D. and Sim, M.** (2003), Robust discrete optimization and network flows, *Mathematical Programming*, 98, 43-71.
- Bertsimas, D. and Sim, M.** (2004), The price of robustness, *Operations Research*, 52, 35-53.
- Bertsimas, D., Pachamanova, D., and Sim, M.** (2004), Robust linear optimization under general norms. *Operations Research Letters*, 32, 6, 510-516.
- Bertsimas, D. and Thiele, A.** (2006), A robust optimization approach to inventory theory, *Operations Research*, 54, 1, 150–168.
- Beyer, H.-G. and Sendhoff, B.** (2007), Robust optimization – a comprehensive survey, *Computers Methods in Applied Mechanics Engineering*, 196, 3190-3218.

- Birge, J. R.** (1982), The value of the stochastic solution in stochastic linear programs with fixed recourse, *Mathematical Programming*, 24, 314-325.
- Birge, J. and Louveaux, F.**, *Introduction to Stochastic Programming*, Springer-Verlag, New York, 1997.
- Bisschop, J. and Roelofs, M.**, *The AIMMS 3.8 Language Reference*, Paragon Decision Technology, 2007.
- Bodington, C. E.**, *Planning, Scheduling, and Control Integration in the Process Industries*, McGraw-Hill, New York, 1995.
- Bodington, C. E. and Baker, T. E.** (1990), A History of Mathematical Programming in the Petroleum Industry, *Interfaces*, 20, 117.
- Bonner and Moore**, *RPMS (Refinery and Petrochemical Modeling System): a system description*, Bonner and Moore Management Science, Houston, NY, 1979.
- Candler, W. and Townsley, R.** (1978), A linear multilevel programming problem, *Unpublished Research Memorandum, DRC, World Bank*, Washington, D.C.
- Carneiro, M. C., Ribas, G. P., and Hamacher, S.** (2010), Risk management in the oil supply chain: a CVaR approach, *Industrial and Engineering Chemistry Research*, 49, 3286–3294.
- Charnes, A. and Cooper, W.** (1959), Chance-constrained programming, *Management Science*, 6, 1, 73-79.
- Chen, C. and Pinto, J. M.** (2008), Lagrangean-based techniques for the supply chain management of flexible process networks, *Computers & Chemical Engineering*, 32, 2505.
- Chopra, S. and Meindl, P.**, *Supply chain management: strategy, planning, and operations* (2nd ed.), Pearson Education, New Jersey, 2004.
- Clark, P.A.** (1990), Bilevel programming for steady-state chemical process design—II. Performance study for nondegenerate problems, *Computers & Chemical Engineering*, 14, 1, 99-109.
- Clark, P.A. and Westerberg, A.W.** (1983), Optimization for design problems having more than one objective, *Computers & Chemical Engineering*, 7, 4, 259-278.

- Clark, P.A. and Westerberg, A.W.** (1990), Bilevel programming for steady-state chemical process design—I. Fundamentals and algorithms, *Computers & Chemical Engineering*, 14, 1, 87-97.
- Dantzig, G.** (1955), Linear Programming Under Uncertainty, *Management Science*, 50, 12 Supplement, 1764-1769.
- Dempster, M., Pedron, N.H., Medova, E., Scott, J., and Sembos, A.** (2000), Planning logistics operations in the oil industry, *Journal of the Operational Research Society*, 51, 11, 1271-1288.
- Dewitt, C.W., Lasdon, L.S., Waren, A.D., Brenner, D.A., and Melhem, S.A.** (1989), OMEGA: An Improved Gasoline Blending System for Texaco, *Interfaces*, 19, 85-101.
- El-Ghaoui, L. and Lebret, H.** (1997), Robust solutions to least-square problems to uncertain data matrices, *SIAM Journal on Matrix Analysis and Applications* 18, 1035–1064.
- El-Ghaoui, L., Oustry, F., and Lebret, H.** (1998), Robust solutions to uncertain semidefinite programs, *SIAM Journal on Optimization*, 9, 33–52.
- Elkamel, A., Ba-Shammakh, M., Douglas, P., and Croiset, E.** (2008), An Optimization Approach for Integrating Planning and CO2 Emission Reduction in the Petroleum Refining Industry, *Ind. Eng. Chem. Res.*, 47, 760-776.
- EPE – Empresa de pesquisa Energética/ Energy Research Company** (2007), *Brazilian 10-year Plan for Energy Expansion*, Ministério de Minas e Energia/ Brazilian Ministry of Mines and Energy (MME). Available at <http://epe.gov.br/PDEE/Forms/EPEEstudo.aspx>. Access: 10/06/2010.
- Erdirik-Dogan, M. and Grossmann, I. E.** (2006). A decomposition method for the simultaneous planning and scheduling of single-stage continuous multiproduct plants, *Industrial and Engineering Chemistry Research*, 45, 299.
- Escudero, L., Quintana, F., and Salmerón, J.** (1999), CORO, a modeling and an algorithmic framework for oil supply, transformation and distribution optimization under uncertainty, *European Journal of Operational Research*, 114, 3, 638-656.
- Fortuny-Amat, J. and McCarl, B.** (1981), A representation and economic interpretation of a two-level programming problem, *Journal of the Operational Research Society*, 32, 783-792.

- Gary, J. H. and Handwerk, G. E.**, *Petroleum Refining: Technology and Economics*, New York: Marcel Dekker Inc., 1994.
- Gao, Z., Tang, L., Jim, H., and Xu, N.** (2008), An Optimization Model for the Production Planning of Overall Refinery, *Chinese Journal of Chemical Engineering*, 16, 1, 67-70.
- Goel, V. and Grossmann, I. E.** (2004), A stochastic programming approach to planning of offshore gas field developments under uncertainty in reserves, *Computers & Chemical Engineering*, 28,1409-1429.
- Göthe-Lundgren, M.; Lundgren, J.T., Persson, J. A.** (2002), An optimization model for refinery production scheduling, *International Journal of Production Economics*, 78, 3, 255-270.
- Grein, L.J.** (1990), CIM – A Processing and Manufacturing Plant Strategy, *National Petroleum Refineries Association Computer Conference*, Seattle, WA, United States.
- Griffith, R. E. and Stewart, R. A.** (1961), A nonlinear programming technique for the optimization of continuous processes, *Management Science*, 7, 379.
- Grossmann, I. E.** (2005), Enterprise-wide optimization: a new frontier in process systems engineering, *AIChE Journal*, 51, 7, 1846-1857.
- Grossmann, I. E., van den Heever, S. A., and Harjunkski, I.** (2001), Discrete optimization methods and their role in the integration of planning and scheduling, *Proceedings of Chemical Process Control Conference 6*, Tucson (<http://egon.cheme.cmu.edu/papers.html>).
- Grossmann, I.E. and Floudas, C.A.** (1987), Active Constraint Strategy for Flexibility Analysis of Chemical Processes, *Computers & Chemical Engineering*, 11, 6, 675-693.
- Grunow, M., Günther, H.-O., and Lehmann, M.** (2002), Campaign planning for multistage batch processes in the chemical industry, *OR Spectrum*, 24, 281.
- Gupta, A. and Maranas, C. D.** (2003), Managing demand uncertainty in supply chain planning, *Computers & Chemical Engineering*, 24, 2613-2621.
- Guyonnet, P., Grant, F.H., and Bagajewicz, M. J.** (2009), Integrated Model for Refinery Planning, Oil Procuring, and Product Distribution, *Ind. Eng. Chem. Res.*, 48, 463–482.

- Hsieh, S. and Chiang, C.** (2001), Manufacturing-to-Sale Planning Model for Fuel Oil Production, *The International Journal of Advanced Manufacturing Technology*, 18, 4, 303-311.
- Janak, S.L., Lin, X., and Floudas, C.A.** (2007), A New Robust Optimization Approach for Scheduling under Uncertainty: II. Uncertainty with Known Probability Distribution, *Computers & Chemical Engineering*, 31, 171-195.
- Joly, M., Moro, L. F. L., and Pinto, J. M.** (2002), Planning and scheduling for petroleum refineries using mathematical programming, *Brazilian Journal of Chemical Eng.*, 19, 2, 207-28.
- Jonsbraten, T. W.** (1998), Oil-field optimization under price uncertainty, *Journal of the Operational Research Society*, 49, 8, 811-818.
- Karush, W.**, *Minima of Functions of Several Variables with Inequalities as Side Constraints*, M.Sc. Dissertation, Department of Mathematics, University of Chicago, Chicago, Illinois, 1939.
- Kelly, J. D. and Zyngier, D.** (2008), Hierarchical decomposition heuristic for scheduling: Coordinated reasoning for decentralized and distributed decision-making problems, *Computers & Chemical Engineering*, 32, 2684.
- Kim, Y., Yun, C., Park, S.B., Park, S., and Fan, L.T.** (2008), An integrated model of supply network and production planning for multiple fuel products of multi-site refineries, *Computers & Chemical Engineering*, 32, 2529–2535.
- Khor, C.S. and Elkamel, A.**, *Optimization Strategies: Petroleum Refinery Planning under Uncertainty*, VDM Verlag Dr. Mueller e. K Publishing House, ISBN-10: 3836477920, ISBN-13: 978-3836477925, 328 pages, 2008.
- Khor, C.S, Elkamel, A., Ponnambalamb, K., and Douglas, P.L.** (2008), Two-Stage Stochastic Programming with Fixed Recourse via Scenario Planning with Economic and Operational Risk Management for Petroleum Refinery Planning under Uncertainty, *Chemical Engineering and Processing*, 47, 1744–1764.
- Khor, C.S. and Nguyen, T.H.N** (2009), Stochastic Programming with Tractable Mean– Risk Objectives for Refinery Planning Under Uncertainty, *Computer Aided Chem. Eng.*, 27, 1965-70.
- Kouwenberg, R.** (2001), Scenario generation and stochastic programming models for asset liability management, *European Journal of Operational Research*, 134, 2, 279–292.

- Kreipl, S. and Pinedo, M.** (2004), Planning and Scheduling in Supply Chains, *Production and Operations Management*, 13, 1, 77–92.
- Kuhn, H. W. and Tucker, A. W.** (1951), Nonlinear programming, *Proceedings of 2nd Berkeley Symposium*, Berkeley: University of California Press. 481–492.
- Lakkhanawat, H. and Bagajewicz, M.J.** (2008), Financial Risk Management with Product Pricing in the Planning of Refinery Operations, *Ind. Eng. Chem. Res.*, 47, 17, 6622–6639.
- Lasdon, L. S., and Waren, A. D.** (1980), Survey of Nonlinear Programming Applications, *Operations Research*, 28, 1029.
- Lasschuit, W. and Thijssen, N.** (2004), Supporting supply chain planning and scheduling decisions in the oil and chemical industry, *Computers & Chemical Engineering*, 28, 863–870.
- Law, A.M. and Kelton, W.D.**, *Simulation modeling and analysis*, Third Edition, McGraw-Hill, New York, NY, 2000.
- Leiras, A., Hamacher, S., and Elkamel, A.** (2010), Petroleum Refinery Operational Planning using Robust Optimization, *Engineering Optimization*, 12, 2, 1119-1131.
- Li, C., He, X., Chen, B., Xu, Q., and Liu, C.** (2008), A Hybrid Programming Model for Optimal Production Planning under Demand Uncertainty in Refinery, *Chinese Journal of Chemical Engineering*, 16, 2, 241-246.
- Li, W.**, *Modeling Oil Refinery for Production Planning, Scheduling, and Economic Analysis*, Hong Kong University of Science and Technology, PhD Thesis, 2004.
- Li, W., Hui, C., Li, P., and Li, A.** (2004), Refinery planning under uncertainty, *Ind. Eng. Chem. Res.*, 43, 21, 6742-6755.
- Li, W., Hui, C., Li, P., and Li, A.** (2005), Integrating CDU, FCC and product blending models into refinery planning, *Computers & Chemical Engineering*, 29, 2010–2028.
- Lin, X., Janak, S.L., and Floudas, C.A.** (2004), A New Robust Optimization Approach for Scheduling under Uncertainty: I. Bounded Uncertainty, *Computers & Chemical Engineering*, 28, 1069-1085.
- Liu, M.L. and Sahinidis, N.** (1996), Optimization in process planning under uncertainty, *Ind. Eng. Chem. Res.*, 35, 11, 4154-4165.

- Liu, M.L. and Sahinidis, N.** (1997), Process planning in a fuzzy environment, *European Journal of Operational Research*, 100, 1, 142-169.
- Luo, C. and Rong, G.** (2009), A Strategy for the Integration of Production Planning and Scheduling in Refineries under Uncertainty, *Chinese Journal of Chemical Engineering*, 17, 1, 113-127.
- Madansky, A.** (1960), Inequalities for stochastic linear programming problems. *Management Science*, 6, 2, 197-204.
- Magalhães, M.V.O., Moro, L.F.L., Smania, P, Hassimoto, M.K., Pinto, J.M., and Abadia, G.J** (1998), SIPP – A Solution for Refinery Scheduling, *In: NPRA Computer Conference*.
- Maravelias, C.T. and Sung, C.** (2009), Integration of production planning and scheduling: Overview, challenges and opportunities, *Computers & Chemical Engineering*, 33, 1919–1930.
- McDonald, C. M.** (1998), Synthesizing enterprise-wide optimization with global information technologies: harmony or discord?, *AIChE Symposium Series: Proceedings of the third international conference of the foundations of computer-aided process operations*, 94, 320, 62-74.
- Micheletto, S., Carvalho, M., and Pinto, J.** (2007), Operational optimization of the utility system of an oil refinery, *Computers & Chemical Engineering*, 32, 1-2, 170-185.
- Moro, L. F. L.** (2000), *Mixed Integer Optimization Techniques for Planning and Scheduling Production in Oil Refineries*, Chemical Engineering Department – Escola Politécnica da Universidade de São Paulo, Ph. D. thesis, 2000.
- Moro, L. F. L.** (2003), Process Technology in the Petroleum Refining Industry – current situation and future trends, *Computers & Chemical Engineering*, 27(8): 1303-1305.
- Moro, L. and Pinto, J.** (2004), Mixed-Integer Programming Approach for Short-Term Crude Oil Scheduling, *Ind. Eng. Chem. Res.*, 43, 85-94.
- Moro, L., Zanin, A., and Pinto, J.** (1998), A planning model for refinery diesel production, *Computers & Chemical Engineering*, 22, 1039-1042.
- Mulvey, J. M., Vanderbei, R. J., and Zenios, S. A.** (1995), Robust optimization of large-scale systems, *Operations Research*, 43, 264-281.

- Neiro, S. and Pinto, J.** (2004), A general modeling framework for the operational planning of petroleum supply chains, *Computers and Chem. Engineering*, 28, 6-7, 871-896.
- Neiro, S. and Pinto, J.** (2005), Multiperiod Optimization for Production Planning of Petroleum Refineries, *Chemical Engineering Communications*, 192, 1, 62-88.
- Neiro, S. and Pinto, J.** (2006), Lagrangean decomposition applied to multiperiod planning of petroleum refineries under uncertainty, *Latin American Applied Research*, 36, 4, 213 - 220.
- Papageorgiou, L. G. and Pantelides, C. C.** (1996), Optimal campaign planning/scheduling of multipurpose batch/semicontinuous plants. 1. Mathematical formulation, *Industrial and Engineering Chemistry Research*, 35, 488.
- Park, J., Park, S., Yun, C., and Kim, Y.** (2010), Integrated Model for Financial Risk Management in Refinery Planning, *Ind. Eng. Chem. Res.*, 49, 374–380.
- Pinto, J.M., Joly, M., and Moro, L.F.L.** (2000), Planning and scheduling models for refinery operations, *Computers & Chemical Engineering*, 24, 2259–2276.
- Pinto, J.M. and Moro, L.F.L.** (2000), A planning model for petroleum refineries, *Brazilian Journal of Chemical Engineering*, 17, 4-7, 575-586.
- Ponnambalam, K., Vannelli, A., and Woo, S.** (2002), An interior point method implementation for solving large planning problems in the oil refinery industry, *Canadian Journal of Chemical Engineering*, 70, 2, 368 – 374.
- Pongsakdi, A., Rangsunvigit, P., Siemanond, K., and Bagajewicz, M.J.** (2006), Financial risk management in the planning of refinery operations, *International Journal of Production Economics*, 103, 64-86.
- Ravi, V. and Reddy, P.** (1998), Fuzzy linear fractional goal programming applied to refinery operations planning, *Fuzzy Sets and Systems*, 96, 2, 173-182.
- Reklaitis, G. V.** (1991), Perspectives on Scheduling and Planning of Process Operations, *Proceedings of the fourth International symposium of Process System Engineering*, Montebello, Canada.
- Reklaitis, G. V.** (2000), Overview of planning and scheduling technologies, *Latin American Applied Research*, 30, 285.
- Ribas, G. P., Hamacher, S., and Street, A.** (2010), Optimization of the integrated petroleum supply chain considering uncertainties using stochastic,

- robust and max-min models, *International Transactions in Operational Research*.
- Rippin, D. W. T.** (1993), Batch Process Systems Engineering: a Retrospective and Prospective Review, *Computers & Chemical Engineering*, 17, 1, 1-13.
- Ruszczynski, A. and Shapiro, A.**, Multistage Problems, In: Shapiro, A., Dentcheva, D., and Ruszczynski, A., *Lectures on Stochastic Programming: Modeling and Theory*, SIAM, Philadelphia, 2009.
- Ryu, J.H., Dua, V., and Pistikopoulos, E.N.** (2004), A bilevel programming framework for enterprise-wide process networks under uncertainty, *Computers & Chemical Engineering*, 28, 1121-1129.
- Sahinidis, N.V.** (2004), Optimization under uncertainty: state-of-the-art and opportunities, *Computers & Chemical Engineering*, 28, 971–983.
- Sen, S. and Hige, J.** (1999), An Introductory Tutorial on Stochastic Linear Programming Models, *Interfaces*, 29, 2, 33-61.
- Song, J. S. and D. D. Yao**, eds., *Supply Chain Structures: Coordination, Information, and Optimization*, Kluwer, International Series in Operations Research and Management Science, 42 (2001).
- Shah, N.** (1998), Single- and multisite planning and scheduling: Current status and future challenges, In *AIChE symposium series: Proceedings of the third international conference of the foundations of computer-aided process operations*, 94, 75.
- Shapiro, J.** (2004), Challenges of Strategic Supply Chain Planning and Modeling, *Computers & Chemical Engineering*, 28, 6-7, 855-861 28.
- Shobrys, D.E. and White, D.C.** (2002), Planning, scheduling and control systems: why cannot they work together, *Computers & Chemical Engineering*, 26, 149–160.
- Soyster, A.** (1973), Convex programming with set-inclusive constraints and applications to inexact linear programming, *Operations Research*, 21, 1154–1157.
- Subrahmanyam, S., Pekny, J.F., and Reklaitis, G.V.** (1994), Design of batch chemical plants under market uncertainty, *Industrial and Engineering Chemistry Research*, 33, 2688-2701.

- Verderame, P.M., Elia, J.A., Li, J., and Floudas, C.A.** (2010), Planning and scheduling under uncertainty: A review across multiple sectors, *Industrial and Engineering Chemistry Research*, 49, 3993-4017.
- Verderame, P.M. and Floudas, C.A.** (2009), Operational planning of large scale industrial batch plants under demand due date and amount uncertainty: I. Robust optimization framework, *Industrial and Engineering Chemistry Research*, 48, 7214-7231.
- Verderame, P.M. and Floudas, C.A.** (2010a) Operational planning of large scale industrial batch plants under demand due date and amount uncertainty: II. Conditional value at risk framework, *Industrial Engineering Chemistry Research*, 49, 260-275.
- Verderame, P.M. and Floudas, C.A.** (2010b), Integration of operational planning and medium-term scheduling for large-scale industrial batch plants under demand and processing time uncertainty, *Industrial and Engineering Chemistry Research*, 49, 4948-4965.
- Vicente, L.N. and Calamai, P.H.** (1994), Bilevel and multilevel programming: A bibliography review, *Journal of Global Optimization*, 5, 291-306.
- Yan, H. S., and Zhang, X. D.** (2007), A case study on integrated production planning and scheduling in a three stage manufacturing system, *IEEE Transactions on Automation Science and Engineering*, 4, 86.
- Zhang, B.J. and Hua, B.** (2007), Effective MILP model for oil refinery-wide production planning and better energy utilization, *Journal of Cleaner Production*, 15, 5, 439-448.
- Zhang, N. and Zhu, X. X.** (2000), A novel modelling and decomposition strategy for overall refinery optimisation, *Computers & Chemical Engineering*, 24, 1543-1548.
- Zhang, N. and Zhu, X.X.** (2006), Novel modeling and decomposition strategy for total site optimization, *Computers & Chemical Engineering*, 30, 765-777.
- Zhang, N., Zhu, X.X., and Towler** (2001), A Simultaneous Optimization Strategy for Overall Integration in Refinery Planning, *Ind. Eng. Chem. Res.*, 40, 2640-2653.
- Zimmermann, H.-J.** Fuzzy set theory and its applications, 2nd ed. Boston, Massachusetts, United States of America: Kluwer Academic Publishers, 1991.

Appendix A: KKT conditions of the operational model

In the full-space approach, the results from the slave optimization problem (operational) are fed back to the master model (tactical) for further optimization. The oil purchase at the spot market in the operational model is not allowed in the full-space approach which means that the integrated solution must accommodate the uncertainties in both planning levels. Thus, the term $-\sum_{c \in C_u} \sum_{u \in UC} \sum_{s \in SO_{u,c}} \sum_{t \in T} CFP A_{u,s}^t c a_{u,c,s}^t$ is removed from the operational objective function

(4.20), the constraint (4.33) is changed to $qo_{u,c,s}^{t,sc^o} = QOCF_{u,c,s}^{t,sc^o}$, and the constraint (4.34) does not exist anymore. The other constraints remain unchanged.

The solution strategy for the full-space approach was formulated using bilevel programming. First, the lower level model (operational) was reformulate by including the KKT optimality conditions and these conditions were added to the tactical model, resulting in one single model. The KKT multipliers λe and λ were attributed to the equality and inequality constraints, respectively. Slack variables ($sl, sl \geq 0$) were added to the inequality constraints in order to have a mathematical model with only equality constraints. Then, complementarity constraints ($\lambda * sl = 0$) were added to the model. Finally, the operating margin (4.17) plus the sum of the k operational constraints multiplied by their related

KKT multipliers, i.e., $OM + \sum_{k=1}^K [(\lambda_k + \lambda e_k) * \text{Constraint}_k]$, were derived

according to each one of the operational model variables presented in Table 7. Because the operational model is a maximization problem, the KKT multipliers of the inequalities constraints (λ) must be negatives. The KKT multipliers of the equalities constraints (λe) can be positives or negatives.

Let K the set of $k=1,2,\dots,27 \in K$ constraints of the operational model, the sl ($sl \geq 0$) is the slack variable, and λe and λ are the KKT multipliers of the

equality and inequality constraints, respectively. The KKT conditions of the operation model proposed in this thesis can be formulated as follows:

Process constraints and material balances

$$qi_{u,c}^{t,sc^o} - \sum_{(u',c',s) \in F} qi_{u',c',s,u,c}^{t,sc^o} = 0 \quad \forall u \in UP \cup UT \cup UD, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.1})$$

$$qi_{u,c,s}^{t,sc^o} - \sum_{(u',c') \in F} qi_{u',c',s,u,c}^{t,sc^o} = 0 \quad \forall u \in UPS \cup UT \cup UD \cup UE, \forall c \in C_u, \forall s \in SI_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.2})$$

$$qo_{u,c,s}^{t,sc^o} - \sum_{(u',c') \in F} qi_{u,c,s,u',c'}^{t,sc^o} = 0 \quad \forall u \in UP \cup UT \cup UD \cup UC, \forall c \in C_u, \forall s \in SO_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.3})$$

$$vo_{u,c}^{t,sc^o} - vo_{u,c}^{t-1,sc^o} - qi_{u,c}^{t,sc^o} + \sum_{s \in SO_{u,c}} qo_{u,c,s}^{t,sc^o} = 0 \quad \forall u \in UA, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.4})$$

$$\sum_{s \in SO_{u,c}} qo_{u,c,s}^{t,sc^o} - qi_{u,c}^{t,sc^o} = 0 \quad \forall u \in UD \cup UM, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.5})$$

$$qi_{u,c,s}^{t,sc^o} - \sum_{s' \in SI_{u,c}} qi_{u,c,s'}^{t,sc^o} YUPS_{u,c,s,s'} = 0 \quad \forall u \in UPS, \forall c \in C_u, \forall s \in SO_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.6})$$

$$qo_{u,c,s}^{t,sc^o} - qi_{u,c}^{t,sc^o} YUPC_{u,c,s} = 0 \quad \forall u \in UPC, \forall c \in C_u, \forall s \in SO_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.7})$$

$$\sum_{(u',c') \in F} qi_{u',c',s,u,c}^{t,sc^o} - RUT_{u,c,s} qi_{u,c}^{t,sc^o} = 0 \quad \forall u \in UTR, \forall c \in C_u, \forall s \in SI_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.8})$$

Demand constraints

$$qi_{u,c,s}^{t,sc^o} - DEM_{u,c,s}^t = 0 \quad \forall u \in UE, \forall c \in C_u, \forall s \in SI_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.9})$$

Supply plant constraints

$$qo_{u,c,s}^{t,sc^o} - QOCF_{u,c,s}^{t,sc^o} = 0 \quad \forall u \in UC, \forall c \in C_u, \forall s \in SO_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.10})$$

Process unit capacities

$$-qi_{u,c}^{t,sc^o} + \sum_{k=11 \in K} sl_{k,u,c}^{t,sc^o} = QIL_{u,c}^t \quad \forall u \in UP \cup UT \cup UD, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.11})$$

$$qi_{u,c}^{t,sc^o} + \sum_{k=12 \in K} sl_{k,u,c}^{t,sc^o} = QIU_{u,c}^t \quad \forall u \in UP \cup UT \cup UD, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.12})$$

$$-qi_{u,c,s}^{t,sc^o} + \sum_{k=13 \in K} sl_{k,u,c,s}^{t,sc^o} = QISL_{u,c,s}^t \quad \forall u \in UPS \cup UT \cup UD, \forall c \in C_u, \forall s \in SI_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.13})$$

$$qi_{u,c,s}^{t,sc^o} + \sum_{k=14 \in K} sl_{k,u,c,s}^{t,sc^o} = QISU_{u,c,s}^t \quad \forall u \in UPS \cup UT \cup UD, \forall c \in C_u, \forall s \in SI_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.14})$$

$$-\sum_{c \in C_u} qi_{u,c}^{t,sc^o} + \sum_{k=15 \in K} sl_{k,u}^{t,sc^o} = QL_u^{t,sc^o} \quad \forall u \in UP \cup UT \cup UD, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.15})$$

$$\sum_{c \in C_u} qi_{u,c}^{t,sc^o} + \sum_{k=16 \in K} sl_{k,u}^{t,sc^o} = QU_u^{t,sc^o} \quad \forall u \in UP \cup UT \cup UD, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.16})$$

Stock constraints

$$-vo_{u,c}^{t,sc^o} + \sum_{k=17 \in K} sl_{k,u,c}^{t,sc^o} = VOLL_{u,c}^t \quad \forall u \in UA, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.17})$$

$$vo_{u,c}^{t,sc^o} + \sum_{k=18 \in K} sl_{k,u,c}^{t,sc^o} = VOLU_{u,c}^t \quad \forall u \in UA, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.18})$$

Property constraints

$$vo_{u,c}^{t-1,sc^o} (POL_{u,c,p}^t - POL_{u,c,p}^{t-1}) + qi_{u,c}^{t,sc^o} POL_{u,c,p}^t - \sum_{(u',c',s) \in F} (q_{u',c',s,u,c}^{t,sc^o}) POE_{u,c,p}^t + \sum_{k=19 \in K} sl_{k,u,c,p}^{t,sc^o} = 0 \quad \forall u \in UA, \forall c \in C_u, \forall p \in PV_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.19})$$

$$vo_{u,c}^{t-1,sc^o} (POU_{u,c,p}^{t-1} - POU_{u,c,p}^t) - qi_{u,c}^{t,sc^o} POU_{u,c,p}^t + \sum_{(u',c',s) \in F} (q_{u',c',s,u,c}^{t,sc^o}) POE_{u,c,p}^t + \sum_{k=20 \in K} sl_{k,u,c,p}^{t,sc^o} = 0 \quad \forall u \in UA, \forall c \in C_u, \forall p \in PV_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.20})$$

$$vo_{u,c}^{t-1,sc^o} (POL_{u,c,p}^t POL_{u,c,p}^t - POL_{u,c,p}^{t-1} POL_{u,c,p}^{t-1}) + qi_{u,c}^{t,sc^o} POL_{u,c,p}^t POL_{u,c,p}^t - \sum_{(u',c',s) \in F} (q_{u',c',s,u,c}^{t,sc^o}) POE_{u,c,p}^t POE_{u,c,p}^t + \sum_{k=21 \in K} sl_{k,u,c,p}^{t,sc^o} = 0 \quad \forall u \in UA, \forall c \in C_u, \forall p \in PM_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.21})$$

$$vo_{u,c}^{t-1,sc^o} (POU_{u,c,p}^{t-1} POU_{u,c,p}^{t-1} - POU_{u,c,p}^t POU_{u,c,p}^t) - qi_{u,c}^{t,sc^o} POU_{u,c,p}^t POU_{u,c,p}^t + \sum_{(u',c',s) \in F} (q_{u',c',s,u,c}^{t,sc^o}) POE_{u,c,p}^t POE_{u,c,p}^t + \sum_{k=22 \in K} sl_{k,u,c,p}^{t,sc^o} = 0 \quad \forall u \in UA, \forall c \in C_u, \forall p \in PM_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.22})$$

Non-negativity constraints

$$-q_{u',c',s,u,c}^{t,sc^o} + \sum_{k=23 \in K} sl_{k,u',c',s,u,c}^{t,sc^o} = 0 \quad \forall u \in UP \cup UT \cup UD \cup UE \cup UC, \forall c \in C_u, \forall s \in SI_{u,c} \cup SO_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.23})$$

$$-qi_{u,c}^{t,sc^o} + \sum_{k=24 \in K} sl_{k,u,c,s}^{t,sc^o} = 0 \quad \forall u \in UPS \cup UT \cup UD, \forall c \in C_u, \forall s \in SI_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.24})$$

$$-qi_{u,c}^{t,sc^o} + \sum_{k=25 \in K} sl_{k,u,c}^{t,sc^o} = 0 \quad \forall u \in UP \cup UT \cup UD, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.25})$$

$$-q_{u,c}^{t,sc^o} + \sum_{k=26 \in K} sl_{k,u,c,s}^{t,sc^o} = 0 \quad \forall u \in UP \cup UT \cup UD \cup UC, \forall c \in C_u, \forall s \in SO_{u,c}, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.26})$$

$$-vo_{u,c}^{t,sc^o} + \sum_{k=27 \in K} sl_{k,u,c}^{t,sc^o} = 0 \quad \forall u \in UA, \forall c \in C_u, \forall t \in T, \forall sc^o \in SC^o \quad (\text{A.27})$$

KKT for $q_{u',c',s,u,c}^{t,sc^o}$

$$\sum_{sc^o \in SC^o} \sum_{t \in T} \left(\begin{aligned} & - \sum_{k=1 \in K} \sum_{\forall u \in UP \cup UT \cup UD \cup UC} \sum_{c \in C_u} \lambda e_{k,u,c}^{t,sc^o} \\ & - \sum_{k=2 \in K} \sum_{\forall u \in UP \cup UT \cup UD \cup UC} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\ & - \sum_{k=3 \in K} \sum_{\forall u \in UP \cup UT \cup UD \cup UC} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\ & + \sum_{k=8 \in K} \sum_{\forall u \in UTR} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\ & - \sum_{k=19 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PV_{u,c}} POE_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\ & + \sum_{k=20 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PV_{u,c}} POE_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\ & - \sum_{k=21 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PM_{u,c}} POE_{u,c,p}^t POE_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\ & + \sum_{k=22 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PM_{u,c}} POE_{u,c,p}^t POE_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\ & - \sum_{k=23 \in K} \sum_{\forall u \in UP \cup UT \cup UD \cup UE \cup UC} \sum_{c \in C_u} \sum_{\forall s \in SI_{u,c} \cup SO_{u,c}} \lambda_{k,u',c',s,u,c}^{t,sc^o} \end{aligned} \right) = 0 \quad (\text{A.28})$$

KKT for $qis_{u,c,s}^{t,sc^o}$

$$\sum_{sc^o \in SC^o} \sum_{t \in T} \left(\begin{aligned} & \sum_{s \in SI_{u,c}} \sum_{u \in UE} P^{sc^o} PFP_{u,s}^t + \sum_{k=2 \in K} \sum_{\forall u \in UP \cup UT \cup UD \cup UC} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\ & - \sum_{k=6 \in K} \sum_{\forall u \in UPS} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \sum_{s' \in SI_{u,c}} YUPS_{u,c,s,s'} \lambda e_{k,u,c,s}^{t,sc^o} \\ & + \sum_{k=9 \in K} \sum_{\forall u \in UE} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\ & - \sum_{k=13 \in K} \sum_{\forall u \in UPS \cup UT \cup UD} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda_{k,u,c,s}^{t,sc^o} \\ & + \sum_{k=14 \in K} \sum_{\forall u \in UPS \cup UT \cup UD} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda_{k,u,c,s}^{t,sc^o} \\ & - \sum_{k=24 \in K} \sum_{\forall u \in UPS \cup UT \cup UD} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} \lambda_{k,u,c,s}^{t,sc^o} \end{aligned} \right) = 0 \quad (\text{A.29})$$

KKT for $q_{u,c}^{t,sc^o}$

$$\begin{aligned}
& \left(\begin{aligned}
& \sum_{k=1 \in K} \sum_{\forall u \in UP \cup UT \cup UD} \sum_{c \in C_u} \lambda e_{k,u,c}^{t,sc^o} \\
& - \sum_{k=4 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \lambda e_{k,u,c}^{t,sc^o} - \sum_{k=5 \in K} \sum_{\forall u \in UD \cup UM} \sum_{c \in C_u} \lambda e_{k,u,c}^{t,sc^o} \\
& - \sum_{k=7} \sum_{\forall u \in UPC} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} YUPC_{u,c,s} \lambda e_{k,u,c,s}^{t,sc^o} \\
& - \sum_{k=8} \sum_{\forall u \in UTR} \sum_{c \in C_u} \sum_{s \in SI_{u,c}} RUT_{u,c,s} \lambda e_{k,u,c,s}^{t,sc^o} \\
& - \sum_{k=11 \in K} \sum_{\forall u \in UP \cup UT \cup UD} \sum_{c \in C_u} \lambda_{k,u,c}^{t,sc^o} + \sum_{k=12 \in K} \sum_{\forall u \in UP \cup UT \cup UD} \sum_{c \in C_u} \lambda_{k,u,c}^{t,sc^o} \\
& \sum_{sc^o \in SC^o} \sum_{i \in T} - \sum_{k=15 \in K} \sum_{\forall u \in UP \cup UT \cup UD} \lambda_{k,u}^{t,sc^o} + \sum_{k=16 \in K} \sum_{\forall u \in UP \cup UT \cup UD} \lambda_{k,u}^{t,sc^o} \\
& + \sum_{k=19} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PV_{u,c}} POL_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\
& - \sum_{k=20} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PV_{u,c}} POU_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\
& + \sum_{k=21} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PM_{u,c}} POL_{u,c,p}^t POL_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\
& - \sum_{k=22} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PM_{u,c}} POU_{u,c,p}^t POU_{u,c,p}^t \lambda_{k,u,c,p}^{t,sc^o} \\
& - \sum_{k=25} \sum_{\forall u \in UP \cup UT \cup UD} \sum_{c \in C_u} \lambda_{k,u,c}^{t,sc^o}
\end{aligned} \right) = 0 \quad (\text{A.30})
\end{aligned}$$

KKT for $q_{u,c,s}^{t,sc^o}$

$$\begin{aligned}
& \left(\begin{aligned}
& \sum_{k=3} \sum_{\forall u \in UP \cup UT \cup UD \cup UC} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\
& + \sum_{k=4 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda e_{k,u,c}^{t,sc^o} + \sum_{k=5 \in K} \sum_{\forall u \in UD \cup UM} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda e_{k,u,c}^{t,sc^o} \\
& \sum_{sc^o \in SC^o} \sum_{i \in T} + \sum_{k=6 \in K} \sum_{\forall u \in UPS} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} + \sum_{k=7} \sum_{\forall u \in UPC} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda e_{k,u,c,s}^{t,sc^o} \\
& - \sum_{\forall u \in UC} \sum_{s \in SO_{u,c}} \sum_{c \in C_u} \sum_{k=10 \in K} \lambda e_{k,u,c,s}^{t,sc^o} \\
& - \sum_{k=26} \sum_{\forall u \in UP \cup UT \cup UD \cup UC} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} \lambda_{k,u,c,s}^{t,sc^o}
\end{aligned} \right) = 0 \quad (\text{A.31})
\end{aligned}$$

KKT for $vo_{u,c}^{t,sc^o}$

$$\begin{aligned}
& \left(\begin{aligned}
& - \sum_{u \in UA} \sum_{c \in C_u} \sum_{s \in SO_{u,c}} P^{sc^o} CIN V_{u,s}^t + \sum_{k=4 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \lambda e_{k,u,c}^{t,sc^o} \\
& \sum_{sc^o \in SC^o} \sum_{i \in T} - \sum_{k=17 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \lambda_{k,u,c}^{t,sc^o} + \sum_{k=18 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \lambda_{k,u,c}^{t,sc^o} \\
& - \sum_{k=27} \sum_{\forall u \in UA} \sum_{c \in C_u} \lambda_{k,u,c}^{t,sc^o}
\end{aligned} \right) = 0 \quad (\text{A.32})
\end{aligned}$$

KKT for $vo_{u,c}^{t-1,sc^o}$

$$\sum_{sc^o \in SC^o} \sum_{t \in T} \left(\begin{aligned} & - \sum_{k=4 \in K} \sum_{\forall u \in UA} \sum_{c \in C_u} \lambda e_{k,u,c}^{t,sc^o} \\ & + \sum_{k=19} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PV_{u,c}} (POL_{u,c,p}^t - POL_{u,c,p}^{t-1}) \lambda_{k,u,c,p}^{t,sc^o} \\ & - \sum_{k=20} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PV_{u,c}} (POU_{u,c,p}^{t-1} - POU_{u,c,p}^t) \lambda_{k,u,c,p}^{t,sc^o} \\ & + \sum_{k=21} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PM_{u,c}} (POL_{u,c,p}^t POL_{u,c,p}^t - POL_{u,c,p}^{t-1} POL_{u,c,p}^{t-1}) \lambda_{k,u,c,p}^{t,sc^o} \\ & - \sum_{k=22} \sum_{\forall u \in UA} \sum_{c \in C_u} \sum_{p \in PM_{u,c}} (POU_{u,c,p}^{t-1} POU_{u,c,p}^{t-1} - POU_{u,c,p}^t POU_{u,c,p}^t) \lambda_{k,u,c,p}^{t,sc^o} \end{aligned} \right) = 0 \quad (\text{A.33})$$

Complementarity Constraints

$$\lambda_{k,u,c}^{t,sc^o} s l_{k,u,c}^{t,sc^o} = 0 \quad \begin{aligned} & \forall u \in UP \cup UT \cup UD \cup UA, \forall c \in C_u, \forall t \in T, \\ & \forall sc^o \in SC^o, k \in K | k = 11, 12, 17, 18, 25, 27 \end{aligned} \quad (\text{A.34})$$

$$\lambda_{k,u,c,s}^{t,sc^o} s l_{k,u,c,s}^{t,sc^o} = 0 \quad \begin{aligned} & \forall u \in UPS \cup UT \cup UD \cup UC \cup UE, \forall c \in C_u, \forall s \in SI_{u,c} \cup SO_{u,c}, \\ & \forall t \in T, \forall sc^o \in SC^o, k \in K | k = 13, 14, 17, 24, 26 \end{aligned} \quad (\text{A.35})$$

$$\lambda_{k,u}^{t,sc^o} s l_{k,u}^{t,sc^o} = 0 \quad \forall u \in UP \cup UT \cup UD, \forall t \in T, \forall sc^o \in SC^o, k \in K | k = 15, 16 \quad (\text{A.36})$$

$$\lambda_{k,u,c,p}^{t,sc^o} s l_{k,u,c,p}^{t,sc^o} = 0 \quad \begin{aligned} & \forall u \in UA, \forall c \in C_u, \forall p \in P_{u,c,s}, \forall t \in T, \forall sc^o \in SC^o, \\ & k \in K | k = 19, 20, 21, 22 \end{aligned} \quad (\text{A.37})$$

$$\lambda_{k,u',c',s,u,c}^{t,sc^o} s l_{k,u',c',s,u,c}^{t,sc^o} = 0 \quad \begin{aligned} & \forall u \in UP \cup UT \cup UD \cup UE \cup UC, \forall c \in C_u, \forall s \in SI_{u,c} \cup SO_{u,c}, \\ & \forall t \in T, \forall sc^o \in SC^o, k \in K | k = 23 \end{aligned} \quad (\text{A.38})$$

$$\lambda_{k,u,c}^{t,sc^o}, \lambda_{k,u,c,s}^{t,sc^o}, \lambda_{k,u,c,s}^t, \lambda_{k,u,c,p}^{t,sc^o}, \lambda_{k,u',c',s,u,c}^{t,sc^o} \in \mathfrak{R}^- \quad \forall k \in K | k = \{11, 10, \dots, 27\} \quad (\text{A.39})$$

$$\lambda e_{k,u,c}^{t,sc^o}, \lambda e_{k,u,c,s}^{t,sc^o} \in \mathfrak{R} \quad \forall k \in K | k = \{1, 2, \dots, 10\} \quad (\text{A.40})$$

Appendix B:
Tactical oil allocation x quantity/type of fixed oil received at the operational level

Table 19 illustrated the tactical allocation and the quantity/types of oil from long-term contracts (fixed oil) that the refinery R3 effectively received in t=1 for the three case studies. In this Appendix, the results for the other refineries and periods are presented. Table 27 summarizes the results for R3 in t=2. Tables 28 and 29 present the results for refinery R2, whereas Tables 30 and 31 illustrate the results for refinery R1.

Table 27. Tactical allocation and oils received by R3 in t=2

Cases	Scenarios	Tactical allocation (thousand m ³ / month)						Oils received by the refinery (thousand m ³ / month)							
		Types of oil						Types of oil							
		F1	H1	H2	H3	H4	H5	A1	B1	F1	H1	H2	H3	H4	H5
1	1	77	908	-	-	236	-	-	-	77	908	-	-	236	-
	2	77	-	-	-	236	908	-	-	77	908	236	-	-	-
	3	77	1144	-	-	-	-	-	-	77	1144	-	-	-	-
	4	77	-	-	-	-	1144	-	-	77	1144	-	-	-	-
	5	77	951	193	-	-	-	-	-	77	951	193	-	-	-
	6	77	-	-	-	-	464	680	-	-	77	680	464	-	-
2	1	77	-	-	244	719	180	-	-	77	-	719	425	-	-
	2	77	-	-	-	-	1144	299	845	-	-	77	-	-	-
	3	77	-	-	-	-	1144	-	-	77	-	-	-	-	1144
	4	77	29	1115	-	-	-	29	1115	-	-	77	-	-	-
	5	77	-	-	1144	-	-	-	-	-	77	-	-	764	380
	6	77	264	-	-	-	880	-	264	880	-	-	77	-	-
3	1	77	1144	-	-	-	-	-	-	77	1144	-	-	-	-
	2	77	1144	-	-	-	-	-	-	26	381	-	-	-	-
	3	77	1134	10	-	-	-	-	-	77	1134	10	-	-	-
	4	77	1144	-	-	-	-	-	-	26	381	-	-	-	-
	5	77	726	418	-	-	-	-	-	77	726	418	-	-	-
	6	77	421	723	-	-	-	-	-	-	26	140	241	-	-

Table 28. Tactical allocation and oils received by R2 in t=1

Cases	Scenarios	Tactical allocation (thousand m ³ / month)				Oils received by the refinery (thousand m ³ / month)			
		Types of oil				Types of oil			
		C1	C2	D1	E1	C1	C2	D1	E1
1	1	197	-	-	-	197	-	-	-
	2	-	197	-	-	197	-	-	-
	3	197	-	-	-	197	-	-	-
	4	-	197	-	-	197	-	-	-
	5	197	-	-	-	197	-	-	-
	6	33	164	-	-	164	33	-	-
2	1	197	-	-	-	197	-	-	-
	2	-	197	-	-	-	197	-	-
	3	197	-	-	-	197	-	-	-
	4	-	197	-	-	-	197	-	-
	5	135	62	-	-	197	-	-	-
	6	197	-	-	-	-	197	-	-
3	1	153	43	-	-	153	43	153	43
	2	197	-	-	-	66	-	66	-
	3	197	-	-	-	197	-	197	-
	4	197	-	-	-	66	-	66	-
	5	138	59	-	-	138	59	138	59
	6	197	-	-	-	66	-	66	-

Table 29. Tactical allocation and oils received by R2 in t=2

Cases	Scenarios	Tactical allocation (thousand m ³ / month)				Oils received by the refinery (thousand m ³ / month)			
		Types of oil				Types of oil			
		C1	C2	D1	E1	C1	C2	D1	E1
1	1	203	-	-	-	-	-	-	-
	2	-	203	-	-	-	-	-	-
	3	203	-	-	-	-	-	-	-
	4	-	203	-	-	-	-	-	-
	5	203	-	-	-	-	-	-	-
	6	20	183	-	-	-	-	20	-
2	1	203	-	-	-	203	-	-	-
	2	203	-	-	-	203	-	-	-
	3	203	-	-	-	203	-	-	-
	4	-	203	-	-	203	-	-	-
	5	203	-	-	-	203	-	-	-
	6	-	203	-	-	183	20	-	-
3	1	138	65	-	-	138	65	138	65
	2	203	-	-	-	68	-	68	-
	3	203	-	-	-	203	-	203	-
	4	203	-	-	-	68	-	68	-
	5	203	-	-	-	203	-	203	-
	6	203	-	-	-	68	-	68	-

Table 30. Tactical allocation and oils received by R1 in t=1

Cases	Scenarios	Tactical allocation (thousand m ³ / month)			Oils received by the refinery (thousand m ³ / month)		
		Types of oil			Types of oil		
		A1	A2	A3	A1	A2	A3
1	1	26.2	2.3	4.5	26.2	2.3	4.5
	2	-	33.0	-	33.0	-	-
	3	27.4	5.4	0.2	27.4	5.4	-
	4	5.2	27.8	-	27.8	5.2	-
	5	29.0	-	4.0	29.0	-	4.0
	6	-	33.0	-	33.0	-	-
2	1	26.2	0.5	6.3	29.5	-	3.5
	2	3.3	29.7	-	-	21.6	11.4
	3	27.4	5.4	0.2	27.4	5.6	-
	4	5.2	27.8	-	-	24.9	8.1
	5	23.5	-	9.5	23.5	-	9.5
	6	-	33.0	-	-	24.9	8.1
3	1	26.2	0.5	6.3	26.2	-	6.3
	2	20.5	-	12.5	6.8	-	4.2
	3	27.4	5.4	0.2	27.4	5.4	-
	4	20.5	-	12.5	6.8	-	4.2
	5	23.5	-	9.5	23.5	-	9.5
	6	20.5	-	12.5	6.8	-	4.2

Table 31. Tactical allocation and oils received by R1 in t=2

Cases	Scenarios	Tactical allocation (thousand m ³ / month)			Oils received by the refinery (thousand m ³ / month)		
		Types of oil			Types of oil		
		A1	A2	A3	A1	A2	A3
1	1	33.4	0.7	-	34.1	-	-
	2	-	32.8	1.3	32.8	1.3	-
	3	30.7	3.0	0.4	30.7	3.0	-
	4	2.5	31.6	-	31.6	2.5	-
	5	30.5	-	3.6	30.5	-	3.6
	6	-	34.1	-	34.1	-	-
2	1	26.8	2.4	4.8	23.5	2.4	8.1
	2	-	34.1	-	-	22.7	11.4
	3	30.7	3.0	0.4	30.7	3.4	-
	4	2.5	31.6	-	-	25.4	8.7
	5	25.0	-	9.1	25.0	-	9.1
	6	-	23.1	11.0	-	26.0	8.1
3	1	26.8	2.4	4.8	26.8	2.4	4.8
	2	22.5	-	3.9	7.5	-	3.9
	3	30.7	3.0	0.4	30.7	3.0	-
	4	22.5	-	3.9	7.5	-	3.9
	5	25.0	-	3.9	25.0	-	9.1
	6	22.5	-	3.9	7.5	-	3.9

Curriculum Vitae

Adriana Leiras

Education

2005 — 2006 M.Sc. Industrial Engineering, PUC-Rio

2000 — 2004 B.S. Industrial Engineering, PUC-Rio

Academic honor related to this thesis

- Emerging Economies Doctoral Student Award (EEDSA), Production and Operations Management Society (POMS). *In: 22nd Annual POMS (Production and Operations Management Society) Conference*, Reno, Nevada, EUA, 2011.

Publications related to this thesis

- Refereed Publications in Journals:

- **Leiras, A.**, Ribas, G., Hamacher, S., Elkamel, A. (2011), Literature Review of Oil Refineries Planning under Uncertainty, *International Journal of Oil, Gas and Coal Technology*, 4, 2, 156-173.
- **Leiras, A.**, Elkamel, A., Hamacher, S. (2010), Strategic Planning of Integrated Multirefinery Networks: A Robust Optimization Approach Based on the Degree of Conservatism, *Industrial & Engineering Chemistry Research*, 49, 9970-9977.
- **Leiras, A.**, Hamacher, S., Elkamel, A. (2010), Petroleum Refinery Operational Planning using Robust Optimization, *Engineering Optimization*, 42, 12, 1119-1131.

- Refereed Publications in Conferences:

- Leiras, A., Elkamel, A., Hamacher, S. (2010), Robust Optimization for Coordination of Integrated Multirefinery Networks, *In: 21st Annual Conference of Production and Operations Management Society (POMS)*, Vancouver, Canada.
- Ribas, G., **Leiras, A.**, Hamacher, S. (2010), Optimization under Uncertainty for Operational Planning of Petroleum Refineries, *In: XLII SBPO - Brazilian Symposium of Operational Research*, Bento Gonçalves, RS, Brazil.

- **Leiras, A., Ribas, G., Hamacher, S.** (2009), *Robust Optimization for Petroleum Refinery Planning under Uncertainty*, In: *XLI SBPO - Brazilian Symposium of Operational Research*, Porto Seguro, BA, Brazil.
- Ribas, G., **Leiras, A.**, Hamacher, S. (2009), Refinery Planning under Uncertainty: a literature review, In: *XLI SBPO - Brazilian Symposium of Operational Research*, Porto Seguro, BA, Brazil.