

Referências Bibliográficas

- [ASSIS;ALVES,2002] ASSIS, O. B. G.; ALVES, H. C.. **Metodologia Mínima para a Produção de Filmes Comestíveis de Quitosana e Avaliação Preliminar de seu Uso como Revestimento Protetor em Maças Cortadas**. Comunicado Técnico, 2002. 1.2
- [ATALLA,1999] ATALLA, R.. **Celluloses**, chapter 1, p. 529–598. Madison, 1999. 3.1.1
- [ATKINS, 2001] ATKINS, P.. **Physical Chemistry**. Oxford, Oxford University Press, 2001. 2.3
- [AZIZ;POPOVIC,2004] AZIZ, H.; POPOVIC, Z. D.. **Degradation Phenomena in Small-Molecule Organic Light-Emitting Devices**. *Chemistry of Materials*, 16(23):4522–4532, novembro 2004. 1.2
- [BAEDEKER,1907] BAEDEKER, K.. *Annals of Physics*, 22:749–766, 1907. 1.4
- [BARBOSA-COUTINHO;SALIM;BORGES,2003] BARBOSA-COUTINHO, E.; SALIM, V. ; BORGES, C.. **Preparation of carbon hollow fiber membranes by pyrolysis of polyetherimide**. *Carbon*, 41(9):1707–1714, 2003. 4.1
- [BARUD,2006] BARUD, H.. **Preparo e caracterização de novos compósitos de celulose bacteriana**. Dissertação de mestrado, Universidade Estadual Paulista, 2006. 4.2, 4.3.3
- [BELLAMY,1954] BELLAMY, L.. **The infra-red spectra of complex molecules**. Methuen, London, 1954. 4.1.2
- [BELLAMY,1968] BELLAMY, L.. **Advances in infrared group frequencies**. Methuen, London, 1968. 4.1.2
- [BERNANOSE;COMTE;VOUAUX,1953] BERNANOSE, A.; COMTE, M. ; VOUAUX, P.. **A new method of emission of light by certain organic compounds**. *Journal of Chemical Physics*, 50:64–68, 1953. 1.2

- [BRAUN;HEEGER,1991] BRAUN, D.; HEEGER, A. J.. **Visible light emission from semiconducting polymer diodes**. Applied Physics Letters, 58(18):1982, 1991. 1.2
- [BRYDSON,1999] BRYDSON, J.. **Plastics materials**. Butterworth-Heinemann, Oxford, 1999. 3.1.2, 4.1.1
- [BURROUGHES et al.,1990] BURROUGHES, J. H.; BRADLEY, D. D. C.; BROWN, A. R.; MARKS, R. N.; MACKAY, K.; FRIEND, R. H.; BURNS, P. L. ; HOLMES, A. B.. **Light-emitting diodes based on conjugated polymers**. Nature, 347(6293):539–541, 1990. 1.2
- [CALIL et al.,2009] CALIL, V.; LEGNANI, C.; MOREIRA, G.; VILANI, C.; TEIXEIRA, K.; QUIRINO, W.; MACHADO, R.; ACHETE, C. ; CREMONA, M.. **Transparent thermally stable poly(etherimide) film as flexible substrate for OLEDs**. Thin Solid Films, 518(5):1419–1423, Dec. 2009. (document), 4.3.2, 4.31
- [CANHOLA et al.,2005] CANHOLA, P.; MARTINS, N.; RANIERO, L.; PEREIRA, S.; FORTUNATO, E.; FERREIRA, I. ; MARTINS, R.. **Role of annealing environment on the performances of large area ITO films produced by rf magnetron sputtering**. Thin Solid Films, 487(1-2):271–276, Sept. 2005. 4.3.1, 4.3.1, 4.3.1
- [CARCIA et al.,2003] CARCIA, P. F.; MCLEAN, R. S.; REILLY, M. H.; LI, Z. G.; PILLIONE, L. J. ; MESSIER, R. F.. **Influence of energetic bombardment on stress, resistivity, and microstructure of indium tin oxide films grown by radio frequency magnetron sputtering on flexible polyester substrates**. Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films, 21(3):745, 2003. 1
- [CHENG et al.,2002] CHENG, H.-P.; WANG, P.-M.; CHEN, J.-W. ; WU, W.-T.. **Cultivation of Acetobacter xylinum for bacterial cellulose production in a modified airlift reactor**. Biotechnology and applied biochemistry, 35(2):125–32, Apr. 2002. 3.1.1
- [CHOI;KIM;HA,2008] CHOI, M.; KIM, Y. ; HA, C.. **Polymers for flexible displays: From material selection to device applications**. Progress in Polymer Science, 33(6):581–630, 2008. (document), 1.3, 1.4
- [CRAWFORD,2005] CRAWFORD, G.. **Flexible flat panel displays**. J Wiley & Sons Ltd, Brown University, 2005. 1, 3.1.1

- [CRUZ et al.,2004] CRUZ, L.; LEGNANI, C.; MATOSOA, I. G.; FERREIRAA, C. L. ; MOUTINHOB, H. R.. **Influence of pressure and annealing on the microstructural and electro-optical properties of RF magnetron sputtered ITO thin films.** *Materials Research Bulletin*, 39(7-8):993–1003, junho 2004. 1.4.1, 4.3.1, 4.3.1, 4.3.1, 4.3.2
- [DE GRUYTER;SJÖSTRÖM] DE GRUYTER, W.; SJÖSTRÖM, E.. **Wood Chemistry: Fundamental and Applications.** Academic Press, Inc, Boston, 1981. 3.1.1
- [DEKKER et al.,1992] DEKKER, A.; REITSMA, K.; BEUGELING, T.; BANTJES, A.; FEIJEN, J.; KIRKPATRICK, C. ; VANAKEN, W.. **Surface modification of hydrophobic polymers for improvement of endothelial cell-surface interactions.** *Clinical Materials*, 11(1-4):157–162, 1992. 1.2
- [DESTRIAU;SADDY,1945] DESTRIAU, G.; SADDY, J.. **Préparation de substances luminescentes particulièrement sensibles á l'action des champs électriques.** *Journal de Physique et le Radium*, 6(1):12–16, 1945. 1
- [ERBIL,2006] ERBIL, H.. **Surface chemistry of solid and liquid interfaces.** Wiley-Blackwell, 2006. 1.3
- [FAHRENBRUCH;BUBE, 1983] FAHRENBRUCH, A.; BUBE, R.. **Fundamentals of solar cells.** New York, Academic Press, 1983. 2.3.1, 2.3.1
- [GEFFROY;LE ROY;PRAT,2006] GEFFROY, B.; LE ROY, P. ; PRAT, C.. **Organic light-emitting diode (OLED) technology: materials, devices and display technologies.** *Polymer International*, 55(6):572–582, junho 2006. 1, 1.2, 1.2, 1.2
- [GUILLEN;HERRERO,2005] GUILLEN, C.; HERRERO, J.. **Comparison study of ITO thin films deposited by sputtering at room temperature onto polymer and glass substrates.** *Thin Solid Films*, 480-481:129–132, June 2005. 4.3.2, 4.3.3
- [HAN et al., 2004] HAN, S.; SON, W.; CHO, D.; YOUK, J. ; PARK, W.. **Preparation of porous ultra-fine fibres via selective thermal degradation of electrospun polyetherimide/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) fibres.** *Polymer Degradation and Stability*, 86(2):257–262, Nov. 2004. 4.1.1

- [HARPER;PETRIE,2003] HARPER, C.; PETRIE, E.. **Plastics materials and processes: a concise encyclopedia**. John Wiley and Sons, Hoboken, 2003. 3.1.2
- [HELFRICH;SCHNEIDER,1965] HELFRICH, W.; SCHNEIDER, W.. **Recombination Radiation in Anthracene Crystals**. *Physical Review Letters*, 14(7):229–231, 1965. 1.2
- [HU;GORDON,1992] HU, J.; GORDON, R. G.. **Atmospheric pressure chemical vapor deposition of gallium doped zinc oxide thin films from diethyl zinc, water, and triethyl gallium**. *Journal of Applied Physics*, 72(11):5381, 1992. 1.4.1
- [IDES] IDES. **The plastics web**. <http://www.ides.com/generics/PEI.htm>. 3.1.2, 3.1.2
- [IGUCHI;YAMANAKA;BUDHIONO,2000] IGUCHI, M.; YAMANAKA, S. ; BUDHIONO, A.. **Bacterial cellulose a masterpiece of nature's arts**. *Journal of materials science*, 35(2):261–270, 2000. 3.1.1, 3.1.1
- [JARZEBSKI,1982] JARZEBSKI, Z. M.. **Preparation and physical properties of transparent conducting oxide films**. *Physica Status Solidi (a)*, 71(1):13–41, 1982. 1.4
- [JONAS;FARAH,1998] JONAS, R.; FARAH, L. F.. **Production and application of microbial cellulose**. *Polymer Degradation and Stability*, 59(1-3):101–106, Jan. 1998. 3.1.1
- [KASHA,1947] KASHA, M.. **Phosphorescence and the role of the triplet state in the electronic excitation of complex molecules**. *Chemical reviews*, 41(2):401, 1947. 1
- [KIM et al.,1999] KIM, H.; PIQUÃO, A.; HORWITZ, J. S.; MATTOUSSI, H.; MURATA, H.; KAFABI, Z. H. ; CHRISEY, D. B.. **Indium tin oxide thin films for organic light-emitting devices**. *Applied Physics Letters*, 74(23):3444, 1999. 1.4.1
- [KITTEL, 1962] KITTEL, C.. **Elementary solid state physics: a short course**. J Wiley, New York, 1962. 2.2.1
- [KLEMM et al.,2001] KLEMM, D.; SCHUMANN, D.; UDHARDT, U. ; MARSCH, S.. **Bacterial synthesized cellulose - artificial blood vessels for microsurgery**. *Progress in Polymer Science*, 26(9):1561–1603, Nov. 2001. 3.1.1

- [KLEMM et al.,2005] KLEMM, D.; HEUBLEIN, B.; FINK, H.-P. ; BOHN, A.. **Cellulose: fascinating biopolymer and sustainable raw material.** *Angewandte Chemie (International ed. in English)*, 44(22):3358–93, 2005. 3.1.1, 3.1.1, 3.1.1
- [KLEMM et al.,2009] KLEMM, D.; SCHUMANN, D.; KRAMER, F.; HESS LER, N.; KOTH, D. ; SULTANOVA, B.. **Nanocellulose Materials - Different Cellulose, Different Functionality.** *Macromolecular Symposia*, 280(1):60–71, June 2009. 3.1.1
- [KOBAYASHI et al.,1992] KOBAYASHI, H.; ISHIDA, T.; NAKAMURA, K.; NAKATO, Y. ; TSUBOMURA, H.. **Properties of indium tin oxide films prepared by the electron beam evaporation method in relation to characteristics of indium tin oxide/silicon oxide/silicon junction solar cells.** *Journal of Applied Physics*, 72(11):5288, 1992. 1.4.1
- [LAKSHMI;BHATTACHARYA;VARMA,2006] LAKSHMI, R. T. P. S. M.; BHATTACHARYA, S. ; VARMA, I.. **Effect of Sulfonation on Thermal Properties of Poly (ether imide)2.** *High Performance Polymers*, 18(2):115–126, Apr. 2006. 4.1.2
- [LEE;OKPARK,2004] LEE, H.; OKPARK, O.. **Electron scattering mechanisms in indium-tin-oxide thin films: grain boundary and ionized impurity scattering.** *Vacuum*, 75(3):275–282, julho 2004. 1.4.1
- [LEGNANI,2002] LEGNANI, C.. **Propriedades de filmes finos de óxido de índio-estanho produzidos por “pulverização catódica com radiofrequência assistida por um campo magnético constante”.** Dissertação de mestrado, Instituto Militar de Engenharia, 2002. 1.4.1, 3.5, 4.3.1
- [LEGNANI et al.,2007] LEGNANI, C.; LIMA, S.; OLIVEIRA, H.; QUIRINO, W.; MACHADO, R.; SANTOS, R.; DAVOLOS, M.; ACHETE, C. ; CREMONA, M.. **Indium tin oxide films prepared via wet chemical route.** *Thin Solid Films*, 516(2-4):193–197, dezembro 2007. 1.4.1
- [LEGNANI et al.,2008] LEGNANI, C.; VILANI, C.; CALIL, V.; BARUD, H.; QUIRINO, W.; ACHETE, C.; RIBEIRO, S. ; CREMONA, M.. **Bacterial cellulose membrane as flexible substrate for organic light emitting devices.** *Thin Solid Films*, 517(3):1016–1020, Dec. 2008. 4.3.3
- [LETERRIER et al.,2004] LETERRIER, Y.; MEDICO, L.; DEMARCO, F.; MANSOON, J.-A.; BETZ, U.; ESCOLA, M.; OLSSON, M. ; ATAMNY, F.. **Mecha-**

nical integrity of transparent conductive oxide films for flexible polymer-based displays. *Thin Solid Films*, 460(1-2):156–166, July 2004. 4.3.2, 4.3.3

[LI;KE;REN,2008] LI, Z.; KE, Y. ; REN, D.. **Effects of heat treatment on morphological, optical and electrical properties of ITO films by sol-gel technique.** *Transactions of Nonferrous Metals Society of China*, 18(2):366–371, 2008. 1.4.1

[LIN;LI;YEN,2008] LIN, Y.; LI, J. ; YEN, W.. **Low temperature ITO thin film deposition on PES substrate using pulse magnetron sputtering.** *Applied Surface Science*, 254(11):3262–3268, Mar. 2008. 4.3.1

[LOGOTHETIDIS,2008] LOGOTHETIDIS, S.. **Flexible organic electronic devices: Materials, process and applications.** *Materials Science and Engineering: B*, 152(1-3):96–104, 2008. 1

[MAJOR;CHOPRA,1988] MAJOR, S.; CHOPRA, K. L.. **Indium-doped zinc oxide films as transparent electrodes for solar cells.** *Solar Energy Materials*, 17(5):319–327, 1988. 1.4.1

[MANAVIZADEH et al.,2009] MANAVIZADEH, N.; BOROUMAND, F. A.; ASL-SOLEIMANI, E.; RAISSI, F.; BAGHERZADEH, S.; KHODAYARI, A. ; RA-SOULI, M. A.. **Influence of substrates on the structural and morphological properties of RF sputtered ITO thin films for photovoltaic application.** *Thin Solid Films*, 517(7):2324–2327, Feb. 2009. 4.3.1, 4.3.1

[MORMINO,2002] MORMINO, R.. **Evaluation and applications of a rotating disk reactor producing bacterial cellulose.** Thesis, Faculty of Rensselaer Polytechnic Institute, 2002. 3.1.1, 3.1.1

[MOSELEY et al.,2006] MOSELEY, H.; ALLEN, J. W.; IBBOTSON, S.; LESAR, A.; MCNEILL, A.; CAMACHO-LOPEZ, M. A.; SAMUEL, I. D. W.; SIBBETT, W. ; FERGUSON, J.. **Ambulatory photodynamic therapy: a new concept in delivering photodynamic therapy.** *The British journal of dermatology*, 154(4):747–750, Apr. 2006. 3.1.1

[NIST] NIST. **Hall effect.** <http://www.nist.gov/eeel/semiconductor/hall.cfm>. 2.2.5

[NOHARA et al.,2004] NOHARA, L. B.; KAWAMOTO, A. M.; TAKAHASHI, M. F. K.; WILLS, M.; NOHARA, E. L. ; REZENDE, M. C.. **Síntese de um**

poli (ácido âmico) para aplicação como interfase em compósitos termoplásticos de alto desempenho. *Polímeros*, 14(2), June 2004. 4.1.2

[OHRING, 1992] OHRING, M.. **The materials science of thin films.** Academic Press, San Diego, 1992. (document), 2.5, 2.7, 2.5.1

[PAINE;YEOM;YAGLIOGLU,2005] PAINE, D.; YEOM, H.-Y. ; YAGLIOGLU, B.. **Transparent Conducting Oxide Materials and Technology**, chapter 5, p. 79–98. Wiley-SID Series in Display Technology. John Wiley & Sons, Ltd, Chichester, UK, 2009. (document), 1.3, 1.4, 2.4.1, 2.5, 2.4.1

[PANKOVE, 1975] PANKOVE, J.. **Optical processes in semiconductors.** Dover Publications, New York, 1975. 2.1, 2.3.1

[PARK et al.,2005] PARK, S.; CHOI, J.; KIM, E. ; IM, S.. **Inverted top-emitting organic light-emitting diodes using transparent conductive NiO electrode.** *Applied Surface Science*, 244(1-4):439–443, 2005. 1.2

[POPE;KALLMANN;MAGNANTE,1963] POPE, M.; KALLMANN, H. P. ; MAGNANTE, P.. **Electroluminescence in Organic Crystals.** *The Journal of Chemical Physics*, 38(8):2042, 1963. 1.2

[RATH et al.,2006] RATH, T.; KUMAR, S.; MAHALING, R.; MUKHERJEE, M.; DAS, C.; PANDEY, K. ; SAXENA, A.. **The flexible PEI composites.** *Polymer Composites*, 27(5):533–538, Oct. 2006. 4.1.1, 4.1.4

[READIUS] READIUS. **The first pocket ereader.** <http://www.readius.com/>. 1.2

[ROBERT;BERLEZE, 2007] ROBERT, R.; BERLEZE, S.. **Van der Pauw theorem.** *Revista Brasileira de Ensino de Física*, 29(1):15–18, 2007. 2.2.5

[SABIC] SABIC. **Welcome to sabic homepage.** <http://www.sabic.com/>. 3.1.2, 4.1.1

[SALEHI,1998] SALEHI, A.. **The effects of deposition rate and substrate temperature of ITO thin films on electrical and optical properties.** *Thin Solid Films*, 324(1-2):214–218, 1998. 1.4.1

[SATO et al.,2005] SATO, Y.; TOKUMARU, R.; NISHIMURA, E.; SONG, P.-K.; SHIGESATO, Y.; UTSUMI, K. ; IIGUSA, H.. **Structural, electrical, and**

- optical properties of transparent conductive In₂O₃-SnO₂ films. *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, 23(4):1167, 2005. 1.4.1, 4.3.1
- [SATHIARAJ,2008] SATHIARAJ, T.. **Effect of annealing on the structural, optical and electrical properties of ITO films by RF sputtering under low vacuum level.** *Microelectronics Journal*, 39(12):1444–1451, Dec. 2008. 4.3.1
- [SLIKKERVEER,2003] SLIKKERVEER, P.. **Bending the rules.** *Information Display*, 19(3):20–24, 2003. 1.2
- [STAIA et al.,1996] STAIA, M.; PUCHI, E.; LEWIS, D.; CAWLEY, J. ; MOREL, D.. **Microstructural characterization of chemically vapor deposited TiN coating.** *Surface and Coatings Technology*, 86-87:432–437, 1996. 1.2
- [SUTHERLAND,1998] SUTHERLAND, I. W.. **Novel and established applications of microbial polysaccharides.** *Trends in Biotechnology*, 16(1):41–46, Jan. 1998. (document), 3.1.1, 3.3
- [TADAYYON et al.,2004] TADAYYON, S.; GRANDIN, H.; GRIFFITHS, K.; NORTON, P.; AZIZ, H. ; POPOVIC, Z.. **CuPc buffer layer role in OLED performance: a study of the interfacial band energies.** *Organic Electronics*, 5(4):157–166, June 2004. 1.5
- [TAHAR et al, 1998] BEL HADJ TAHAR, R.; BAN, T.; OHYA, Y. ; TAKAHASHI, Y.. **Tin doped indium oxide thin films: Electrical properties.** *Journal of Applied Physics*, 83(5):2631, 1998. 2.4.1, 2.4.1
- [TANG;VANSLYKE,1987] TANG, C.; VANSLYKE, S.. **Organic electroluminescent diodes.** *Applied Physics Letters*, 51(12):913–915, 1987. 1.2
- [WILLIAMS;CANNON,1989] WILLIAMS, W.; CANNON, R.. **Alternative environmental roles for cellulose produced by *Acetobacter xylinum*.** *Applied and environmental microbiology*, 55(10):2448, 1989. 3.1.1
- [WILLIAMS,2007] WILLIAMS, C.. **Polymer OLED technology is about to come to a sticky end.** *Electronics World*, 1858:40–41, 2007. (document), 3.1.1, 3.4
- [WONG et al., 2004] WONG, F.; FUNG, M.; TONG, S.; LEE, C. ; LEE, S.. **Flexible organic light-emitting device based on magnetron sputtered**

- indium-tin-oxide on plastic substrate.** *Thin Solid Films*, 466(1-2):225–230, Nov. 2004. 4.3.1, 4.3.2, 4.3.2, 4.3.3, 4.3.3
- [WONG;SALLEO,2009] WONG, W.; SALLEO, A.. **Flexible Electronics: Materials and Applications.** Springer Science+Business Media, New York, 2009. (document), 1.2, 1.3, 1.3, 1.1
- [WOOD et al.,1985] WOOD, T.; KENNEDY, J.; PHILLIPS, G.; WEDLOCK, D. ; WILLIAMS, P.. **Cellulose and its Derivatives, Chemistry, Biochemistry, and Applications.** Ellis Horwood Ltd Chichester,UK, 1985. 3.1.1
- [WU;CHIOU;HSIEH,1994] WU, W.-F.; CHIOU, B.-S. ; HSIEH, S.-T.. **Effect of sputtering power on the structural and optical properties of rf magnetron sputtered ito films.** *Semiconductor Science and Technology*, 9(6):1242, 1994. 4.3.1
- [YANG et al.,2000] YANG, Z.; HAN, S.; YANG, T.; YE, L.; MA, H. ; CHENG, C.. **ITO films deposited on water-cooled flexible substrate by bias RF Magnetron Sputtering.** *Applied Surface Science*, 161(1-2):279–285, July 2000. 4.3.2, 4.3.3
- [YANG et al.,2006] YANG, C.; LEE, S.; CHEN, S. ; LIN, T.. **The effect of annealing treatment on microstructure and properties of indium tin oxides films.** *Materials Science and Engineering: B*, 129(1-3):154–160, abril 2006. 1.4.1, 4.1, 4.3.1, 4.3.1, 4.3.2
- [YU et al.,2006] YU, H.; HWANG, S.; TSENG, M. ; TSENG, C.. **The effect of ITO films thickness on the properties of flexible organic light emitting diode.** *Optics Communications*, 259(1):187–193, Mar. 2006. 4.3.2, 4.3.3