

Referências Bibliográficas

- [2KGames, 2010] 2KGames (2010). "http://www.mafia2game.com/". 3.1
- [Asirvatham and Hoppe, 2005] Asirvatham, A. and Hoppe, H. (2005). "Chapter 2 Terrain Rendering Using GPU-Based Geometry Clipmaps". 5.1, 1
- [Bhatt, 2004] Bhatt, A. V. (2004). "PCI-Express Specification". In *Intel Whitepaper*. 1
- [Bloomenthal, 1990] Bloomenthal, J. (1990). "Graphics gems". chapter Calculation of reference frames along a space curve, pages 567–571. Academic Press Professional, Inc., San Diego, CA, USA. 4.3.2
- [Boubekeur and Alexa, 2008] Boubekeur, T. and Alexa, M. (2008). "Phong Tessellation". *ACM Trans. Graphics (Proc. SIGGRAPH Asia)*, 27, pp. 139–143. 3.1, 3.15, 3.7.1
- [Boubekeur et al., 2005] Boubekeur, T.; Reuter, P.; and Schlick, C. (2005). "Scalar Tagged PN Triangles". In *EUROGRAPHICS 2005 (Short Papers)*. Eurographics. 3.2, 3.7.1
- [Boubekeur and Schlick, 2007] Boubekeur, T. and Schlick, C. (2007). "QAS: Real-Time Quadratic Approximation of Subdivision Surfaces". *Computer Graphics and Applications, Pacific Conference on*, 1, pp. 453–456. 3.2
- [Castano, 2008] Castano, I. (2008). "Tessellation of Displaced Subdivision Surfaces in DX11". In *GameFest 2008*. 2.1
- [Catmull and Clark, 1978] Catmull, E. and Clark, J. (1978). "Recursively generated B-spline surfaces on arbitrary topological meshes". *Computer Aided Design*, 10, pp. 350–355. 3.1, 3.2, 3.4, 6.2
- [Catmull and Rom, 1974] Catmull, E. and Rom, R. (1974). "A class of local interpolating splines". In Barnhill, R. and Riesenfeld, R., editors, *Computer Aided Geometric Design*, pages 317–326. Academic Press. 4.3.1
- [de Toledo and Levy, 2004] de Toledo, R. and Levy, B. (2004). "Extending the graphic pipeline with new GPU-accelerated primitives". In *International gOcad Meeting, Nancy, France*. 2, 2.3.1, 4.2

- [de Toledo and Lévy, 2008a] de Toledo, R. and Lévy, B. (2008a). "Visualization of Industrial Structures with Implicit GPU Primitives". In *ISVC (1)*, pages 139–150. 2, 2.3.1
- [de Toledo and Lévy, 2008b] de Toledo, R. and Lévy, B. (2008b). "Visualization of Industrial Structures with Implicit GPU Primitives". In *ISVC (1)*, pages 139–150. 4.3.3
- [Decoro and Tatarchuk, 2007] Decoro, C. and Tatarchuk, N. (2007). "Abstract Real-time Mesh Simplification Using the GPU". In *Proceedings of the 2007 Symposium on Interactive 3D Graphics and Games*. 5.2
- [DeCoro and Tatarchuk, 2007] DeCoro, C. and Tatarchuk, N. (2007). "Real-time Mesh Simplification Using the GPU". In *Symposium on Interactive 3D Graphics (I3D)*, volume 2007, page 6. 2.2.6
- [Doo, 1978] Doo, D. (1978). "A subdivision algorithm for smoothing down irregularly shaped polyhedrons". In *Int'l Conf. Interactive Techniques in Computer Aided Design*, pages 157–165, Bologna, Italy. IEEE Computer Soc. 3.2
- [Doo and Sabin, 1978] Doo, D. and Sabin, M. (1978). "Behaviour of recursive division surfaces near extraordinary points". *Computer Aided Design*, 10(6), pp. 356–360. 3.2
- [Doss, 2008] Doss, J. (2008). "Inking the Cube: Edge Detection with Direct3D10". In *Gamasutra Article*. 2.1
- [Drone, 2007] Drone, S. (2007). "Real-time particle systems on the GPU in dynamic environments". In *ACM SIGGRAPH 2007 courses*, SIGGRAPH '07, pages 80–96, New York, NY, USA. ACM. 2.2.6
- [Drone et al., 2010] Drone, S.; Lee, M.; and Oneppo, M. (2010). "Direct3D 11 Tessellation". 1
- [Duchaineau et al., 1997] Duchaineau, M.; Wolinsky, M.; Sigeti, D. E.; Miller, M. C.; Aldrich, C.; and Mineev-Weinstein, M. B. (1997). "ROAMing terrain: real-time optimally adapting meshes". In *Proceedings of the 8th conference on Visualization '97*, VIS '97, pages 81–88, Los Alamitos, CA, USA. IEEE Computer Society Press. 2, 5.5.2
- [Falby et al., 1993] Falby, J. S.; Zyda, M. J.; Pratt, D. R.; and Mackey, Y. L. (1993). "NPSNET: Hierarchical Data Structures for Real-Time Three-Dimensional Visual Simulation". *Computers and Graphics*, 17, pp. 65–69. 1

- [Fernando, 2003] Fernando, R. (2003). "The Cg Tutorial: The Definitive Guide to Programmable Real-Time Graphics". 2
- [Floriani et al., 1996] Floriani, L. D.; Marzano, P.; and Puppo, E. (1996). "Multi-resolution Models for Topographic Surface Description". In *Proceedings of The Visualization'95*. 5.1, 1
- [Hoppe, 1996] Hoppe, H. (1996). "Progressive Meshes". In Rushmeier, H., editor, *SIGGRAPH96*, pages 99–108, New York. ACM Press/ACM SIGGRAPH. 2, 2.2.4
- [Hoppe, 1997] Hoppe, H. (1997). "View-dependent refinement of progressive meshes". In *Proceedings of the 24th annual conference on Computer graphics and interactive techniques*, SIGGRAPH '97, pages 189–198, New York, NY, USA. ACM Press/Addison-Wesley Publishing Co. 2
- [Hoppe, 1998] Hoppe, H. (1998). "Efficient implementation of progressive meshes". *Computers and Graphics*, 22(1), pp. 27–36. 2
- [Hu et al., 2010a] Hu, L.; Sander, P. V.; and Hoppe, H. (2010a). "Parallel View-Dependent Level-of-Detail Control". *IEEE Transactions on Visualization and Computer Graphics*, 16, pp. 718–728. 2
- [Hu et al., 2010b] Hu, L.; Sander, V.; and Hoppe, H. (2010b). "Parallel View-Dependent Level-of-Detail Control." *IEEE Transactions on Visualization and Computer Graphics*, 16, pp. 718–728. 5.1, 5.2
- [Ji et al., 2006] Ji, J.; Wu, E.; Li, S.; and Liu, X. (2006). "View-dependent refinement of multiresolution meshes using programmable graphics hardware". *Vis. Comput.*, 22, pp. 424–433. 5.2
- [Jim Brewer, 2004] Jim Brewer, J. S. (2004). "PCI-Express Technology". In *Intel Whitepaper*. 1
- [Kobbelt, 2000] Kobbelt, L. (2000). "sqrt(3)-subdivision". In *Proceedings of the 27th annual conference on Computer graphics and interactive techniques*, SIGGRAPH '00, pages 103–112, New York, NY, USA. ACM Press/Addison-Wesley Publishing Co. 3.2, 3.4
- [Kondratieva et al., 2005] Kondratieva, P.; Krüger, J.; and Westermann, R. (2005). "The Application of GPU Particle Tracing to Diffusion Tensor Field Visualization". In *Proceedings IEEE Visualization 2005*. 4.1

- [Levenberg, 2002] Levenberg, J. (2002). "Fast view-dependent level-of-detail rendering using cached geometry". In *Proceedings of the conference on Visualization '02, VIS '02*, pages 259–266, Washington, DC, USA. IEEE Computer Society. 3
- [Limaye, 2009] Limaye, J. (2009). "Evolution of DirectX". 1
- [Lindstrom et al., 1996] Lindstrom, P.; Koller, D.; Ribarsky, W.; Hodges, L. F.; Faust, N.; and Turner, G. A. (1996). "Real-time continuous level of detail rendering of height fields". In *Proceedings of the 23rd annual conference on Computer graphics and interactive techniques, SIGGRAPH '96*, pages 109–118, New York, NY, USA. ACM. 2
- [Lindstrom and Pascucci, 2002] Lindstrom, P. and Pascucci, V. (2002). "Terrain Simplification Simplified: A General Framework for View-Dependent Out-of-Core Visualization". *IEEE Transactions on Visualization and Computer Graphics*, 8, pp. 239–254. 5.5.2
- [Loop, 1987] Loop, C. (1987). "Smooth Subdivision Surfaces Based on Triangles". In *PhD Thesis - University of Utah*. 3.2, 3.4
- [Loop and Schaefer, 2008] Loop, C. and Schaefer, S. (2008). "Approximating Catmull-Clark subdivision surfaces with bicubic patches". *ACM Trans. Graph.*, 27, pp. 8:1–8:11. 3.2
- [Loop et al., 2009] Loop, C.; Schaefer, S.; Ni, T.; and Castaño, I. (2009). "Approximating subdivision surfaces with Gregory patches for hardware tessellation". *ACM Trans. Graph.*, 28, pp. 151:1–151:9. 3.2
- [Lorenz and Döllner, 2008] Lorenz, H. and Döllner, J. (2008). "Dynamic Mesh Refinement on GPU using Geometry Shaders". In *16-th International Conference in Central Europe on Computer Graphics, Visualization and Computer Vision (WSCG) - Full Papers*, pages 97–104. 2, 2.1
- [Losasso, 2004] Losasso, F. (2004). "Geometry clipmaps: terrain rendering using nested regular grids". *ACM Transactions on Graphics*, 23, pp. 769–776. 5.1, 1
- [Merhof et al., 2006] Merhof, D.; Sonntag, M.; Enders, F.; Nimsy, C.; Hastreiter, P.; and Greiner, G. (2006). "Hybrid Visualization for White Matter Tracts using Triangle Strips and Point Sprites". *IEEE Transactions on Visualization and Computer Graphics*, 12, pp. 1181–1188. 4.1, 4.2
- [Mitchell, 2002] Mitchell, J. L. (2002). "Image Processing with 1.4 Pixel Shaders in Direct3D". In Engel, W., editor, *Direct3D ShaderX: Vertex and Pixel Shader Tips and Tricks*. Wordware, Plano, Texas. 5.6.1

- [Ni et al., 2009] Ni, T.; Castaño, I.; Peters, J.; Mitchell, J.; Schneider, P.; and Verma, V. (2009). "Efficient substitutes for subdivision surfaces". In *ACM SIGGRAPH 2009 Courses*, SIGGRAPH '09, pages 13:1–13:107, New York, NY, USA. ACM. 2.6, 2.7
- [NVIDIA, 2010] NVIDIA (2010). "Geforce GTX 580 specification". In *NVIDIA whitepaper*. 1
- [Owens et al., 2008] Owens, J.; Houston, M.; Luebke, D.; Green, S.; Stone, J.; and Phillips, J. (May, 2008). "GPU Computing". In *Proceedings of the IEEE*, page 96. 1
- [Pajarola and Gobbetti, 2007] Pajarola, R. and Gobbetti, E. (2007). "Survey of semi-regular multiresolution models for interactive terrain rendering". *Vis. Comput.*, 23, pp. 583–605. 5.1, 2, 5.2
- [Rocco, 2010] Rocco, D. (2010). "GPU Tessellation". In *University of Pennsylvania Lecture Slides*. 2.3
- [Schneider and Westermann, 2006] Schneider, J. and Westermann, R. (2006). "GPU-friendly High-quality Terrain Rendering". In *WSCG*. 3
- [SDK, 2007] SDK, D. (2007). "CubeMapGS Sample". In *Microsoft DirectX SDK*. 2.1
- [Sharp, 2000] Sharp, B. (2000). "Implementing Subdivision Surfaces". In *Gamasutra Article*. 3.8, 3.9
- [Sobel and Feldman, 1968] Sobel, I. and Feldman, G. (1968). "A 3x3 isotropic gradient operator for image processing". In *Presentation for Stanford Artificial Project*. 5.6.1
- [Stoll et al., 2005] Stoll, C.; Gumhold, S.; and Seidel, H.-P. (2005). "Visualization with stylized line primitives". *Visualization Conference, IEEE*, 0, pp. 88. 4.1, 4.2
- [Tariq, 2009] Tariq, S. (2009). "D3D11 Tessellation". In <http://developer.amd.com/>. 2.9
- [Tatarchuk et al., 2010] Tatarchuk, N.; Barczak, J.; and Bilodeau, B. (2010). "Programming for real-time tessellation GPU". In *AMD whitepaper*. 5.2
- [Tatarchuk et al., 2007] Tatarchuk, N.; Shopf, J.; and DeCoro, C. (2007). "Real-Time Isosurface Extraction Using the GPU Programmable Geometry Pipeline".

- In *ACM SIGGRAPH 2007 courses*, SIGGRAPH '07, pages 122–137, New York, NY, USA. ACM. 2.2.6
- [Tatarinov, 2008] Tatarinov, A. (2008). "Instanced Tessellation". In *NVIDIA whitepaper*. 2.5
- [Toledo et al., 2001] Toledo, R.; Gattass, M.; and Velho, L. (2001). "QLOD: A Data Structure for Interactive Terrain Visualization". VISGRAF Laboratory TR-2001-13, IMPA. 3
- [Valdetaro et al., 2010] Valdetaro, A.; Nunes, G.; Raposo, A.; Feijo, B.; and de Toledo, R. (2010). "LOD terrain rendering by local parallel processing on GPU". *IX Brazilian symposium on computer games and digital entertainment*. 6.1
- [Vlachos et al., 2001] Vlachos, A.; Peters, J.; Boyd, C.; and Mitchell, J. L. (2001). "Curved PN triangles". In *SI3D '01: Proceedings of the 2001 symposium on Interactive 3D graphics*, pages 159–166, New York, NY, USA. ACM Press. 3.1, 3.10, 3.11, 3.12, 3.13, 3.14
- [Wikipedia, 2010] Wikipedia (2010). "Wikipedia - DirectX - <http://en.wikipedia.org/wiki/DirectX>". 1
- [Yang et al., 2010] Yang, J.; Hensley, J.; Grun, H.; and Thibieroz, N. (2010). "Real-Time Concurrent Linked List Construction on the GPU". In *In Rendering Techniques 2010: Eurographics Symposium on Rendering*, Eurographics '10. 2.2.7
- [Yeo et al., 2009] Yeo, Y. I.; Ni, T.; Myles, A.; Goel, V.; ; and Peters, J. (2009). "Parallel Smoothing of Quad Meshes". *The Visual Computer*, 25(8), pp. 757–769. 3.2
- [Zorin et al., 1996] Zorin, D.; Schroder, P.; and Sweldens, W. (1996). "Interpolating Subdivision for Meshes with Arbitrary Topology". In *SIGGRAPH96*, pages 189–192. 3.2, 3.4