

## Referências Bibliográficas

- [1] M. Pope, H. P. Kallmann, and P. Magnante. Electroluminescence in organic crystals. *The Journal of Chemical Physics*, 38(8):2042–2043, 1963. 1
- [2] C. W. Tang and S. A. VanSlyke. Organic electroluminescent diodes. *Applied Physics Letters*, 51(12):913–915, 1987. 1
- [3] Brown. A. R Marks. R. N Mackay. K Friend. R. H Burns. P. L Holmes. A. B. Burroughes. J. H, Bradley. D. D. C. Light-emitting diodes based on conjugated polymers. *Nature*, 347:539–541, 1990/10/11. 1
- [4] Reynaldo Reyes. Dispositivos eletroluminescentes orgânicos baseados em complexos lantanídeos. *PUC-Rio*, 2004. 1
- [5] Paul E Burrows, Stephen R Forrest, and Mark E Thompson. Prospects and applications for organic light-emitting devices. *Current Opinion in Solid State and Materials Science*, 2(2):236 – 243, 1997. 1
- [6] Duggal. A.R. Parthasarathy. G, Liu. J. Organic light emitting devices: from displays to lighting. *Electrochemical Society Interface*, 12(2):42–47, 1987. 1
- [7] Yoon-Heung Tak, Ki-Beom Kim, Hyoung-Guen Park, Kwang-Ho Lee, and Jong-Ram Lee. Criteria for ito (indium-tin-oxide) thin film as the bottom electrode of an organic light emitting diode. *Thin Solid Film*, 411(1):12 – 16, 2002. 1
- [8] John K. Borchardt. Developments in organic displays. *Materials Today*, 7(9):42 – 46, 2004. 1
- [9] Markets and Markets. Oled market analysis by display & lighting applications (2010-2015). page 178, 2011. 1
- [10] S.R. Forrest. Active optoelectronics using thin-film organic semiconductors. *Selected Topics in Quantum Electronics, IEEE Journal of*, 6(6):1072 –1083, nov/dec 2000. 1, 2.1.5

- [11] www.sony.net. 1
- [12] www.novaled.com. 1
- [13] www.sonyericsson.com. 1
- [14] www.samsung.com. 1
- [15] Vanessa Luz e Calil. Desenvolvimento de substratos poliméricos avançados para aplicação em dispositivos orgânicos flexíveis. *PUC-Rio*, 2010. 1.1, 3.5.3
- [16] Marco Cremona. Produção e caracterização física de filmes de fluoretos alcalinos para aplicações em dispositivos de guia de onda. *PUC-Rio*, 1999. 1.1
- [17] G. Gu, V. Bulovic, P. E. Burrows, S. R. Forrest, and M. E. Thompson. Transparent organic light emitting devices. *Applied Physics Letters*, 68(19):2606–2608, may 1996. 1.4, 1.1, 4.3.2
- [18] V. Bulovic, P. Tian, P. E. Burrows, M. R. Gokhale, S. R. Forrest, and M. E. Thompson. A surface-emitting vacuum-deposited organic light emitting device. *Applied Physics Letters*, 70(22):2954, jun 1997. 1.4, 1.1
- [19] G. Parthasarathy, P. E. Burrows, V. Khalfin, V. G. Kozlov, and S. R. Forrest. A metal-free cathode for organic semiconductor devices. *Applied Physics Letters*, 72(17):2138–2140, apr 1998. 1.4, 1.1, 2.3, 2.3.2, 4.2.1
- [20] Kuniaki Tanaka, Mao Kasahara, and Hiroaki Usui. Preparation of ito electrode on the organic layer by sputtering. *Electronics and Communications in Japan (Part II: Electronics)*, 83(4):23–30, 2000. 1.4, 1.1
- [21] G. Gu, G. Parthasarathy, P. E. Burrows, P. Tian, I. G. Hill, A. Kahn, and S. R. Forrest. Transparent stacked organic light emitting devices. i. design principles and transparent compound electrodes. 86(8):4067–4075, 1999. 1.4, 2.3.1
- [22] G. Gu, G. Parthasarathy, P. Tian, P. E. Burrows, and S. R. Forrest. Transparent stacked organic light emitting devices. ii. device performance and applications to displays. 86(8):4076–4084, 1999. 1.4
- [23] P. E. Burrows, G. Gu, S. R. Forrest, E. P. Vicenzi, and T. X. Zhou. Semitransparent cathodes for organic light emitting devices. 87(6):3080–3085, 2000. 1.4

- [24] G. Parthasarathy, C. Adachi, P. E. Burrows, and S. R. Forrest. High-efficiency transparent organic light-emitting devices. *76(15):2128–2130*, 2000. 1.4
- [25] Asuka Yamamori, Sachiko Hayashi, Toshiki Koyama, and Yoshio Taniguchi. Transparent organic light-emitting diodes using metal acetylacetonate complexes as an electron injective buffer layer. *Applied Physics Letters*, 78(21):3343–3345, 2001. 1.4
- [26] T. Dobbertin, M. Kroeger, D. Heithecker, D. Schneider, D. Metzdorf, H. Neuner, E. Becker, H.-H. Johannes, and W. Kowalsky. Inverted top-emitting organic light-emitting diodes using sputter-deposited anodes. *Applied Physics Letters*, 82(2):284–286, jan 2003. 1.4, 1.1
- [27] Zhiyuan Xie, Liang-Sun Hung, and Furong Zhu. A flexible top-emitting organic light-emitting diode on steel foil. *Chemical Physics Letters*, 381:691 – 696, 2003. 1.4
- [28] Choong-Heui Chung, Young-Wook Ko, Yong-Hae Kim, Choong-Yong Sohn, Hye Yong Chu, Sang-Hee Ko Park, and Jin Ho Lee. Radio frequency magnetron sputter-deposited indium tin oxide for use as a cathode in transparent organic light-emitting diode. *Thin Solid Films*, 491(1-2):294 – 297, 2005. 1.4
- [29] Han-Ki Kim, D.-G. Kim, K.-S. Lee, M.-S. Huh, S. H. Jeong, K. I. Kim, H. Kim, D. W. Han, and J. H. Kwon. Plasma damage-free deposition of al cathode on organic light-emitting devices by using mirror shape target sputtering. *Applied Physics Letters*, 85(19):4295–4297, 2004. 1.4
- [30] Han-Ki Kim, D.-G. Kim, K.-S. Lee, M.-S. Huh, S. H. Jeong, K. I. Kim, and Tae-Yeon Seong. Plasma damage-free sputtering of indium tin oxide cathode layers for top-emitting organic light-emitting diodes. *Applied Physics Letters*, 86(18):183503–183503–3, may 2005. 1.4
- [31] Ta-Ya Chu, Jenn-Fang Chen, Szu-Yi Chen, Chao-Jung Chen, and Chin H. Chen. Highly efficient and stable inverted bottom-emission organic light emitting devices. *Applied Physics Letters*, 89(5):053503, 2006. 1.4
- [32] Yoshihiro Kasahara Keisuke Ichikawa Yoichi Hoshi Yusuke Onai, Takayuki Uchida. Transparent conductive film for top-emission organic light-emitting devices by low damage facing target sputtering. *Thin Solid Films*, 516:5911–5915, october 2007. 1.4

- [33] YouJong Lee, JooHyung Kim, Jin N. Jang, Ie Hong Yang, SoonNam Kwon, MunPyo Hong, Dae C. Kim, Koung S. Oh, Suk Jae Yoo, Bon J. Lee, and Won-Gun Jang. Development of inverted oled with top ito anode by plasma damage-free sputtering. *Thin Solid Films*, 517(14):4019 – 4022, 2009. 1.4
- [34] Jianhua Hou, Jiang Wu, Zhiyuan Xie, and Lixiang Wang. Efficient inverted top-emitting organic light-emitting diodes using ultrathin moo<sub>3</sub>/c<sub>60</sub> bilayer structure to enhance hole injection. *Applied Physics Letters*, 95(20):203508, 2009. 1.4
- [35] Asuka Yamamori, Sachiko Hayashi, Toshiki Koyama, and Yoshio Taniguchi. Transparent organic light-emitting diodes using metal acetylacetonate complexes as an electron injective buffer layer. *Applied Physics Letters*, 78(21):3343 –3345, may 2001. 1.1, 4.2.1
- [36] L. S. Hung, L. S. Liao, C. S. Lee, and S. T. Lee. Sputter deposition of cathodes in organic light emitting diodes. *Journal of Applied Physics*, 86(8):4607 –4612, oct 1999. 1.1
- [37] L. S. Hung and C. W. Tang. Interface engineering in preparation of organic surface-emitting diodes. *Applied Physics Letters*, 74(21):3209 –3211, may 1999. 1.1
- [38] B. J. Chen, W. Y. Lai, Z. Q. Gao, C. S. Lee, S. T. Lee, and W. A. Gambling. Electron drift mobility and electroluminescent efficiency of tris(8-hydroxyquinolinolato) aluminum. *Applied Physics Letters*, 75(25):4010–4012, 1999. 2.1.2
- [39] J. Godlewski and M. Obarowska. Organic light emitting devices. *Opto-Electronics Review*, 15:179–183, 2007. 2.1.5
- [40] S. M. Tadayyon, H. M. Grandin, K. Griffiths, P. R. Norton, H. Aziz, and Z. D. Popovic. Cupc buffer layer role in oled performance: a study of the interfacial band energies. *Organic Electronics*, 5(4):157 – 166, 2004. 2.1.6, 2.3
- [41] J. Shinar. Organic light emitting devices: A survey. *Editor*, 2003. 2.1.7
- [42] G. E. Jabbour, Y. Kawabe, S. E. Shaheen, J. F. Wang, M. M. Morrell, B. Kippelen, and N. Peyghambarian. Highly efficient and bright organic electroluminescent devices with an aluminum cathode. *Applied Physics Letters*, 71(13):1762–1764, 1997. 2.1.7

- [43] Julia E. Medvedeva. Combining optical transparency with electrical conductivity: Challenges and prospects. 2010. 2.1.7
- [44] Zhingang Li and Hong Meng. Organic light emitting devices. *Editor*, 2007. 2.1.7, 2.2.2
- [45] I. Baía, M. Quintela, L. Mendes, P. Nunes, and R. Martins. Performances exhibited by large area ito layers produced by r.f. magnetron sputtering. *Thin Solid Films*, 337(1-2):171 – 175, 1999. 2.2
- [46] Gabriela B. Gonzalez, Jerome B. Cohen, Jin-Ha Hwang, Thomas O. Mason, Jason P. Hodges, and James D. Jorgensen. Neutron diffraction study on the defect structure of indium-tin-oxide. *Journal of Applied Physics*, 89(5):2550–2555, 2001. 2.2.1
- [47] John C. C. Fan and John B. Goodenough. X-ray photoemission spectroscopy studies of sn-doped indium-oxide films. *Journal of Applied Physics*, 48(8):3524–3531, 1977. 2.2.1
- [48] Nisha M. Growth and characterisattiion off radiio frequency magnetron sputtttered indiiium tiin oxiide thiin fillms. 2006. 2.2.1
- [49] Cristiano Legnani. Produção e caracterização de dispositivos orgânicos eletroluminescentes (oleds) baseados em complexos supramoleculares. *PUC-Rio*, 2006. 2.2.2, 4.1, 4.2.2, 4.3.2
- [50] F. El Akkad, A. Punnoose, and G. Prabu. Properties of ito films prepared by rf magnetron sputtering. *Applied Physics A*, 71:157–160, 2000. 2.2.2
- [51] T. C. Gorjanc, D. Leong, C. Py, and D. Roth. Room temperature deposition of ito using r.f. magnetron sputtering. *Thin Solid Films*, 413(1-2):181 – 185, 2002. 2.2.2
- [52] Yalan Hu, Xungang Diao, Cong Wang, Weichang Hao, and Tianmin Wang. Effects of heat treatment on properties of ito films prepared by rf magnetron sputtering. *Vacuum*, 75(2):183 – 188, 2004. 2.2.2
- [53] S. A. Van Slyke, C. H. Chen, and C. W. Tang. Organic electroluminescent devices with improved stability. 69(15):2160–2162, 1996. 2.3
- [54] Daishun Zheng, Zhaoyang Gao, Xiyuan He, Fujia Zhang, and Liming Liu. Surface and interface analysis for copper phthalocyanine (cupc) and indium-tin-oxide (ito) using x-ray photoelectron spectroscopy (xps). *Applied Surface Science*, 211(1-4):24 – 30, 2003. 2.3

- [55] Martin Knupfer and Heiko Peisert. Electronic properties of interfaces between model organic semiconductors and metals. *physica status solidi (a)*, 201(6):1055–1074, 2004. 2.3, 4.3.2
- [56] F. Nuesch, M. Carrara, M. Schaer, D. B. Romero, and L. Zuppiroli. The role of copper phthalocyanine for charge injection into organic light emitting devices. *Chemical Physics Letters*, 347(4-6):311 – 317, 2001. 2.3
- [57] Luminescence Technology Corporation. <http://www.lumtec.com.tw>. 3.1, 4.1.1
- [58] P. E. Burrows and S. R. Forrest. Electroluminescence from trap-limited current transport in vacuum deposited organic light emitting devices. 64(17):2285–2287, 1994. 3.1
- [59] M. Ohring. *The Materials Science of Thin Films*. San Diego, 1991. 3.3, 3.3.1
- [60] Donald M. Mattox. Physical vapor deposition (pvd) processes. *Metal Finishing*, 100(Supplement 1):394 – 408, 2002. 3.3.1
- [61] L. J. Van Der Pauw. A method of measuring the resistivity and hall coefficient on lamellae of arbitrary shape. *Philips Technical Review*, 8(Supplement 1):220–224, 1958. 3.5.2
- [62] J Pankove. Optical processes in semiconductors. *Dover Publications*, 1975. New York. 3.5.3
- [63] R. Bube. A. Fahrenbruch. Fundamentals of solar cells. *Academic Press*, 1983. New York. 3.5.3
- [64] P. Canhola, N. Martins, L. Raniero, S. Pereira, E. Fortunato, I. Ferreira, and R. Martins. Role of annealing environment on the performances of large area ito films produced by rf magnetron sputtering. *Thin Solid Films*, 487(1-2):271 – 276, 2005. 4.1
- [65] Y.C. Lin, J.Y. Li, and W.T. Yen. Low temperature ito thin film deposition on pes substrate using pulse magnetron sputtering. *Applied Surface Science*, 254(11):3262 – 3268, 2008. 4.1
- [66] Dong-Ho Kim, Mi-Rang Park, and Gun-Hwan Lee. Preparation of high quality ito films on a plastic substrate using rf magnetron sputtering. *Surface and Coatings Technology*, 201(3-4):927 – 931, 2006. 4.1.1

- [67] F. L. Wong, M. K. Fung, S. W. Tong, C. S. Lee, and S. T. Lee. Flexible organic light-emitting device based on magnetron sputtered indium-tin-oxide on plastic substrate. *Thin Solid Films*, 466(1-2):225 – 230, 2004. 4.1.1
- [68] José Américo de Sousa Moura. Filmes nanométricos de fen e aln crescidos por sputtering e aplicações do efeito peltier. *Universidade Federal do Rio Grande do Norte*, 2010. 4.1.1
- [69] Xuesong Yin, Wu Tang, Xiaolong Weng, and Longjiang Deng. Energy band calculation of amorphous indium tin oxide films on polyethylene terephthalate substrate with indirect transition. *Journal of Physics D: Applied Physics*, 42(2):025104, 2009. 4.1.2
- [70] P. E. Burrows, Z. Shen, V. Bulovic, D. M. McCarty, S. R. Forrest, J. A. Cronin, and M. E. Thompson. Relationship between electroluminescence and current transport in organic heterojunction light emitting devices. 79(10):7991–8006, 1996. 4.2.2, 4.2.2, 4.3.2
- [71] L. S. Hung, C. W. Tang, and M. G. Mason. Enhanced electron injection in organic electroluminescence devices using an al/lif electrode. 70(2):152–154, 1997. 4.2.2
- [72] N.G. and Semaltianos. Thermally evaporated aluminium thin films. *Applied Surface Science*, 183(3-4):223 – 229, 2001. 4.3.1
- [73] P. E. Burrows, V. Bulovic, S. R. Forrest, L. S. Sapochak, D. M. McCarty, and M. E. Thompson. Reliability and degradation of organic light emitting devices. 65(23):2922–2924, 1994. 4.3.2