

Referências Bibliográficas

- ABOSHI, H.; YOSHIKUNI, H. & MARUYAMA, S. – *Constant loading rate consolidation test*. **Soils and Foundations**, Japanese Society of Soil mechanics and Found. Eng., vol 10 (1), pp. 43 – 56, 1970.
- ABREU, F. R. - **Modelos Numéricos Para Cálculo de Sedimentação de Rejeitos Industriais e de Mineração**, 1989- Dissert. de Mestrado - DEC - PUC – Rio, 1989.
- ABU-HEJLEH, N. & ZNIDARCIC, D. - *Desiccation theory of soft cohesive soils* - **Jour. of Geotech. Eng. Div.**, vol 121, n.6, June, ASCE, 493-502, 1995.
- ABU-HEJLEH, N. & ZNIDARCIC, D. - Discussion about *Desiccation theory of soft cohesive soils*, by Abu-Hejleh,N. & Znidarcic, D., de 1995 – **J. of Geotech. Eng. Div.**, ASCE, Nov., 946-947, 1996.
- ALECRIM, J. D.– **Recursos Minerais do Estado de Minas Gerais** – Publicação da Metamig, 1982.
- ALONSO, E.; GENS, A. & JOSA, A. – *A constitutive model for partially saturated soils*. **Géotechnique**, 40 (3), pp. 405 – 430, 1990.
- ALVES, C. M. - **Comportamento de Sedimentação e Adensamento de uma Lama Vermelha** - Tese de Doutorado - DEC - PUC – Rio, 1992.
- ALUKO, O. B, & KOOLEN, A. J. – *The essential mechanics of capillary crumbling of structured agricultural soils* - **Soil & Tillage Research** 55, 117-126, 2000.

ANJOS, F. V & SILVA, J. B. - **As Usinas de Produção de Alumínio da ALCAN no Brasil:** Parte 1: Processo Bayer para a Produção de Alumina. Parte 2: O Processo Eletrolítico Para a Produção de Alumínio - Public. da ALCAN Alumínio do Brasil, 1983.

ASTM D 5298-92. - *Standard test method for measurement of soil potential (suction) using filter paper.* **ASTM Standards**, vol 15.09. pp 264 – 268, 1992.

AUBERTIN, M.; RICARD, J. F. & CHAPUIS, R. P. – *A predictive model for the water retention curve: application to tailings from hard-rock mines.* **Can. Geotech. Jour.** 35, pp. 55 – 69, 1998.

AUSILIO, E.; CONTE, E. & DENTE, G.) – *An analysis of consolidation of unsaturated soils.* 3rd INT. CONF. ON UNSATURATED SOILS, UNSAT 2002, **Proceedings...** Recife, Brasil, 2002, pp. 239 – 243.

ÁVILA, J. P. & SOARES, R. E.– A simulação numérica do adensamento de rejeitos finos por métodos numéricos: aplicação aos rejeitos de bauxita da Mineração Rio do Norte em Porto Trombetas. III SIMP. BARRAG. REJ.E DE DISP. DE RES. - REGEO – **Anais...** Ouro Preto, MG, vol 01, 1995: 15 - 24.

ÁVILA, J. P.; SOARES, R. & COSTA, L. H. D. - Deposição de rejeitos finos pelo método de secagem - III SIMP. BARRAG. REJ.E DE DISP. DE RES. - REGEO – **Anais...** Ouro Preto, MG, vol 01, 1995: 97-108.

AYAD, R.; KONRAD, J. M. & SOULIÉ, M.– *Desiccation of a sensitive clay: application of the model CRACK.* **Can. Geotech. J.** 34, 943 – 951, 1997.

AZEVEDO, R. F. & SATO, J. S. - Análise Uni dimensional do Enchimento de Reservatório de Barragens de Rejeitos através de uma Teoria de Adensamento com Grandes Deformações - IX COMBRAMSEF, **Anais....** 1990.

BÁRDOSSY, G.– *Berthier, Le Baux et l'histoire de la bauxite – C.R. Acad. Sci.* Paris, t.324, série II a, Elsevier, Paris, p. 1031-1040, 1997.

BALIGH, M. M & LEVADOUX, J. N - **Pore Pressure Dissipation after Cone Penetration** - Res. Rep. R80-11, MIT, Cambridge, Mass.,1980.

BALIGH, M. M. & LEVADOUX, J. N. - *Consolidation after Undrained Piezocone Penetration II: Numerical Analysis* - **Journ Geotech Eng Div.** - vol 112, n 7, July, ASCE, p.p 726 – 745, 1986.

BARBOSA, M., LIMA, P. P. & AZEVEDO, R.- Análises do Ensaio Edométrico com Taxa de Deslocamento Constante. INFOGEO. SP, 1996.

BARBOUR, S. L. - *19th Can. Geotech. Colloq.: The soil-water characteristic curve: a historical perspective*. **Can. Geotech. J.** 35: 873-894, 1998.

BARBOUR, S. L.; WILSON, G. W. & ST ARNAUD, L. C.- *Evaluation of the saturated – unsaturated groundwater conditions of a thickened tailing deposit –* **Can. Geotech. Journ.**, 30, p.p. 935 – 946, 1993.

BARZEGAR, A. R. ET AL.– *Tensile strength of dry remoulded clays as affected by the clay fraction.* – **Geoderma** (65), pp. 93 – 108, 1995.

BIESHEUVEL, P. M.; Raangs, R. & Verweij, H. – *Response of the osmotic tensiometer to varying temperatures: modelling and experimental validation*. **Soil Science Soc. Am. Jour.** 63: 1571 – 1579, 1999.

BIOT, M. A. - *General Theory of the Three Dimensinal Consolidation* - **Journ of Applied Phys.**, vol 12, 155 – 164, 1941.

BLACK, T. A., GARDNER, W. R. & THURTELL, G. W. - *The Prediction of Evaporation, Drainage and Soil Water Storage for a Bare Soil* - **Soil Science**, 33, 655 – 660, 1969.

BLIGHT, G. E. – *Aspects of capillary model for unsaturated soils*. 7^a CONF. ON S.M.F.E. **Proceedings...** Haifa, vol 1, 7-11, 1983.

– *Interactions between the atmospher and the Earth.*
Géotechnique, 47, (4), 715 – 767, 1997.

BOAST,C. W. & ROBERTSON, T. M. - *A micro lysimeter method for determinig evaporation from bare soil: description and laboratory evaluation* - **Soil Science**, 46, 689-696, 1982.

BOTELHO, A. P. D. – **Implementação de metodologias de ensaios para deerminação de relações constitutivas de processos de fluxo em solos com a**

utilização da bomba de fluxo. 2001, Dissert. de Mestrado, D.E.C. UFOP, Ouro Preto, MG, Brasil, 254 pp, 2001.

BOTELHO, G. V. & GAIOTO, N. – Comportamento de uma lama em ensaios de consolidação sob peso próprio e com secagem ao ar. X COBRAMSEF, **Anais...** Foz do Iguaçu, Vol 03, pp. 963 – 970, 1994.

BOWLES, J. - **Physical and geotechnical properties of soils**- McGraw Hill, Inc. 1984.

BRITISH STANDARDS INSTITUTE - *Methods of test for soils with civil engineering purposes* – **BS 1377** – 1990, HMSO Stat., London (em Marinho, 1994).

BROEK, D. – **Elementary Engineering Fracture Mechanics** – Martinus Nighoff Publ. 1986.

BROMWELL, L. G. - *Consolidation of Mining Wastes* - SEDIMENTATION - CONSOLIDATION MODELS, **Proceedings...** ASCE Special Conference, 1984, p.p. 275 - 295.

BROMWELL, L. G. & CARRIER, W. D. – *Consolidation of Fine Grained Mining Wastes*. 6th PAN- AM. CONF. S.M.F.E., **Proceedings...** Lima, 1979.

BRONSWIJK, J. J. B.– Modelling of water balance, cracking and subsidence of clay soils – **Journal of Hydrology**, 97, 199 – 212, 1988.

BRONSWIJK, J. J. B. & EVERS-VERMEER, J. J. –Shrinkage of Dutch soil aggregates. **Neth. J. Agric.Sci.** 38, 175 – 194, 1990 (em Olsen & Haugen, 1998).

BROOKS, R. H. & COREY, T.– Properties of porous media affecting fluid flow. **Jour. Irrigation and Drainage Div.**, ASCE IR 2, vol 92, pp. 61 – 88, 1966.

BRUTSAERT, W. – A concise parameterization of the hydraulic conductivity of unsaturated soils. **Advanced in Water Resources** 23: 811 – 815, 2000.

BULKAI, D. - **World Review on Environmental Aspects and Protection in Bauxite-Alumina Industry** - Informal Public. of United Nations Industrial Develop. Organiz., 1983.

- BUTCHER, B.; Hinz, C.; Wydler, H. & Flühler, H.– Evaluation of temperature and bypass flow sensitivity of tensiometers in a field soil. **Geoderma** 87, pp. 281 – 291, 1999.
- BUTTERS, G. L. & CARDON, G. E.– Temperature effects on air-pocket tensiometers. **Soil Science**, vol 163, pp. 677 – 685, 1998.
- CARDOSO, A. C. M., AMARAL, M.V. & BUARQUE, R. – Sistema de contenção de rejeitos de bauxita da Companhia Brasileira de Alumínio em Cataguases, Minas Gerais. Critério de projeto. - II REGEO – **Anais...** Rio de Janeiro, RJ, 1991, vol 01, p.p 15 – 27.
- CARGILL, K. W. - Prediction of Consolidation of Very Soft Soil- **Journ of Geotech. Eng.**, vol 110, n 6, June, ASCE, p.p.775 – 795, 1984.
- CARGILL, K. W. - **Mathematical Model of Consolidation Desiccation Process in Dredged Material** - Technical Report D.85 - 4, US Army Eng. Waterways Experiment Station, Vicksburg, Miss., 1985.
- CARRIER, W. D. III, BROMWELL, L. G. & SOMOGYI, F.– Design Capacity of Slurried Mineral Wastes Ponds. **J. G. Eng. ASCE.** 109(5): 699-716. 1983.
- CARRIER, W. D. III & BECKMAN, J. F.–Correlation Between Index Tests and Properties of Remoulded Clays – **Géotechnique**, 34, 2, p.p. 211 – 228, 1984.
- CARVALHO, S. L.; ALMEIDA, M. S. & MARTINS, I. S. M.– Ensaios de adensamento com velocidade controlada: proposta de um método para definição da velocidade. **Solos e Rochas**, S. Paulo, 16 (3), pp. 185 – 196, 1993.
- CASTELEIRO, M. - **Mathematical Model of O.D. Consolidation Desiccation of Dredged Materials.** 1975 - PhD Thesis, NorthWestern Univ., Eavaston., 1975.
- CASTELEIRO, M.; KRIZEK, R. J. & EDIL, T. B. - Mathematical Model for O.D. Desiccation and Consolidation of Sedimented Soils - **Int. Jour. for Num. and Analytical Meth. in Geomech.**, 5, p.p. 195 – 215, 1981.
- CHANDLER, J. L. - Solar Drying of Red Mud - **Light Metals**, Phoenix, Arizona, USA, p.p.55 – 60, 1988.
- CHANDLER, R. J. & GUTIERREZ, C. I. – The filter paper method of suction measurement. **Geotechnique** 36, 265-268, 1986.

CHANDLER, R. J.; CRILLY, M. S. & MONTGOMERY-SMITH, G. – A low cost method of assessing clay desiccation for low-rise buildings. In INSTITUTE OF CIVIL ENGINEERING 92, **Proceedings...**, 1992, (2), 82-89.

CHEN, C. S.; PAN, E. & AMADEI, B. – Determination of deformability and tensile strength of anisotropic rock using brazilian tests- **Int. J. Rock Mech. Min Sci.**, vol 35 (1), pp. 43 – 61, 1998.

CHVEDOV, D.; OSTAP, S. & LE, T. - Surface properties of red mud particles from potentiometric titration - **Colloids and Surfaces. A: Physicochemical and Engineering Aspects**, 182, 131–141, 2001.

CLOUGH, G. W., SITAR, N. & BACHUS, R. C. – Cemented sands under static loading – **ASCE Journal of Geotechnical Engineering Division**, 107(6), pp. 799 – 817, 1981.

COOLING, D. J.– **Finite Strain Consolidation of Red Mud Residue From the Alumina Refining Industrie** - West. Aust. Inst. of Tech. 1985.

- Developments in the disposal of residue from the alumina refining industry. - **Light Metals**, ed. by P. Campbell - p.p. 49-54, 1989.

CORLESS, B. & FOLEY, B. - Residue drying developments at Kwinana – In INT. BAUXITE TAILINGS WORKS; **Proc. Of...** Spons by The Aust. Baux. and Alum. Producers, Perth, West. Aust., 1992, p.p 235-244.

CORTE, A. & HIGASHI, A. (1964) – “Experimental research on desiccation cracksmin soil”. Research Report 66, U.S. Army Materiel Command, Dept. of Army Project 8 – 66 – 02 – 400. 72pp.

COSTA, L. H. D. ET AL. – Deposião de Rejeitos em Porto Trombetas: a Concepção Inicial e suas Modificações com os Resultados da Operação – In III SIMPÓSIO BARRAGEM. REJEITO DE DISPOSIÇÃO DE RESÍDUOS - REGEO – **Anais...** Ouro Preto, MG, 1995, vol 01: 195-206.

CRONEY, D. & COLEMAN, J. D. – Pore pressure and suction in soils. In CONFERENCE ON PORE PRESSURE AND SUCTION IN SOILS, **Proc. Of...** Butterworths, London, 1961, pp. 31 – 37, (em Fredlund & Xing, 1994).

CROWE, P. R. - Some Further Thoughts on Evapotranspiration: A New Estimate - **Geograph. Studies**, 4, 56 – 75, 1957.

DAAMEN, C. C. & SIMMOMNDS, L. P. – Measurement of evaporation from bare soil and its estimation using surface resistance. **Water Resources Research**, Vol. 32 (5), pp. 1393 – 1402, 1996.

DAS, B. M., YEN, S. C. & DASS, R. N.– Brazilian tensile strength test of lightly cemented sand – Technical Note – **Can. Geotec. Journal**, 32, pp. 166 – 171, 1995.

DE CAMPOS, T. M. P.– Geotecnica e Meio Ambiente: Relato do Estado da Arte. – In VIII COBRAMSEF, **Anais...** Porto Alegre, 1986, p.p. 123 – 157.

_____ – Equipamentos e técnicas para a determinação da sucção no campo. In 2º SIMP. SOBRE SOLOS NÃO SATURADOS. **Anais...** Recife, 1994, 10-18.

DE CAMPOS, T. M. ET AL.– Consolidation analysis of a tailings reservoir. In: 9th PANAMERICAN CONFERENCE OF SOIL MECHANICS AND FOUNDATION ENGINEERING, 1991, **Proc. Of...** Viña del Mar, Chile. Viña del Mar, (1991) pp. 1021-1033.

DE CAMPOS, T. M. P. ET AL.– Determinação da curva característica de sucção em laboratório. In 1º COBRAE. R.J., **Anais...** 1992, 835-851.

DE CAMPOS, T. M. P.; ALVES, M. C. M. & AZEVEDO, R. F. – Laboratory settling and consolidation of a neutralized red mud – In 1st INTERN. CONGRESS ON ENVIRONMENTAL GEOTECHNICS – **Proc...** Edmonton, Canada, 1994, p.p.461 – 466.

DE CAMPOS, T. M.; VILLAR, L. F. S. & COSTA FILHO, L. M.– Field Monitoring of Fine Waste Disposal Ponds – In INTERNATIONAL SYMPSIUM ON ENVIRONMENTAL GEOTECHNOLOGY, Lisboa, Portugal, 1998.

DELAGE, P; SULTAN, N. & CUI, Y. J. – On thermal consolidation of Boom clay. **Can. Geotech. J.** 37, 343 – 354, 2000.

DEMARS, K. R. & CHARLES, R. D. – Soil volume change induced by temperature cycling. **Can. Geotech. J.** 19: 188 – 194, 1982.

DIAZ-RUBIO, F. G.; PEREZ, J. R.& GALVEZ, V. S. - The spalling of long bars as a reliable method of measuring the dynamic tensile strength of ceramics - **International Journal of Impact Engineering** 27, 161 –177, 2002.

DINEEN, K. & RIDLEY, A. M.. The soil moisture characteristic curve. The influence of hysteresis on its measurement and interpretation. In XI PAN-AM. CONFERENCE ON SOIL MECH. FOUNDATION ENG., **Proc...** 1999, pp. 1013 – 1018.

Ed URMO - **Enciclopedia del Aluminium**, vol 1, Produccion del Aluminio, org. pelos eng do grupo Pechiney, em espanhol, Bilbao, Espanha, 1967.

EDIL, T. B. & MONTAN, S. E. – Laboratory evaluatin of soil suction components. **Geotech. Testing Journ** (7)4; 173-181, 1984.

EDWARDS, K. A. & RODDA, J.C. - A Preliminary Study of the Water Balance of a Small Clay Catchment. In IASH SYMP. ON RESULTS OF RES. IN REPRESENT. AND EXPERIM. BASINS, **Proc...** Wellington, IASH Pub., n 97, 1972, p.p.187 - 199.

ELIAS, D. C. – Geotechnical Properties of Bauxite Residue and Their Use in Planning Disposal Facilities. In LIGHT METALS ANNUAL MEETING, **Proc...** 1995, pp 149-164

ERICSON, P.; WRINKLER III, P. & PLASKETT, E. - Comparison of fine tailings properties and disposal methods for the alumina, phosphate and oil sands industries - 1st INT. CONGR. ENV. GEOT., **Proc...** Edmonton, Can., 1994, p.p.475-480.

EVANS, J. C. – **Geotechnics of harzardous waste control systems**. 2nd ed., Van Nostrand Reinhold Co., NY, 1991.

FAHEY, F. & FUJIYASU, Y. - The influence of evaporation on the consolidation behaviour of gold tailings. – In FST INT. CONGR. ON ENV. GEOTECH., **Proc.** Edemonton, Can., 1994, p.p.481-486.

FANG, H. - Introductory remarks on environmental geotechnology – In FST INT. SYMP. ON ENVIR. GEOTECHN., **Proc.** Edemonton, Can., (1986) pp. 1 – 14.

_____ - Cracking and fracture behaviour of soil. **Geotech. Specialty Public.** 43, ASCE, pp.102 – 117, 1994.

FAVARETTI, M. – Tensile strength of compacted clays – In FIRST UNSAT'95. **Proc....** Paris, 1995, p.p. 51 - 56.

FAWCETT, R. G & COLLIS-GEORGE, N. – A filter paper method for determining the moisture characteristics of soil. **Austr. Jour. Exp. Agric. And Animal Husbandry**, vol. 7, pp. 162 – 167, 1967.

FAYER, M. J. & SIMMONS, C. S.– Modified soil water retention functions for all matric suctions. **Water Res. Res.** vol 31 (5), pp. 1233 –1238, 1994.

FLEMING, P. M.; DE CAMPOS, T. M. P. & VARGAS JR., E. A. – Medida de sucção em encostas não saturadas através de tensímetros automáticos. In 2º NSAT, **Anais...** Recife, 1994, 79-88.

FREDLUNG, D. G. – Appropriate concepts and technology for unsaturated soils. **Canadian Geotech. Jour.** (16). 121-139, 1979.

_____ - The 1999 R.M. Hardy Lecture: The implementation of unsaturated soil mechanics into geotechnical engineering. **Can. Geotech. J.** 37: 963-986, 2000.

_____ – Use of soil water characteristic curves in the implementation of unsaturated soil mechanics. Keynote adress. In 3rd INTERN. CONF. ON UNSAT. SOILS, Recife, Brazil, 2002, vol 3.

FREDLUND, D. G. & HASAN, J. U. – One dimensional consolidation theory: unsaturated soils. **Can. Geotech. J.** 16: 521 – 531, 1979.

FREDLUND, D. G. & RAHARDJO, H. – **Soil Mechanics For Unsaturated Soils** – John Wiley & Sons, USA, 1993.

FREDLUND, D. G. & XING, A. – Equations for the soil-water charcteristic curve. **Can. Geotech. Journ.**, 31, 521-532, 1994.

FREDLUND, D. G.; XING, A. & HUANG, S. – Predicting the permeability function for unsaturated soils using the soil water characteristic curve. **Can Geotech. J.** 31; pp. 533 – 546, 1994.

FREDLUND, M. D.; FREDLUND, D. G. & WILSON, G. W – Prediction of the Soil-Water Characteristic Curve from Grain-Size Distribution and Volume-Mass Properties – In 3º NSAT, **Anais...**, RJ, 1997.

FREDLUND, D. G. ET AL. – Suggestions and recommendations for the interpretation of soil-water characteristic curves. In 14th SOUTTHEAST ASIAN GEOTECHNICAL ENGINEERING MEETING SOCIETY'S NEEDS, **Proc.** 2001, Vol. 1, pp. 503 – 508.

FREEBAIRN, D. M.; HANCOCK, N. H. & LOTT, S. C. – Soil evaporation studies using shallow weighing lysimeters: techniques and preliminary results. **IEAust Mech. Eng. Transactions**, pp. 67 – 71, 1987.

FREDLUND, M. D.; WILSON, G. W & FREDLUND, D. G. – Representation and estimation of the shrinkage curve – In. 3rd UNSAT'2002, **Proc...** Recife, Brasil, 2002, pp.145 – 149.

GARDNER, R. – A method of measuring the capillary tension of soil moisture over a wide moisture range. – **Soil Science**, vol. 85 (4), 1937 (em Fredlund & Rahardjo, 1993).

GARNER, W. R. - Solution of the Flow Equation For Dryng Soils and Other Porous Media - **Soil Science**, 9, 183 – 187, 1959.

GARDNER, W. R. & HILLEL, D. J. - The Relation of External Evaporation Condition to Drying of Soils - **Journ of Geophys. Res.**, 67, n 11, p.p.4319 – 4325, 1962.

GIBSON, R. E. - The Progress of Consolidation in a Clay Layer Increasing in Thickness with Time - **Geotechnique**, 8, p.p 171 – 182, 1958.

GIBSON, R. E.; ENGLAND, G. L. & HUSSEY, M. J. - The Theory of One Dimensional Consolidation of Saturated Clays, I: Finete Non Linear Consolidation of Thin Homogeneous Layers - **Geotechnique**, 17, p.p. 261 – 273, 1967.

GIBSON, R. E.; SCHIFFMANN, R. L. & CARGILL, K. W. – The Theory of O.D. Consolidation of Saturated Clays, II: Finite Nonlinear Consolidation of Thick Homogeneous Layers – **Can. Geot. J.** 18(2), p.p. 280-293, 1981.

GIDIGASU, M. D. – Variability of Particle Size Distribution of a Red Mud with Different Pretest Preparation Methods – In 7th REGIONAL CONF. FOR AFRICA ON S. M. AND F. ENG. – Accra, 1980, p.p 171 – 178.

GOMES, C. F. – **Argilas: o que são e para que servem.** – Ed. da Fundação Calouste Gulbenkian, Lisboa, 1988.

GOMES, R. C. – Características de compressibilidade e adensamento de rejeitos de bauxita. In: XI CONG. BRAS. MEC. SOLOS E ENG. GEOTÉCNICA. **Anais.** Brasília, 1998, Vol. 3, p. 1775 - 1783.

GOMES, R. C. & OLIVEIRA FILHO, W. L – Compressibility and consolidation characteristics for bauxite tailings. In XI PANAM, Foz do Iguaçu, 1999, Vol 2, pp. 1085 – 1090.

GREEN, M. D. ET AL – The shear and compression rheology of bauxite residue – an overview. In INT. BAUXITE TAILINGS WORKS; **Proc.** Spons by The Aust. Baux. And Alum. Producers, Perth, West. Aust. 1992.

GROENEVELT, P. H. & GRANT, C. D. – Curvature of shrinkage lines in relation to the consistency and structure of a Norwegian clay soil - **Geoderma** 106, pp. 235 – 245, 2002.

GUIMARÃES, J. L. - **Ensaios Edométricos com Taxa Constante de Deslocamento em Rejeitos Industriais Depositados sob a Forma de Lama.** 1990. - Dissert. de Mestrado - DEC - PUC – Rio, 1990.

GUINEA, G. V.; ELICES, M. & PLANAS, J. – Assessment of the tensile strength through size effect curves. **Eng. Fracture Mechanics** 65 , pp.189 – 207, 2000.

HAINES, W. B. – The volume changes associated with variations of water content in soil – **Journal of Agriculture Science**, vol XIII, parte 3, pp. 296 – 310, 1923, (citado por Marinho, 1994).

HALIBURTON, T. A. - **Guidelines for Dewatering Densifying Confined Dredged Material** - Tech. Rep., DS-78-11, US Army Eng. Waterways Experiment Station, Vicksburg, Miss. 1978.

HAMBLIN, A. P. – Filter paper method for routine measurement of field water potential. **Jour. Of Hydrology**, vol. 53 (3/4), pp. 355 – 360, 1984.

HAYDEN, M. L. - **Prediction of Volumetric Requirements for Dredged Material Containment Areas.** Tech. Rep., D- 78-41, US Army Eng. Waterways Experiment Station, Vicksburg, Miss. 1978.

HILF, J. W. – **An investigation of pore water pressure in compacted cohesive soils.** Technical Memorandum 654. B.R.U.S. Depart. of Interior, Denver, Colorado, 1956.

HILLEL, D. – An experimental test of evaporation from bare soil under transient partial shading with analysis of advection effects. **Soil Science**, Vol 135 (6), pp. 385 – 392, 1983.

HIND, A. R.; BHARGAVA, S. K & GROCOTT, S. C. – The surface chemistry of Bayer process solids: a review - **Colloids and Surfaces. A: Physicochemical and Engineering Aspects**, 146, 359–374, 1999.

HOULSBY, G. T. & THEH, C. I. – Analysis of Piezocone in Clay. In ISOPT I, Proc...Orlando, 1988, 2: 777 – 783.

HOUSTON, S. L.; HOUSTON, W. N. & WAGNER, A. M. – Laboratory filter paper suction measurements. **GTJODJ, ASTM**. Vol 17(2), 185-194, 1994.

IDSO, S. B., REGINATO, R. J. & JACKSON, R. D. - Calculation of Evaporation During the Three Stages of Soil Drying - **Water Resour. Research**, 15 (2), 487 – 488, 1979.

IGNATIUS, S. G. & PINTO, C. S. – Aspectos do Comportamento de um Solo em Presença de Efluente Químico a Base de Soda Cáustica – In II REGEO, Proc...Rio de Janeiro, 1991, p.p. 233 – 241.

IMAI, G. – Development of a new consolidation test procedure using seepage force. **Soils and Found. Jap. Soc. Soil Mech. Found. Eng.**, vol 19 (3), pp. 45 – 60, 1979.

IMAI, G. - Experimental Studies on Sedimentation Mechanism and Sediment Formation of Clays Minerals - **Soils and Found.**, 21, no 1, p.p. 7 – 20, 1981.

IRWIN, G. R.– **Fracture. Handbook of Physick.** Flugge Ed, 1958.

JONHSON, L. D. - **Mathematical Model for Predicting the Consolidation of Dredged Materilas in Confined Disposal Areas** - Tech. Rep., D 76-1, US Army Eng. Waterways Experiment Station, Vicksburg, Miss. 1976.

JOSHI, B. - **A Finite Element Model for the Coupled Flow of Moisture and Heat in Soils Under Atmospheric Forcin.** 1993 - MSc Thesis, Univ. Saskatchewan, Can., 1993.

JUCÁ, J. F. T. – **Comportamiento de los solos parcialmente saturados bajo succión controlada.** 1990. Tesis doctoral, Universidad Politécnica de Madrid. 1990.

KAYYAL, M. K. - Effect of moisture evaporative stages on the development of shirinkage cracks in soils- In UNSAT'95, Proc...Paris, ed by Alonso e Delage, 1995, p.p. 373-379.

KERR, A. & COLOMBERA, P. – Mud Handling for Dry Stack Disposal of Bauxite Tailings. In INT. BAUXITE TAILINGS WORKS; Proc...Aust. Baux. And Alum. Producers, Perth, Aust., 1992, p.p 85-92.

KIM, D. J. ET AL. – Modellin of soil deformation and water flow in a swelling soil. **Geoderma** 92: 217 – 238, 1999.

KNIGHT, R. B. & HAILE, J.P. – Sub Aerial Tailings Deposition – In 7th PAN AM. SOIL MEC. CONF., Proc..., Vancouver, Canada, 1983, vol 2.

KONRAD, J. M. & AYAD, R. (a) – An idealized framework for the analysis of cohesive soils undergoing desiccation. **Can. Geot. J.** 34: 477 – 488, 1997.

(b) – Desiccation of a sensitive clay: field experimental observations. **Can Geotech. J.** 34: 929 – 942, 1997.

KOOLEN, A. J. – Workability Limits and their Soil Physical - Background. PAGV-Verslag No. 64 Lelystadm, The Netherlands. pp.21 – 41, 1987 (em holandês), citado por Aluko & Koolen (2000).

KOUPAI, J. A.; SWARBRICK, G. E. & FELL, R. – Prediction of unsaturated hydraulic conductivity using micro-lysimetrs. In UNSAT 95, Proc. Of, Paris, Alonso & Delage (eds), 1995, pp. 513 – 518.

KRAVCHENKO, A. & ZHANG, R. – Estimating the soil water retention from particle size distribution: a fractal approach. **Soil Science** vol 163 (3), pp. 171 – 179, 1998.

KRAUSKOPF, K. B. – **Introduction to Geochemistry** – MacGraw Hill International Editions – Earth & Planetary Sciences Series, Singapore, 1982.

KRISHNAYYA, A. V. G. & EINSENSTEIN, Z. – Brazilian tensile test for soils – **Canadian Geotech. Journal**, 11, pp. 632 – 642, 1974.

KYNCH, G. - A Theory of Sedimentation - **Transactions of the Faraday Society**, 48, p.p.168 – 176, 1952.

LACHENBRUCH, A. H. – Depth and spacing of tension cracks. **Jour. Of Geophysical Research**, 66 (12), pp. 4273 – 4292, 1962.

LAMBE, T. W. & WHITMAN, R. V. - **Soil Mechanics** - John Wiley & Sons, 1969.

LAPA, R. P. & CARDOSO, W. S. – Tailings disposal at Trombetas bauxite mine. In LIGHT METALS 117TH AIME ANNUAL MEETING, Proc...Phoenix, Arizona, 1988.

LAVROV, A. & VERVOORT, A. – Theoretical treatment of tangential loading effects on the Brazilian test stress distribution- Technical Note - **International Journal of Rock Mechanics & Mining Sciences**. (in press), 2002.

LEE, K. – Consolidation with constant rate of deformation. **Géotechnique**, vol 31 (2), pp. 215 – 229, 1981.

LEE, H. C & WRAY, W. K. – Techniques to evaluate soil suction – A vital unsaturated soil water variable. In UNSAT'95, Proc... Paris, 1995. pp. 615-622.

LEONG, E. C. & RAHARDJO, H. – Review of soil-water characteristic curve equations. **Jour. Of Geotech. And Geoenvirons. Engineering**, vol 123 (12), pp. 1106 – 1117, 1997.

LEROUEIL, S. – Compressibility of clays: fundamental and practical aspects. **Jour. Of Geotech. Eng.**, Vol 122 (7), pp. 534 – 543, 1996.

LEROUEIL, S., KABBAJ, M. & TAVENAS, F. – Study of the Validity of a $\sigma_v^* - \varepsilon_v - \dot{\varepsilon}_v^*$ Model In Situ Conditions. **Soils And Foundations** 28(3):13-25, 1988.

LEVADOUX, J. N. & BALIGH, M. M. - Consolidation after Undrained Piezocone Penetration I: Prediction - **Journ Geotech Eng Div.** - vol 112, n 7, July, ASCE, p.p 707 – 725, 1986.

LI, L. Y. & RUTHERFORD, G. K. – Effect of bauxite properties on settling of red mud – **Intern. Journal of Mineral Processing**, 48, Elsevier, p.p. 169 – 182, 1996.

LI, L. Y. – A study of iron mineral transformation to reduce red mud tailings - **Waste Management**, 21, p.p. 525 – 534, 2001.

LIMA, P. P. – **Ensaios oedométricos com taxa de deslocamento constante em solos muito moles**. 1996, Dissertação de Mestrado, D. E. C. - Universidade Federal de Viçosa, MG. 110 pp. 1996.

LIU, J.C. – **Determination of soft soil characteristics**. 1990. Tese de Doutorado, D. E. C. Colorado University, Boulder: 297 pp. 1990.

LIU, J.C., & ZNIDARCIK, D. – Modelling 1-D compression characteristics of soils. **Journal of Geotec. Engineering Division**, v. 117, n. 1. 1991.

LIGHTHALL, P.; MCLEOD, H. N. & DOMVILLE, S. - A review of mine tailings management practises for closure - In FST INT. CONGR. ON ENV. GEOTECH., Proc...Edmonton, Can., 1994, p.p. 513-518.

LINSLEY, R. K., KOHLER, M. A. & PAULHUS, J. L. H. - **Hidrology for Engineers**. second edit., McGraw Hill, NY. 1978.

LLORET, A. & ALONSO, E. – Consolidation of unsaturated soils including swelling and collapse behaviour. **Géotechnique** 30: 449 – 477. 1980.

LÓPEZ, E. ET AL. - Adsorbent properties of red muds and its use for wastewater treatment – **Water Resources**, vol 32, no 4, p.p.1314 – 1322. 1998.

LOWE, J. ; JONAS, E. & OBRICIAN, V. – Controlled gradient consolidation test. **Journ. Of the Soil Mech. And Found. Div.**, 95, pp. 77 – 97, 1969.

MACIEL, I. C. Q. – **Aspectos microestruturais e propriedades geomecânicas de um perfil de solo residual de gnaisse facoidal.** 1991, Dissertação de mestrado, DEC-PUC-Rio, Rio de Janeiro, 182 pp. 1991.

MARINHO, F. A. M. – **Shrinkage behavior of some plastic soils.** 1994, Ph.D. Thesis, Imperial College, London. 1994.

MARINHO, F. A. M. – Comunicado Pessoal, 2002.

MARINHO, F. A. M. & CHANDLER, R. J. - Discussion on “A new instrument for measurement of soil moisture suction”, por Ridley e Burland (1993). **Géotechnique** 44 (3); 551-556, 1994.

MARINHO, F. A. M. & PINTO, C. S. – Soil suction measurement using a tensiometer. **Recent Developments in Soil and Pavement Mechanics.** Balkema, 249-254. 1997.

MARSHAL, T. J. – Relations between water and soil. **Com. Bureau Soils Tech. Com.** No. 50. Harpenden. 1959 (em de Campos e outros, 1992).

MARTINEZ, R. E., BLOOMQUIST, D. & TOWNSEND, F. C. - Automated Large Deformation Consolidometer. In VIII CPMSFE, **Proc...**, Colômbia, agosto, 1987.

MARTINS, I. S. M.; ALMEIDA, M. S. S. & CARVALHO, S. R. L. – **On the strain rate to be used in CRS tests.** Publicações técnicas da COPPE/RJ, EC/MS – 001/90, 1990.

McCORMICK, P. G.; PICARO, T. & SMITH, P. A. I. – Mechanochemical treatment of high silica bauxite with lime. **Minerals Engineering**, 15, 211 –214, 2002.

McGARRY, D. & MALAFANT, K. W. J. – The analysis of volume change in unconfined units of soil. **Soil Sci. Soc. Am. J.** 51, 290–297, 1987.

McNEILAN, T. W. & SKAGGS, R. L. - In place properties of a hydraulic landfill. In HYDR. FILL STRUC. SPEC. CONF., **Geotech. Spec. Public.**, n.21, ASCE, N.Y., 1988, p.p.255-273.

McQUEEN, I. S. & MILLER, R. F. – Calibration and evaluation of a wide range method of measuring moisture stress. **Journ. Soil Science**, 106 (3), pp. 225 – 231, 1968.

McQUEEN, I. S. & MILLER, R. F. – Approximating soil moisture characteristics from limited data: empirical evidence and tentative model. **Water Resources Research**, vol 10 (3), pp. 521 – 527, 1974 (em de Campos et al., 1992).

McROBERTS, E. C. e NIXON, J. F. - A Theory of Sedimentation. **Can. Geotech. Journ.**, vol 13, p.p. 294 – 310, 1976.

MEDINA, J. & CASTRO, F. J. C. - Utilização de Rejeitos na Construção de Pavimentos: Possibilidades Futuras. In SIMP. BARRAGENS REJEITO E RESIDUOS INDUSTRIAIS E DE MINERAÇÃO, **Anais**, 1987, vol 1, pp.64 - 75.

MELGAREJO, M. L.; RIDLEY, A. M. & DINEEN, K. – A comparison of the soil water characteristic curves for reconstituted and undisturbed samples of a colluvium from Rio de Janeiro. In 3rd UNSAT 2002, Recife, Brasil, 2002, pp.313 – 316.

MELLO, L. G. - **Large Strain Consolidation for Fly Wastes Deposits** - Seminari di Ingegneria Geotecnica, Politecnico di Torino, Dipartimento di Ingegneria Strutturale, 1985.

MELLO, L. G.; CARDOSO,W. S & CARRIER, W. D. - Deposição dos Rejeitos de Lavagem de Bauxita de Trombetas nas Próprias Áreas Anteriormente Lavradas. In 1º REGEO, **Anais...R.J.**, 1987, vol 1, pp. 112 - 132.

MELLO, L. G. & SILVEIRA, A. A. – Leis de Compressibilidade e Permeabilidade de Rejeitos Brasileiros. In II REGEO, **Anais...** 1991, (1): 67 - 76.

MELLO, L. G.; CARRIER III, D. & LAPA, R. – Comportamento de Reservatórios de Rejeitos Diluídos de Bauxita. In II REGEO, **Anais...** Rio de Janeiro, 1991, vol 1, p.p. 99-107.,

MIKASA, H. - **The Consolidation of Soft Clay - A New Consolidation Theory and its Applications**. Kajima Institution Publish. 1963.

MIKASA, M. & TAKADA, N. – Determination of coefficient of consolidation (cv) for large strain and variable cv values. In CONSOLIDATION OF SOILS:

Testing and Evaluation, **ASTM STP 892**, R. N. Yong and F.C. Twonsend, Eds., ASTM, pp. 526 – 547, 1986.

MITCHELL, J. K. - Conduction phenomena: from theory to geotechnical practice. **Géotechnique** 41, n.3 – pp. 299-340. 1991.

MINERS, K. – Alcan's Experience with Disposal of Red Mud from Byer Ore Process. In Ist INT. TAILING SYMP., Proc...Aplin, C. & Argall, G. (eds.), Miller Freeman, San Francisco, 1973, pp. 41-66 (em Vick , 1983).

MORRIS, P. H.; GRAHAM, J. & WILLIAMS, D. J. – Cracking in drying soils. **Can. Geotech. J.** 29: 263 – 277. 1992.

MUNKHOLM, L. J.; SCHJØNNING, P. & KAY, B. D. – Tensile strength of soil cores in relation to aggregate strength, soil fragmentation and pore characteristics. **Soil & Tillage Research** 64, pp. 125–135, 2002.

MUSTAFA, M. A. ET AL. – Intermeittent infiltration and evaporation from soil columns. **Can. J. of Soil Science**, 63: 303 – 314. 1983.

NEWSON,T.; FAHEY, M. & FUJIYASU, Y. - Discussion about “Desiccation theory of soft cohesive soils”, by Abu-hejleh,N. & Znidarcic, D., de 1995 - **Journ. of Geotech. Eng.Div.**, ASCE, Nov., p.p.944-946. 1996.

OLIVEIRA FILHO, W. L. – **Verification of a desiccation theory for soft soils**. 1998, PhD Thesis, Civil, Environmental and Architectural Dep., University of Colorado, Boulder, USA, 1998.

OLSEN, P. A. & HAUGEN, L. E. – A new model of the shrinkage characteristic applied to some Norwegian soils. **Geoderma** 83, pp. 67 – 81. 1998.

OLSON, R. E. – State-of-Art: consolidattion testing. In CONSOLIDATION OF SOILS: testing and evaluation, **ASTM STP 892**, 1986, pp. 7 – 70.

ORTENBLÄD, A. - Mathematical Theory of the Process of Consolidation of Mud Deposits. **Journ of Math. & Phys.**, vol 9, n 2, MIT, p.p.73 - 145. 1930.

ÖZISIK, M. N. – **Boundary value problems of heat conduction**. International Textbook Company, Pennsylvania, USA, 505 p. 1968.

PALERMO, M. R., SHIELDS, F. D. & HAYES, D. F. - **Development of a Management Plan for Craney Island Disposal Area** - Tech. Rep., EL-81-11, US Army Eng. Waterways Experiment Station, Vicksburg, Miss. 1981.

PANE, V. – **Sedimentation and Consolidation of Clays.** 1985, Tese de Doutorado, Univ. do Colorado, Boulder, Colorado, USA, 382 p.p. 1985.

PAREKH, B. & GOLDBERGER, W. – **An Assessment of Technology for Possible Utilization of Bayer Process Muds.** U.S. EPA, EPA – 600/2-76-301, 1976 (em Vick, 1983).

PENEV, D. & KAWAMURA, M. – Estimation of the spacing and the width of cracks caused by shrinkage in cement-treated slab under restraint. **Cement and Concrete Research**, 23: 925 – 932. 1993.

PENMAN, H. L. - Natural Evapotranspiration From Open Water, Bare Soil and Grass. In ROYAL SOC. OL LONDON, **Proc...**, London, 1948, Serial A, 193, p.p. 120 – 145.

PENMAN, H. L. - Estimating Evaporation. **Trans. Geophys. Union**, 37, 43-50. 1956.

PEREIRA, L.; PERRIER, A.; ALLEN, R. G. & ALVES, I. – Evapotranspiration: Concepts and future trends. **J. Irrigation and Drainage Eng.** Vol 125 (2), pp. 45 – 51. 1999.

PÉREZ-GARCIA & CÓRTEZ-OCHOA, J. – Oedomètre à succion contrôlée pour effectuer des essais des sols non saturés. In UNSAT 2002, **Proc...Recife**, Brasil, 2002, Vol II, pp. 535 – 540.

PHILIP, J. R. - Evaporation and Moisture and Heat Fields in Soil. **Journ. Meteor.**, 14 (8), p.p 354 - 366. 1957.

PINTO, W. T. - **Teoria Uni-Dimensional do Adensamento com Grandes Deformações.** 1988, Dissert. de Mestrado, DEC, PUC Rio, 1988.

PRESA, E. P. – **Indeformabilidad de las arcillas expansivas bajo succion controlada.** 1982, Tesis doctoral, Universidad Politécnica de Madrid, 1992.

- PRESTIDGE, C. A.; A., I & Mensah, J. A. – Rheological investigations of gibbsite particles in synthetic Bayer liquors. **Colloids and Surfaces.** A: Physicochemical and Engineering Aspects, 157, 137–145, 1999.
- PREVEDELLO, C. L. - **Física do solo com problemas resolvidos.** Curitiba, Brazil, SAEAFS, 1996.
- RAHARDJO, H & FREDLUND, D. G. - Experimental verification of the theory of consolidation for unsaturated soil. **Can. Geotech. J.** 32: 749 – 766. 1995.
- RAHIMI, H.; PAZIRA, E. & TAJIK, F. – Effect of soil organic matter, electrical conductivity and sodium adsorption ratio on tensile strength of aggregates. **Soil & Tillage Research** 54, 145 – 153. 2000.
- REESE, K. M. & CUNDIFF, W. H. – In Aluminium Production the First Stage is Alumina. **Eng. Chem.** 47, 1. 1955.
- RIBEIRO, L. F. M. - **Ensaio de Laboratório para a Determinação das Características Geotécnicas da Argila Mole de Sergipe.** 1992, Diss. de Mestrado, DEC - PUC – Rio, 1992.
- RICHARDS, B. G. – Measurement of free energy of soil moisture by the psychrometric technique using thermistors. **Moisture equilibria and moisture changes in soils beneath covered areas.** Butterworth & Co. Ltd., Sidney, Aus, pp. 39 – 46, 1965 (em Fredlund e Xing, 1994).
-
- _____ – Modelling Interatctive Load-Deformation and Flow Processes in Soils , Including Unsaturated and Swelling Soils. **Austr. J. Soil Res.**, 43, pp 1-19. 1992.
-
- _____ – Comunicado Pessoal, 1998.
- RICHARDSON, J. F. & ZAKI, W. N. - Sedimentation and Fluidization: Part II. **Transactions of Chemical Eng.**, 32, p.p.35 – 53, 1954.
- RIDLEY, A. M. - Discussion on Laboratory filter paper suction measurements por Houston e outros, 1994. **GTJODJ**, ASTM. Vol 18(3), 391-396. 1995.
- RIDLEY, A. M. & BURLAND, J. B. - A New Instrument for Measurement of Soil Suction. Technical Note. **Géotechnique** 43(2), 321-324. 1993.

RIDLEY, A. M. & BURLAND, J. B - Discussion on A New Instrument for Measurement of Soil Suction. **Géotechnique** 44(3); 551-556. 1994.

RIDLEY, A. M. & WRAY, W. K. – Suction measurement: a review of current theory and practices. In UNSAT'95, **Proc...** Paris. 1995.

RODDA, J. C.; DOWNING, R. A. & LAW, F. M. – **Systematic Hydrology**. Newnes - Butterworths, London. 1976.

RODRIGUES, I. L. - Estruturas de Retenção de Resíduos Industriais de Mineração (Resíduos de Bauxita) – In 1º REGEO, **Anais...RJ**, 1987 vol 1, p.p.349 - 363.

RODRIGUES, I. L. & MOURA, L. - ALUMAR Residue Lake No 1 – Monitoring and Rehabilitation. In An Int. Bauxite Tailings Works.; **Proc...Spons by The Aust. Baux. And Alum. Producers**, Perth, West. Aust., 1992, p.p. 205-220.

ROLLINGS, M. P. - Geotechnical consideration in dredged material management. In FST INT. CONGR. ON ENV. GEOTECH., Edemonton, Can., 1994, 21-32.

ROMERO, E. – Controlled suction techniques. In 4th NSAT 2001, **Anais...** Porto Alegre, RS, Brazil: Gehling & Schnaid. 2001.

ROSSI, C. & NIMMO, J. R. – Modelling of soil water retention from saturation to oven dryness. **Water Resources Research**, vol 30 (3), pp. 701 – 708. 1994.

SAHIN, S. – Correlation between silicon dioxide and iron oxide contents of red mud samples. Technical Note. **Hydrometallurgy**, 47, 371 – 376. 1998.

SANTOS, P. S. - **Ciência e Tecnologia das Argilas** - vol 1, 2a ed., Ed. Edgard Blücher Ltda. 1989.

SANTOS, D. C. D. – Determinação Das Propriedades De Compressibilidade E Permeabilidade Do Rejeito De Bauxita Da Barragem De Marzagão Através De Ensaios De Laboratório E Campo. 2000. dissertação de Mestrado – DEC – UFV, 2001.

SCHIFFMAN, R.; PANE, V. & GIBSON, R. E. – The Theory of O.D. Consolidation of Saturated Clays, IV: An Overview of Non Linear Finite Strain Sedimentation and Consolidation. In **SEDIMENTATION-CONSOLIDATION MODELS**, ASCE, p.p. 1 - 29. 1984.

SCHIFFMAN, R. L. - Finite and Infinitesimal Strain Consolidation. **Journ of Geotech. Eng. Div.**, ASCE, vol 106, p.p.203 - 207. 1980.

_____ - A Short Course on The Consolidation of Soft Clays.
Coletânea de Artigos, CA 01/87, DEC, PUC-Rio. 1987.

SCOTT, R. F. - **Principles of Soil Mechanics**. Addison Wesley Publ. Cia, Inc. 1965.

SCOTT, T. R. - The Recovery of Alumina From Its Ores By Sulfuric Acid Process. **Extrative Metallurgy of Aluminium**, vol 1 - Alumina. 1978.

SHEAHAN, T C. & WATTERS, P. J. – Experimental verification of CRS consolidation theory. **Journal of Geotech. And Environm. Eng.**, Vol 123 (5), pp. 430 – 437. 1997.

SIBLEY, J. W. & WILLIANS, D. J. – A new filter material for measuring soil suction. **Geotech. Test. Jour.** 13(4), 381-384, 1990.

SIBLEY, J. W. & WILLIAMS, D. J. - Some experiments on restrained shirinkage of clays undergoing drying. **Geotech. Test. Journ.**, vol 16, n. 3, p.p. 365-371. 1993.

SIGMOND, G. - Production of Alumina From Quality Bauxites. **Kohasztí Lapok**, vol. 85, no 1. 1952.

SILLERS, W. S. & FREDLUND, D. G. – Statistical assessment of soil-water characteristic curve models for geotechnical enginnering. **Can. Geotech. Jour.** 38, pp. 1297 – 1313. 2001.

SILLERS, W. S.; FREDLUND, D. G. & ZAKERZADEH, N. – Mathematical attributes of some soil-water characteristic curve models. **Geotech. And Geological Eng.**, 19, pp. 243 – 283. 2001.

SILLS, G. C.; HOARE, S. D. L. & BAKER, N. – An experimental assessment of the restricted flow consolidation test. In CONSOLIDATION OF SOILS: Testing and Evaluation. **Specialty Publication 892**, ASTM, 1986, pp. 203 – 216.

SINGH, M.; UPADHAYAY, S. N. & PRASAD, P. M. - Preparation of Special Cements from Red Mud. **Waste Manag.**, vol 16, no. 8, p.p. 665 – 670. 1996.

SMITH, D. B. ET AL. - Water Movement in Unsaturated Zone of High and Low Permeability Strata by Measuring Tritium. In SYMP. ISOTOPE HYDROLOGY, Proc... Int. Atomic Energy Agency, Viena, 1970, p.p 73 - 87.

SMITH, R. E. & WHALS, H. E. – Consolidation under constant rates of strains. **Jour. Soil Mech. And Found. Division**, ASCE, vol 95, pp. 519 – 539. 1969.

SNYDER, V. A. & MILLER, R. D.– Tensile strength of unsaturated soils. **Soil Sci. Soc. Am. J.** 49, 58 - 65. 1985.

SOLYMAR, K; STEINER, J. & ZOLDI, J. - Separation and dry stacking of red mud. In AN INT. BAUXITE TAILINGS WORKS, Proc...; Spons by The Aust. Baux. And Alum. Producers, Perth, West. Aust., 1992, p.p. 246-257

SOMASUNDARAM, P. - Thickning or Dewatering of Slow Settling Material Suspensions. **Mineral Process**, Elssevier, parte a, p.p.233 - 261. 1981.

SOMOGYI, F. & GRAY, D. - Engineering Properties Affecting Disposal of Red Muds. In CONF. ON GEOTECHNICAL PRACTICE FOR DISPOSAL OF SOLID WASTES MATERIALS, Proc... ASCE, Michigan, 1977, pp. 1-22.

SOMOGYI, F. - **Analysis and prediction of phosphatic clay consolidation: implementation package**. Technical Report, Lakeland: Florida Phosphatic Clay Research Project. 1979.

SOUSA, H. – Com Alunorte, o País será autosuficiente. **Revista Brasil Mineral**, 132, pp. 52 – 58. 1995.

SPARROW, G. J. – **Calculation of Maximum Ponding Depth to Dewater a Clay Tailing**. Tech. Report, MCC290, CSIRO, Div. of Mineral Chemistry, Melbourne, Austr., feb. 1981.

SPOSITO, G. – Volume changes in swelling clays. **Soil Sci.** 115, 315 –320. 1973.

SRIDHARAN, A. & ALLAM, M. M. – Volume change behaviour of desiccated soils. **J. of Geotech. Eng. Div.**, ASCE, Vol. 108, GT08, pp. 1057 – 1071. 1982.

SRIDHARAN, A. & PRAKASH, K. – Characteristic water contents of fine-grained soil-water system. **Géotechnique** 48 (3), pp. 337 – 346. 1998.

SRIDHARAN, A. & PRAKASH, K. - Mechanism Controlling the Shrinkage Limit of Soils. **ASTM Geot. Test. Jour.**, vol 21 (3), pp. 240 – 250. 1998.

- STANHILL, G. - The Accuracy of Metereological Estimates of Evapo-transpiration. **Journ. of Inst. Water Eng.**, 12, p.p. 377 - 383. 1958.
- STINSON, J. M. – Correlation of red mud consolidation with its soil properties. In LIGHT METALS, 110TH AIME ANNUAL MEETING, **Proc...** Chicago, Illinois. 1981.
- STIRK, G. B. – Some aspects of soil shrinkage and the effect of cracking upon water entry into the soil. **Australian Journal of Agriculture Research**, no 5, pp. 279 – 290, 1954 (citado por Marinho, 1994)
- STRAHL, E. D. – The mineralogy of jamaican bauxite and its effect on Bayer process technology. In FIRST BAUXITE/ALUMINA SYMP., **Proc...**Kingston, Jamaica. Geological Society of Jamaica Journal, Special Issue, 1971, p.p. 62 – 69.
- SWARBRICK, G. E. – **Transient Unsaturated Consolidation in Desiccating Mine Tailings**. 1992, PhD Thesis, Sch. Civ. Eng., Univ. New South Wales, Austr.
- SWARBRICK, G. E. - The use of small scale experiments to predict desiccation of tailings. In FST INT. CONGR. ON ENV. GEOTECH., **Proc...**Edmonton, Can., 1994, p.p. 563-567.
- SWARBRICK, G. E. - Measurement of soil suction using the filter paper method. Proc. In Fst UNSAT'95. **Proc...**Paris. 1995, 653-658.
- SWARBRICK, G. E. & FELL, R. - Prediction of the Improvement of Tailings Properties by Desiccation. In IX CONG. PAN AM. DE MSFE, Chile, 1991, p.p. 995 -1007.
-
- Modeling Desiccation Behaviour of Mine Tailings. **Journ. of Geot. Eng. Div.**, 118, n 4, April, ASCE, p.p.540 - 557. 1992.
- TAN, S. A. ET AL. – Determination of consolidation properties of very soft clay. **Geotech. Test. Journal**, GTJODJ, Vol 11 (4), pp. 233 – 240. 1988.
- TARIQ, A. U. R. & DUNFORD, D. S. – Soil volumetric shrinkage measurements: a simple method. **Soil Science**, 155 (5), pp. 325 – 330. 1993.
- TEMPANY, H. A. – The shrinkage of soils. **Journal of Agriculture Science**, vol VIII, parte 3, junho, pp. 321 – 330, 1917 (citado por Marinho, 1994).

TERZAGHI, K. – Principles of soil mechanics: I – phenomena of cohesion of clay. **Engineering News – Record** – vol 95, no 19, pp. 742 – 746, 1925 (citado por Marinho, 1994).

TERZAGHI, K. & PECK, G. - **Theoretical Soil Mechanics**. John Wiley and Sons Inc. - N.York. 1943.

THOMAS, D. G. - Turbulent Disruption of Flocs in Small Particle Size Distributions. **Journ. Am. Inst. Chem. Eng.**, 10 (4), p.p. 517 - 523. 1964.

THORNTHWAITE, C. W. - An Approach Toward a Rational Classification of Climate. **Geographical Review**, 38, 85 - 94. 1948.

TILLER, F. M. - Revision of Kynch's Sedimentation Theory. **AICHE Journ.**, 27, p.p.823 - 829. 1981.

TODD, R. W ET AL. – Soil temperature and water evaporation of small steel and plastic lysimeters replaced daily. **Soil Science**, Vol. 165 (11), pp. 890 – 895. 2000.

TOWHATA, I.. ET AL. – Volume change of clays induced by heating as observed in consolidation tests. **Soils and Found.**, Vol. 33 (4), pp. 170 – 183. 1993.

TOWNER, G. D. – The mechanics of cracking of drying clay. **J. Agric. Eng. Res.** 36, 115 - 124. 1987.

TRICHÈS, G. & PEDROSO, R.S. – Using time domain reflectometry to determine moisture contents in unsaturated soils. In UNSAT 2002, Proc... Recife, Brasil, 2002, pp.357 – 361.

TSCHEBOTARIOFF, G. - **Mecanica des Suelos, Cimientos e Estructuras d Tierra** - ed. Aquila, Madrid. 1958.

TURC, L. - Le Sitan d'eaux des Sols: Relations Entre Les Précipitations, L'Évaporation et L'Éoulement. **Ann. Agron.**, 5, 491 - 596. 1954.

UMEHARA, Y. & ZEN, K. – Constant rate of strain consolidation for very soft clayey soils. **Soils and Found.**, Jap. Soc. Of Soil Mech. And Found. Eng., Vol 20 (2), pp. 79 – 95. 1980.

VAZIRI, H. & CHRISTIAN, H. – Application of Terzaghi's consolidation theory to nearly saturated soils. **Can. Geot. Journ.** 31, 311 – 317. 1994.

VELDE, B. – Structure of surface cracks in soil and muds. **Geoderma** 93: 101 – 124. 1999.

_____ – Surface cracking and aggregate formation observed in a Rendzina soil, La Touche (Vienne) France. **Geoderma** 99: 261 – 276. 2001.

VICK, S. G. - **Planning, Desing and Analysis of Tailings Dams.** Willey Series in Geotech. Eng. 1983.

VILLAR, L. F. S. - **Análise do Comportamento de Resíduos Industriais de Bauxita: Desenvolvimento de Facilidades Experimentais de Campo e Laboratório.** 1990, Dissert. de Mestrado - DEC - PUC – Rio, 1990.

VILLAR, L. F. S. & DE CAMPOS, T. M. – Ensaios de Ressecamento em Lamas Vermelhas: Estudo de Viabilidade para Uso da Técnica de Dry Stacking. In IV REGEO, Proc... São José dos Campos, São Paulo. 1999.

_____ – Obtenção de uma curva característica de sucção pelo uso combinado de técnicas diversas. In 4º NSAT 2001, **Anais....** Porto Alegre, RS, Brazil: Gehling & Schnaid Ed. 2001, pp 337-353.

_____ – Obtaining the soil moisture characteristic curve of a highly compressible waste submitted to drying. In UNSAT 2002, **Proc...** Recife, Brasil, pp.339 – 345. 2002.

VILLAR, L. F. S.; DE CAMPOS, T. M. & COSTA FILHO, L. M. – Avaliação In Situ de Características de Adensamento de Resíduos Descartados sob a Forma de Lama. In XI COBRAMSEF, **Anais...** Brasília, 1998, Vol 3, pp 1837 - 1844.

VILLAR, L. F. S.; DE CAMPOS, T. M. & VARGAS JR, E. A. – Alguns Aspectos do Fissuramento por Ressecamento de um Resíduo Depositado sob a Forma de Lama. In 3º NSAT'97, vol 2, Rio de Janeiro, RJ, 1997, pp. 567-580.

VILLELA, S. M. & MATTOS, A. - **Hidrologia Aplicada.** Ed. McGraw Hill do Brasil Ltda, 239 p.p. 1975.

VON FAY, K. F & COTTON, C. E. – Constant rate of loading consolidation test. In CONSOLIDATION OF SOILS: Testing and Evaluation. **Specialty Publication 892, ASTM**, pp. 236 – 256. 1986.

WANG, X. & BENSON, C. Infiltration and Saturated Hydraulic Conductivity of Compacted Clay. **J. of Geot. Eng.**, Vol 121 (10), pp. 713 – 722. 1995.

WARRICK, A. W. ET AL. – Diurnal fluctuations of tensiometric readings due to surface temperature changes. **Water Resoruces Research**, vol 34 (11), pp. 2863 – 2869. 1998.

WILSON, G. W. ET AL. - Modelling of Soil Evaporation from Waste Disposal Site. In Joint CSCE-ASCE National Conf. on Environm. Eng., **Proc...** July, Montreal, Can., 1993, p.p 281 - 288.

WISSA, A. E. Z. ET AL. – Consolidation at constant rate of strain. **Jour. Soil Mech. And Found. Division**, ASCE, 97, pp. 1393 – 1413. 1971.

WOODBURN, J. A. & LUCAS, B. – New approaches to the laboratory and field measurement of soil suction. In FST INT. CONF. UNSATURATED SOILS. Paris, 1995, 667-671.

YALÇIN, N. & SEVINÇ, V. – Utilization of bauxite waste in ceramic glazes. **Ceramics International**, 26, 485 – 493. 2001.

YANFUL, E. & CHOO, L. – Measurement of evaporative fluxes form candidate cover soils. **Can. Geotech. Journal**, 34, pp. 447 – 459. 1997.

ZNIDARCIC, D. ET AL. – The theory of O.D. Consolidation of Saturated Clays: Part V: Constant rate of Deformation Testing and Analysis. **Geotechnique** 36(2):227-237. 1986.