

## Bibliography

- [1] A. K. Geim and K. S. Novoselov. The rise of graphene. *NATURE MATERIALS*, 6(3):183–191, MAR 2007.
- [2] S IIJIMA. HELICAL MICROTUBULES OF GRAPHITIC CARBON. *NATURE*, 354(6348):56–58, NOV 7 1991.
- [3] R Saito, G Dresselhaus, and M. S Dresselhaus. *Physical Properties of Carbon Nanotubes*. Imperial College Press, 1998.
- [4] Michael S. Fuhrer, Chun Ning Lau, and Allan H. MacDonald. Graphene: Materially Better Carbon. *MRS BULLETIN*, 35(4):289–295, APR 2010.
- [5] M Terrones. Science and technology of the twenty-first century: Synthesis, properties and applications of carbon nanotubes. *ANNUAL REVIEW OF MATERIALS RESEARCH*, 33:419–501, 2003.
- [6] MF Yu, O Lourie, MJ Dyer, K Moloni, TF Kelly, and RS Ruoff. Strength and breaking mechanism of multiwalled carbon nanotubes under tensile load. *SCIENCE*, 287(5453):637–640, JAN 28 2000.
- [7] Pedro Venezuela, Michele Lazzeri, and Francesco Mauri. Theory of double-resonant Raman spectra in graphene: Intensity and line shape of defect-induced and two-phonon bands. *PHYSICAL REVIEW B*, 84(3), JUL 25 2011.
- [8] K Hata, DN Futaba, K Mizuno, T Namai, M Yumura, and S Iijima. Water-assisted highly efficient synthesis of impurity-free single-walled carbon nanotubes. *ABSTRACTS OF PAPERS OF THE AMERICAN CHEMICAL SOCIETY*, 229(Part 1):045–INOR, MAR 13 2005. 229th National Meeting of the American-Chemical-Society, San Diego, CA, MAR 13-17, 2005.
- [9] L Wirtz and A Rubio. Band structure of boron doped carbon nanotubes. *AIP Conference Proceedings*, 685:402–405, 2003.
- [10] DL Carroll, P Redlich, X Blase, JC Charlier, S Curran, PM Ajayan, S Roth, and M Ruhle. Effects of nanodomain formation on the electronic

- structure of doped carbon nanotubes. *PHYSICAL REVIEW LETTERS*, 81(11):2332–2335, SEP 14 1998.
- [11] Ado Jorio, Mildred Dresselhaus, Riichiro Saito, and Gene F. Dresselhaus. *Raman Spectroscopy in Graphene Related Systems*. WILEY-VCH Verlag GmbH, 2011.
- [12] Indhira O. Maciel, Marcos A. Pimenta, Mauricio Terrones, Humberto Terrones, Jessica Campos-Delgado, and Ado Jorio. The two peaks G ‘ band in carbon nanotubes. *PHYSICA STATUS SOLIDI B-BASIC SOLID STATE PHYSICS*, 245(10):2197–2200, OCT 2008.
- [13] CT White and TN Todorov. Carbon nanotubes as long ballistic conductors. *NATURE*, 393(6682):240–242, MAY 21 1998.
- [14] WJ Liang, M Bockrath, D Bozovic, JH Hafner, M Tinkham, and H Park. Fabry-Perot interference in a nanotube electron waveguide. *NATURE*, 411(6838):665–669, JUN 2001.
- [15] E Hernandez, C Goze, P Bernier, and A Rubio. Elastic properties of C and BxCyNz composite nanotubes. *PHYSICAL REVIEW LETTERS*, 80(20):4502–4505, MAY 18 1998.
- [16] Paola Ayala, Raul Arenal, Annick Loiseau, Angel Rubio, and Thomas Pichler. The physical and chemical properties of heteronanotubes. *REVIEWS OF MODERN PHYSICS*, 82(2):1843–1885, JUN 9 2010.
- [17] Takashi Koretsune and Susumu Saito. Electronic structure of boron-doped carbon nanotubes. *PHYSICAL REVIEW B*, 77(16), APR 2008.
- [18] N. Murata, J. Haruyama, J. Reppert, A. M. Rao, T. Koretsune, S. Saito, M. Matsudaira, and Y. Yagi. Superconductivity in thin films of boron-doped carbon nanotubes. *PHYSICAL REVIEW LETTERS*, 101(2), JUL 11 2008.
- [19] J. Nakamura, M. Matsudaira, J. Haruyama, H. Sugiura, M. Tachibana, J. Reppert, A. Rao, T. Nishio, Y. Hasegawa, H. Sano, and Y. Iye. Pressure-induced superconductivity in boron-doped Buckypapers. *APPLIED PHYSICS LETTERS*, 95(14), OCT 5 2009.
- [20] R. B. Sharma, D. J. Late, D. S. Joag, A. Govindaraj, and C. N. R. Rao. Field emission properties of boron and nitrogen doped carbon nanotubes. *CHEMICAL PHYSICS LETTERS*, 428(1-3):102–108, SEP 8 2006.

- [21] X. M. Liu, H. E. Romero, H. R. Gutierrez, K. Adu, and P. C. Eklund. Transparent boron-doped carbon nanotube films. *NANO LETTERS*, 8(9):2613–2619, SEP 2008.
- [22] X. M. Liu, H. R. Gutierrez, and P. C. Eklund. Electrical properties and far infrared optical conductivity of boron-doped single-walled carbon nanotube films. *JOURNAL OF PHYSICS-CONDENSED MATTER*, 22(33, Sp. Iss. SI), AUG 25 2010.
- [23] Nabil Al-Aqtash and Igor Vasiliev. Ab Initio Study of Boron- and Nitrogen-Doped Graphene and Carbon Nanotubes Functionalized with Carboxyl Groups. *JOURNAL OF PHYSICAL CHEMISTRY C*, 115(38):18500–18510, SEP 29 2011.
- [24] I Cabria, JW Mintmire, and CT White. Metallic and semiconducting narrow carbon nanotubes. *PHYSICAL REVIEW B*, 67(12), MAR 15 2003.
- [25] MF Yu, T Kowalewski, and RS Ruoff. Investigation of the radial deformability of individual carbon nanotubes under controlled indentation force. *PHYSICAL REVIEW LETTERS*, 85(7):1456–1459, AUG 14 2000.
- [26] S IIJIMA and T ICHIHASHI. SINGLE-SHELL CARBON NANOTUBES OF 1-NM DIAMETER. *NATURE*, 363(6430):603–605, JUN 17 1993.
- [27] T GUO, P NIKOLAEV, AG RINZLER, D TOMANEK, DT COLBERT, and RE SMALLEY. SELF-ASSEMBLY OF TUBULAR FULLERENES. *JOURNAL OF PHYSICAL CHEMISTRY*, 99(27):10694–10697, JUL 6 1995.
- [28] A Thess, R Lee, P Nikolaev, HJ Dai, P Petit, J Robert, CH Xu, YH Lee, SG Kim, AG Rinzler, DT Colbert, GE Scuseria, D Tomanek, JE Fischer, and RE Smalley. Crystalline ropes of metallic carbon nanotubes. *SCIENCE*, 273(5274):483–487, JUL 26 1996.
- [29] P Nikolaev, MJ Bronikowski, RK Bradley, F Rohmund, DT Colbert, KA Smith, and RE Smalley. Gas-phase catalytic growth of single-walled carbon nanotubes from carbon monoxide. *CHEMICAL PHYSICS LETTERS*, 313(1-2):91–97, NOV 5 1999.
- [30] R Kamalakaran, M Terrones, T Seeger, P Kohler-Redlich, M Ruhle, YA Kim, T Hayashi, and M Endo. Synthesis of thick and crystalline nanotube arrays by spray pyrolysis. *APPLIED PHYSICS LETTERS*, 77(21):3385–3387, NOV 20 2000.

- [31] D. Grimm, A. Grueneis, C. Kramberger, M. Ruemmeli, T. Gemming, B. Buechner, A. Barreiro, H. Kuzmany, R. Pfeiffer, and T. Pichler. Catalytic decomposition of n-heptane for the growth of high quality single wall carbon nanotubes. *CHEMICAL PHYSICS LETTERS*, 428(4-6):416–420, SEP 20 2006.
- [32] Paola Ayala, Wolfgang Plank, Alexander Grueneis, Esko I. Kauppinen, Mark H. Ruemmeli, Hans Kuzmany, and Thomas Pichler. A one step approach to B-doped single-walled carbon nanotubes. *JOURNAL OF MATERIALS CHEMISTRY*, 18(46):5676–5681, 2008.
- [33] P. Ayala, M. H. Ruemmeli, T. Gemming, E. Kauppinen, H. Kuzmany, and T. Pichler. CVD growth of single-walled B-doped carbon nanotubes. *PHYSICA STATUS SOLIDI B-BASIC SOLID STATE PHYSICS*, 245(10, Sp. Iss. SI):1935–1938, OCT 2008.
- [34] BC Satishkumar, A Govindaraj, KR Harikumar, JP Zhang, AK Cheetham, and CNR Rao. Boron-carbon nanotubes from the pyrolysis of C<sub>2</sub>H<sub>2</sub>-B<sub>2</sub>H<sub>6</sub> mixtures. *CHEMICAL PHYSICS LETTERS*, 300(3-4):473–477, FEB 5 1999.
- [35] WK Hsu, S Firth, P Redlich, M Terrones, H Terrones, YQ Zhu, N Grobert, A Schilder, RJH Clark, HW Kroto, and DRM Walton. Boron-doping effects in carbon nanotubes. *JOURNAL OF MATERIALS CHEMISTRY*, 10(6):1425–1429, 2000.
- [36] K McGuire, N Gothard, PL Gai, MS Dresselhaus, G Sumanasekera, and AM Rao. Synthesis and Raman characterization of boron-doped single-walled carbon nanotubes. *CARBON*, 43(2):219–227, 2005.
- [37] P. Ayala, J. Reppert, M. Grobosch, M. Knupfer, T. Pichler, and A. M. Rao. Evidence for substitutional boron in doped single-walled carbon nanotubes. *APPLIED PHYSICS LETTERS*, 96(18), MAY 3 2010.
- [38] F. H. Monteiro, D. G. Larrude, M. E. H. Maia da Costa, L. A. Terrazos, R. B. Capaz, and F. L. Freire. Production and Characterization of Boron Doped Single Wall Carbon Nanotubes. *The Journal of Physical Chemistry C*, 0(ja):null, 0.
- [39] Satoru Suzuki and Hiroki Hibino. Characterization of doped single-wall carbon nanotubes by Raman spectroscopy. *CARBON*, 49(7):2264–2272, JUN 2011.

- [40] JC Tsang, M Freitag, V Perebeinos, J Liu, and PH Avouris. Doping and phonon renormalization in carbon nanotubes. *Nature Nanotech*, 2:725–730, 2007.
- [41] WQ Han, Y Bando, K Kurashima, and T Sato. Boron-doped carbon nanotubes prepared through a substitution reaction. *CHEMICAL PHYSICS LETTERS*, 299(5):368–373, JAN 16 1999.
- [42] E Hernandez, P Ordejon, I Boustani, A Rubio, and JA Alonso. Tight binding molecular dynamics studies of boron assisted nanotube growth. *JOURNAL OF CHEMICAL PHYSICS*, 113(9):3814–3821, SEP 1 2000.
- [43] JC Charlier, M Terrones, M Baxendale, V Meunier, T Zacharia, NL Rupesinghe, WK Hsu, N Grobert, H Terrones, and GAJ Amaratunga. Enhanced electron field emission in B-doped carbon nanotubes. *NANO LETTERS*, 2(11):1191–1195, NOV 2002.
- [44] Mildred S. Dresselhaus, Ado Jorio, Mario Hofmann, Gene Dresselhaus, and Riichiro Saito. Perspectives on Carbon Nanotubes and Graphene Raman Spectroscopy. *NANO LETTERS*, 10(3):751–758, MAR 2010.
- [45] A Jorio, R Saito, JH Hafner, CM Lieber, M Hunter, T McClure, G Dresselhaus, and MS Dresselhaus. Structural (n, m) determination of isolated single-wall carbon nanotubes by resonant Raman scattering. *PHYSICAL REVIEW LETTERS*, 86(6):1118–1121, FEB 5 2001.
- [46] MA Pimenta, A Marucci, SA Empedocles, MG Bawendi, EB Hanlon, AM Rao, PC Eklund, RE Smalley, G Dresselhaus, and MS Dresselhaus. Raman modes of metallic carbon nanotubes. *PHYSICAL REVIEW B*, 58p(24):16016–16019, DEC 15 1998.
- [47] AM Rao, E Richter, S Bandow, B Chase, PC Eklund, KA Williams, S Fang, KR Subbaswamy, M Menon, A Thess, RE Smalley, G Dresselhaus, and MS Dresselhaus. Diameter-selective Raman scattering from vibrational modes in carbon nanotubes. *SCIENCE*, 275(5297):187–191, JAN 10 1997.
- [48] Anindya Das, A. K. Sood, A. Govindaraj, A. Marco Saitta, Michele Lazzeri, Francesco Mauri, and C. N. R. Rao. Doping in carbon nanotubes probed by Raman and transport measurements. *PHYSICAL REVIEW LETTERS*, 99(13), SEP 28 2007.

- [49] RB Weisman and SM Bachilo. Dependence of optical transition energies on structure for single-walled carbon nanotubes in aqueous suspension: An empirical Kataura plot. *NANO LETTERS*, 3(9):1235–1238, SEP 2003.
- [50] A Jorio, G Dresselhaus, MS Dresselhaus, M Souza, MSS Dantas, MA Pimenta, AM Rao, R Saito, C Liu, and HM Cheng. Polarized Raman study of single-wall semiconducting carbon nanotubes. *PHYSICAL REVIEW LETTERS*, 85(12):2617–2620, SEP 18 2000.
- [51] AM Rao, PC Eklund, S Bandow, A Thess, and RE Smalley. Evidence for charge transfer in doped carbon nanotube bundles from Raman scattering. *NATURE*, 388(6639):257–259, JUL 17 1997.
- [52] I. O. Maciel, J. Campos-Delgado, M. A. Pimenta, M. Terrones, H. Terrones, A. M. Rao, and A. Jorio. Boron, nitrogen and phosphorous substitutionally doped single-wall carbon nanotubes studied by resonance Raman spectroscopy. *PHYSICA STATUS SOLIDI B-BASIC SOLID STATE PHYSICS*, 246(11-12, SI):2432–2435, DEC 2009. 23rd Winterschool on Electronic Properties of Novel Materials, Kirchberg, GERMANY, MAR 14, 2009.
- [53] Indhira O. Maciel, Neil Anderson, Marcos A. Pimenta, Achim Hartschuh, Huihong Qian, Mauricio Terrones, Humberto Terrones, Jessica Campos-Delgado, Apparao M. Rao, Lukas Novotny, and Ado Jorio. Electron and phonon renormalization near charged defects in carbon nanotubes. *NATURE MATERIALS*, 7(11):878–883, NOV 2008.
- [54] S. C. Lyu, J. H. Han, K. W. Shin, and J. H. Sok. Synthesis of boron-doped double-walled carbon nanotubes by the catalytic decomposition of tetrahydrofuran and triisopropyl borate. *CARBON*, 49(5):1532–1541, APR 2011.
- [55] B.H. Bransden and C.J. Joachain. *Physics of Atoms and Molecules*. Prendice Hall, 2003.
- [56] M.P. Seah and D Briggs. *Practical Surface Analysis*. John Wiley and Sons Ltd, 1990.
- [57] Stefan Hufner. *Photoelectron Spectroscopy: Principles and Applications*. Springer, 1996.
- [58] LG Jacobsohn, RK Schulze, MEHM da Costa, and M Nastasi. X-ray photoelectron spectroscopy investigation of boron carbide films deposited by sputtering. *SURFACE SCIENCE*, 572(2-3):418–424, NOV 20 2004.

- [59] Qian Jian-gang, Wang Chun, Li Di, Guo Bao-lan, and Song Guang-ling. Formation mechanism of pulse current anodized film on AZ91D Mg alloy. *TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA*, 18(1):19–23, FEB 2008.
- [60] L. S. Panchalkarla, A. Govindaraj, and C. N. R. Rao. Nitrogen- and boron-doped double-walled carbon nanotubes. *ACS NANO*, 1(5):494–500, DEC 2007.